



PRODUCT CATALOGUE Vol.4

www.empteezy.co.uk

WIPES
FUNNELS
WORK CARTS
BUNDED TANKS
SUMP FLOORING
SPILL CONTAINMENT
WALK-IN STORE DRIP TRAYS
BUNDED TROLLEYS
FIRE RATED CABINETS
UK SPEC STORAGE
EMERGENCY SHOWERS
TANK SHOWER WORK CARTS
TEMPERATURE CONTROLLED STORAGE
SELECTIVE SPILL KITS SPILL RESPONSE KITS
MAINTENANCE SPILL KITS EMERGENCY SHOWERS
OIL SELECTIVE SPILL KITS AUTO TIPPING SKIPS
CONTAINMENT BOOMS WALK-IN STORE
FUNNELS FREE SITE ASSESSMENT
TEMPERATURE CONTROLLED STORAGE
BUNDED TROLLEYS FIRE RATED STORAGE
DRUM & IBC SPILL PALLETS
CHEMICAL ABSORBENTS
WALK-IN STORE
SUMP FLOORING
SPILL PALLETS
EN/FM FIRE RATED STORAGE

Company Overview



Empteezy® is the home of quality engineered spill containment and spill control products. Our overriding aim is to help you comply with legislation and implement best practice in connection with your oil and chemical storage needs, spill response programmes (including spill kits, emergency safety shower and tank shower applications and waste handling projects.)



With our products tailored to meet the requirements of a variety of different working environments including industrial, commercial, military, marine and educational setting, we manufacture in excess of 70% of the products available in our portfolio in our own factories, making us well placed to provide you with expert advice on how our products can help you meet UK, EU and International Standards relating to spill containment and spill control of most liquids.

Customer satisfaction is of paramount importance to us which is why we aim to provide a complete service and develop long term relationships. We will always work with you to resolve any issues that are encountered in a timely and professional manner.



Empteezy® is an ISO 9001, ISO 14001 & OHSAS 18001 accredited company. We use the vast array of experience we have amassed over the years to provide practical advice over the phone or by email, regular blogs on industry related topics, a web based advice centre and free of charge confidential site assessments with detailed follow-up reports.


PROFESSIONAL BODY MEMBERSHIPS



CUSTOMER INFORMATION

Business Hours 

Monday to Thursday 09:00 to 17:00
Friday 09:00 to 15:00 or anytime at
www.empteezy.co.uk



Payment 

You can use any of the following methods, our aim is to make the process as uncomplicated as possible.

- Business Credit Account
- Company Purchase Card
- Credit Card
- Debit Card

Delivery 

Our prices include delivery to mainland UK addresses but do not include unloading or positioning of the goods. If you do not have off loading facilities we have options available so please discuss with us prior to ordering.

Empteezy reserves the right to amend the prices shown in this catalogue without notice.



- Since 1986 -



70%

70% of products are produced in our own factories.

Specialists in



Spill Response



Flammable Liquid Safety



Site Safety



Fork Lift Attachments



Bunded Storage



Decontamination Equipment

SALES AND WAREHOUSING SITES IN:



United Kingdom

France

Spain

Belgium

Italy

Germany

OUR AIM



LEGISLATIVE COMPLIANCE



BEST PRACTICE

IN



SPILL CONTAINMENT



SPILL RESPONSE

FOR OVER 30 YEARS, WE HAVE BEEN SERVING THESE SECTORS:



Industrial



Commercial



Military



Marine



Education



DISTRIBUTING IN MORE THAN

40 COUNTRIES



Empteezy are one of the only companies in the spill control and containment sector to be accredited to ISO 9001, ISO 14001 & OHSAS 18001.

EMPTEEZY'S PROMISES TO YOU AS A CUSTOMER

REASONS TO ORDER FROM EMPTEEZY

✓ 3 & 20 YEAR GUARANTEES

Over and above your statutory rights we offer a 3 year guarantee on our rotationally moulded polyethylene products and a 20 year structural guarantee on our DS – DPU – IB – CB – CS steel products.

✓ PRICE PLEDGE

We will price match any product of the same quality and if after purchase you find the same product at a lower price we will refund the difference.

*This offer does not apply to promotional and/or sale prices.

✓ BULK DISCOUNTS AVAILABLE

Discounts are available for bulk purchases of individual products, please contact us to discuss your options.

✓ FULLY TRAINED STAFF

We are available to offer application advice, confirm product details, arrange site visits and identify possible savings.

ON HAND TO CHOOSE THE RIGHT PRODUCTS

✓ RELIABLE, STRAIGHT FORWARD, UNCOMPLICATED & TRUSTWORTHY:

With years of experience designing and manufacturing quality engineered products in conjunction with our customers, we are well placed to help you select the right product for your specific application. Our aim is to establish a long term relationship and to become the company you turn to for fast, and reliable information.

✓ FREE SITE ASSESSMENTS

Uncertain as to your requirements regarding Health & Safety Regulations and legislative compliance? Not to worry, our experts are on hand to conduct a free site assessment of your requirements.

✓ COMMUNICATION

CONTACT US

We want it to be easy for you to contact us, whether that's with a general enquiry, to place an order, progress an existing order or to make a complaint.

T: +44 (0) 1506 430309


F: +44 (0) 1506 441 466

E: advice@empteezy.co.uk



PAYMENT OPTIONS

You can use any of the following methods of payment, our aim is to make the process as uncomplicated as possible.



NEED TO ORDER QUICKLY?

TRY OUR NEW EMPTEEZY WEBSITE!



- **ONLINE CHAT FACILITY**
- **EXCLUSIVE WEB OFFERS**
- **DOWNLOAD PRODUCT DATA SHEETS**
- **LATEST PRODUCTS LAUNCHED FIRST ON THE WEBSITE**



www.empteezy.co.uk

CONTENTS

OIL STORAGE REGULATIONS



UK STORAGE REGULATIONS

Pg 8

PRODUCT GUIDES



CHOOSING THE RIGHT ABSORBENT

Pg 13

COLOUR CODED ABSORBENTS

Pg 14

SELECTING FOR YOUR APPLICATIONS

Pg 15

FREE SITE ASSESSMENT

Pg 19

ABSORBENTS



MAINTENANCE ABSORBENTS

Pg 16

OIL ABSORBENTS

Pg 17

CHEMICAL ABSORBENTS

Pg 18

SPILL KITS



8 STEP GUIDE

Pg 21

CHOOSING THE RIGHT SPILL KIT

Pg 22

MAINTENANCE RANGE

Pg 24

OIL SELECTIVE RANGE

Pg 26

CHEMICAL RANGE

Pg 28

OVERPACK SPILL KITS

Pg 30

SPILL STATIONS PLASTIC

Pg 32

SPILL STATIONS STEEL

Pg 33

DRAIN COVERS

Pg 34

JUSTRITE® BERMES

Pg 36

DIRTEEZE® TRADE WIPES & CLOTHS

Pg 39

DRUM & IBC STORAGE/ POLYETHYLENE PRODUCTS



POLYETHYLENE COMPATIBILITY GUIDE

Pg 45

SPILL PALLETS

Pg 46

DRUM STACKING & CRADLE

Pg 50

BUNDED TROLLEYS

Pg 51

STORAGE BINS

Pg 52

OVERPACKS

Pg 53

FUNNELS & DRUM COVERS

Pg 54

SPILL FLOORING

Pg 55

IBC SPILL PALLETS

Pg 57

COVERED IBC SPILL PALLETS

Pg 59

HARD COVERED IBC SPILL PALLETS

Pg 61

CUPBOARDS WITH BUILT IN SUMPS

Pg 64

CUPBOARDS & ROLL DISPENSERS

Pg 65

SPILL TRAYS

Pg 66

COLUMN GUARDS

Pg 72

DRY GOODS STORAGE



STEEL DRUM & IBC STORAGE INTRO

Pg 74

STEEL SPILL PALLETS

Pg 76

SPILL FLOORING, TROLLEYS & SHELVING

Pg 78

IBC SPILL PALLETS

Pg 79

FULLY ENCLOSED SECURE STORES

Pg 80

SECURE COMBINATION STORES

Pg 83

TAILORED SOLUTIONS

Pg 84/87

COMPOUNDS

Pg 85

TEMPERATURE CONTROL SYSTEMS

Pg 86

CHEMSTORE®

Pg 88

FIRE RATED STORAGE

Pg 91

GAS CYLINDER STORAGE

Pg 93

HAZARDOUS MATERIAL & FIRE RATED PRODUCTS



WHAT YOU NEED TO KNOW	Pg 96
ADVICE ON STORAGE	Pg 98
UK SPECIFICATION CABINETS	Pg 99
DUAL APPROVED EN/FM CABINETS	Pg 101
STEEL SAFETY CANS	Pg 103
LABORATORY CANS	Pg 105
WASTE CANS	Pg 106
BENCH CANS & DISPENSING BOTTLES	Pg 107
PLUNGER CANS	Pg 108
WASTE CONTAINERS	Pg 109
DIP & FLOOR STANDING RINSE TANKS	Pg 110
SAFETY DRUM TAPS	Pg 111
DRUM VENTS & ANTI STATIC WIRES	Pg 112
SAFETY FUNNELS	Pg 113
DRUM COVERS & LOCKS	Pg 114

EMERGENCY SHOWERS



ANSI KEY POINTS	Pg 116
EMERGENCY TANK SHOWERS	Pg 118
WRAP AROUND EMERGENCY SHOWER	Pg 121
OPTIONAL EXTRAS	Pg 122
WATER TREATMENT CHEMICAL	Pg 123
COMBINATION SHOWERS	Pg 124
WALL & CEILING MOUNTED SHOWERS	Pg 126
HEAT TRACE & DECON SHOWERS	Pg 127
PEDESTAL MOUNTED EYEWASH	Pg 128
WALL MOUNTED EYEWASH	Pg 129
ACCESSORIES	Pg 131
SPEAKMAN® RANGE	Pg 133

BUNDED PLASTIC TANKS



BUNDED PLASTICS STORAGE INFO	Pg 137
FUEL DISPENSING TANKS	Pg 138
BUNDED STORAGE TANKS	Pg 139
BUNDED WASTE OIL TANKS	Pg 140

WASTE HANDLING




WASTE RANGE INTRO	Pg 142
PLASTIC ROLL FORWARD SKIP	Pg 143
STEEL ROLL FORWARD SKIPS	Pg 144
ROLL FORWARD SKIPS FOR FORK LIFTS	Pg 145
AUTO TIPPING SKIPS	Pg 146
AUTO DUMPING SKIPS	Pg 147
SKIP CANOPIES - CONTROLLED ACCESS	Pg 149

ACCESSORIES



DRUM CLAMPS	Pg 150
-------------	--------



THE CONTROL OF POLLUTION (OIL STORAGE) (ENGLAND) > REGULATIONS 2011



WHERE DO THE REGULATIONS APPLY?

These regulations apply in England. Scotland, Wales and Northern Ireland have separate regulations.

The container must be situated within a secondary containment system which satisfies the following requirements: It must have a capacity of not less than 110% of the container's storage capacity or, if there was more than one container within the system, of not less than 110% of the largest container's storage capacity, or 25% of the aggregate storage capacity, whichever is greater.

WHAT TYPES OF OIL CONTAINERS ARE COVERED BY THE REGULATIONS?

The regulations apply to:

- Tanks (can be permanent or temporary).
- Drums greater than 200ltr capacity.
- Intermediate bulk containers (IBCs).
- Mobile bowsers.
- Oil storage containers can be made from a variety of materials, for example polyethylene or metal, but all should be designed and manufactured to hold oil and must be 'fit for purpose' while they are being used. The Environment Agency regard an Intermediate Bulk Container (IBC) as being permanent oil storage and the requirements for fixed tanks apply.



WHICH TYPES OF OIL ARE COVERED?

The regulations cover all types of oil, except waste mineral oil. This includes petrol, diesel, bio-fuels, vegetable oils, synthetic, mineral oils and oils used as solvents. Biodegradable oils are also covered.

ARE CROWN SITES EXEMPT?

NO, they must comply with the regulations, although the Environment Agency can't prosecute for non-compliance, they can ask the court to serve a notice which would require improvements to be put in place.

DO THE REGULATIONS COVER THE VOLUME OF OIL STORED OR THE SIZE OF THE CONTAINER?

The regulations cover the size of the container. For example, sites with an oil tank of 1000ltr which only ever have 150ltr of oil stored would still have to comply.

Require more information on Oil Storage?
Visit www.gov.uk/government/organisations/environment-agency



EMPTEEZY[®]
working for the environment

☎ 01506 430309
✉ advice@empteezy.co.uk



THE WATER ENVIRONMENT (OIL STORAGE) (SCOTLAND) > REGULATIONS 2006



DO THE REGULATIONS APPLY TO ME?

YES if you store any of the following kinds of oil:

- Petrol.
- Diesel.
- Mineral oil.
- Heating oil.
- Lubricating oil.
- Waste oil.
- Vegetable and Plant oil.

The regulations apply to any kind of container which is used to store oil above ground, whether inside or outside including fixed tanks, intermediate bulk containers, drums (oil drums or similar containers used for storing oil) or mobile bowsers.

Containers must be stored/placed within a secondary containment system which satisfies the following requirements: it must have a capacity of not less than 110% of the container's storage capacity or, if there is more than one container within the system, of not less than 110% of the largest container's storage capacity, or 25% of the aggregate storage capacity, whichever is greater.

KEY REQUIREMENTS OF THE REGULATIONS.

The regulations set design standards for new and existing above ground oil storage facilities:

Where oil is stored in any portable container with a storage capacity of less than 200ltr, the container must be of sufficient strength and structural integrity to ensure that it is unlikely to burst or leak in its ordinary use.

Where the container has a storage capacity of 200ltr or more, the regulations require provision of a secondary containment (a bund or drip-tray) to ensure that any leaking or spilt oil cannot enter the water environment.

IS STORAGE WITHIN BUILDINGS COVERED BY THE REGULATIONS?

YES, Oil storage within buildings must comply with the regulations.



Need more information about Oil Storage?
Visit www.sepa.org.uk





CONTROL OF POLLUTION (OIL STORAGE) NORTHERN IRELAND > REGULATIONS 2010



DO THE REGULATIONS APPLY TO ME?

YES, if you store any of the following kinds of oil:

- Petrol.
- Diesel.
- Mineral oil.
- Heating oil.
- Lubricating oil.
- Waste oil.
- Vegetable and Plant oil.

The regulations apply to any kind of container which is used and stored on premises above ground, whether inside or outside a building. This includes fixed tanks, intermediate bulk containers, drums (oil drums or similar containers used for storing oil) or mobile bowzers.

The container must be situated within a secondary containment system which satisfies the following requirements: It must have a capacity of not less than 110% of the container's storage capacity or, if there is more than one container not less than 110% of the largest container's storage capacity, or 25% of the aggregate storage capacity, whichever is greater.

KEY REQUIREMENTS OF THE REGULATIONS.

The regulations set design standards for new and existing above ground oil storage facilities:

Where oil is stored in any portable container with a storage capacity of less than 200ltr, the container must be of sufficient strength and structural integrity to ensure that it is unlikely to burst or leak in its ordinary use.

Where the container has a storage capacity of 200ltr or more, the regulations require provision of a secondary containment (a bund or drip-tray) to ensure that any leaking or spilt oil cannot enter the water environment.

IS STORAGE WITHIN BUILDINGS COVERED BY THE REGULATIONS?

YES, Oil storage within buildings must comply with the regulations.



Require more information on Oil Storage?
Visit www.doeni.gov.uk



EMPTEEZY[®]
working for the environment



☎ 01506 430309
✉ advice@empteezy.co.uk



THE WATER RESOURCES (CONTROL OF POLLUTION) (OIL STORAGE) WALES > REGULATIONS 2006



DO THE REGULATIONS APPLY TO ME?

The regulations apply to oil storage facilities that are above ground or in buildings with a storage capacity of more than 200L. The regulations also apply to waste oil storage and replace the agricultural fuel oil storage provisions of the Water Resources (Control of Pollution) (Silage, Slurry and Agricultural Fuel Oil) (Wales) Regulations 2010.

The regulations do not apply to any;

- Containers with a storage capacity of 200L or less.
- Existing container serving premises used wholly or mainly as a private dwelling.
- Container that is wholly underground.

KEY REQUIREMENTS OF THE REGULATIONS.

All new, above ground oil storage containers must have secondary containment to prevent leaks and oil escaping into the wider environment.

The requirements are that;

- Single containers must have containment capable of storing 110% capacity.
- Multiple containers must have containment capable of storing 110% of the largest tank capacity or 25% of the total aggregate capacity, whichever is the greatest.

The regulations also set out specific container and facility construction standards and required equipment standards (for example, for tap valves and sight gauges) for oil storage facilities, including mobile bowsers.



**Cyfoeth
Naturiol
Cymru
Natural
Resources
Wales**

Require more information on Oil Storage?
Visit www.naturalresources.wales

AVOID DANGEROUS SPILLS AND LEAKS

SEE OUR RANGE OF SPILL TRAYS

Page 66



**NEED ADVICE? OR WANT TO ARRANGE
A SITE ASSESSMENT? CONTACT US ON:**

 01506 430309

 advice@empteezy.co.uk

CHOOSING THE RIGHT ABSORBENTS FOR YOUR APPLICATION

WHAT ARE MY CHOICES?

In simple terms polypropylene absorbents are available in 3 distinct colour coded types:

MAINTENANCE

Coloured coded grey maintenance absorbents will absorb:

- Water.
- Hydrocarbons (Oils and Fuel).
- Coolant.
- Cutting fluids.
- Inks.
- Mild solvents.

The grey colour allows the product to blend in to the workplace when they are being used pro-actively to contain and absorb minor leaks from plant and machinery.

OIL SELECTIVE

Coloured coded white oil selective absorbents will absorb:

- Hydrocarbons (Oils and Fuels).
- They will not absorb water, which makes them ideal for taking "oil" off water or dealing with land based spills in the rain.

The white colour helps you easily see that the product is working when, for example you are dealing with spills on water.

CHEMICAL

Colour coded yellow chemical absorbents will absorb:

- Acids & Caustics, in fact almost any liquid which makes them ideal for situations when you are unsure/don't know what the spill liquid is.

The yellow colour acts as a "hi-vis" warning that the spill is likely to be of an aggressive liquid and additional care should be taken.

DIFFERENT FORMATS

Irrespective of the type of absorbent (maintenance, oil selective or chemical) the absorbents are available in different formats designed to help you deal with different applications effectively.

Pads

Designed to allow you to deal with minor leaks, drips and spills, they can be used proactively to line parts trays, catch drips or absorb and clean up after a minor incident.

Rolls

Allow you to run out a longer length of absorbent quicker than placing individual pads down. Run a length out under a conveyor to catch drips and overspray, place a length along the shoreline to catch spilt oil lapping on the shoreline.

Cushions

Because they absorb more than a pad, cushions are ideal for clean-up after a large spill has been contained and applications like lining drip trays, which makes them easier to empty without spilling the captured liquid.

Socks

Use them proactively around the base of leaking plant or machinery to contain and absorb the liquid and stop it spreading and becoming a slip hazard or damaging the local environment. They can of course be used as part of your spill response measures to contain and absorb liquids spilt accidentally.

Booms

These large diameter products are ideal for containing and absorbing large spills and in the case of the oil selective booms are designed for use on inland waterways, rivers, ponds, settling ponds etc.





COLOUR CODED ABSORBENTS THAT CONFORM TO BRITISH STANDARDS BS 7959



SUPERIOR ABSORBENTS BY EMPTEEZY

Are you equipped for an oil or chemical spill? At Empteezy we manufacture a wide range of absorbents each designed to deliver optimum performance in specific situations. Use this guide to help you select the best solution for your facility.

All our absorbents fully comply with British Standards Institute BS 7959 parts 1, 2 & 3 and are submitted to rigorous product testing and tracking including:

- 💧 Retention Capability
- 💧 Strength Testing
- 💧 Resistance to Abrasion
- 💧 Reaction to Heat

APPLICATION	LIQUIDS	COLOUR	NAME
Suitable for dealing with everyday leaks, drips and overspray from machinery, conveyors and valves.	Oils, coolants, cutting fluid, mild solvents, water.	Grey 	Maintenance
Suitable for dealing with everyday leaks, drips and overspray from machinery, conveyors, valves and also dealing with outdoor spills on land or water.	All hydrocarbons including: fuel oil, diesel, petrol, lubricating and cutting oil.	White 	Oil Selective
Locations that use or store chemicals such laboratories, drips and overspray from dip tanks etc.	Almost all liquids including: acids, alkalis, hydrocarbons, coolants, cutting fluids and water.	Yellow 	Chemical



Maintenance



Oil Selective



Chemical





HOW TO SELECT THE RIGHT ABSORBENTS FOR YOUR APPLICATIONS



POTENTIAL HAZARD	SOCKS	BOOMS	PADS & ROLLS	CUSHIONS
Leaks from machines that run into walkways.	✓			
Drips from pipes, valves and glands etc.			✓	✓
Overspray from machinery.			✓	
Leaks & drips from conveyor belts.			✓	
Lining parts bins, trolleys, or shelves etc.			✓	
Drips & splashes from dip tanks & parts washers.			✓	✓
Spills from over full drip trays.	✓			✓
Spills & leaks in labs/test facilities.	✓		✓	✓
Leaking Drums/IBCs.	✓	✓	✓	✓
Leaks & spills at fuel pumps.	✓	✓	✓	✓

EMPTEEZY'S CONTAINED ABSORBENTS

More effective and less time consuming to clean-up than clay granules, sawdust, rags etc. These products are available in different formats to suit different applications and can be used proactively as part of day to day housekeeping or as part of an emergency response program. They are quick to deploy, fast to recover and are disposed of in accordance with local authority guidelines (they can be incinerated to less than 1% ash).



Page 16

EMPTEEZY'S ABSORBENTS





GREY MAINTENANCE > ABSORBENTS



MAINTENANCE ABSORBENTS

Our maintenance absorbents are perfect for pro-active and response use, have excellent strength and durability even when saturated and the pads and rolls have sonically welded cover stock which improves their strength and reduces linting.

MP100-80



MR1-80



MS20-90



MC10-48



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



MAINTENANCE ABSORBENTS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxH)	ABSORBENCY	QTY & FORMAT	TARE WEIGHT	DELIVERED PRICE
MP100-80	50cm x 40cm	80ltrs	100x pads	6kg	£45.00
MP200-100	50cm x 40cm	100ltrs	200x sheets	7kg	£58.00
MR1-80	50cm x 40cm	80ltrs	1x roll	6kg	£45.00
MS20-90	7.5cm x 1.2m	100ltrs	20x socks	13kg	£37.00
MS8-90	7.5cm x 3m	100ltrs	8x socks	13kg	£32.00
MC10-48	30cm x 40cm	50ltrs	10x pillows	5kg	£30.00
MC16-59	38cm x 23cm	60ltrs	16x pillows	4kg	£36.00
MC10-60	50cm x 40cm	60ltrs	10x pillows	9kg	£60.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



OIL SELECTIVE > ABSORBENTS



OIL ONLY ABSORBENTS

Colour coded white our oil selective absorbents are easy to use and with a sonically welded cover stock on the pads and rolls they are durable and maintain their structure even when saturated. The socks and booms are the practical answer when you need to contain and absorb oil spills quickly.

OSP100-100



OSR1-80



OSS20-90



OSB4-120



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



OIL SELECTIVE ABSORBENTS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxH)	ABSORBENCY	QTY & FORMAT	TARE WEIGHT	DELIVERED PRICE
OSP100-100	50cm x 40cm	80ltrs	100x pads	6kg	£44.00
OSP200-100	50cm x 40cm	100ltrs	200x sheets	7kg	£56.00
OSR1-80	50cm x 40cm	80ltrs	1x roll	6kg	£44.00
OSS20-90	7.5cm x 1.2m	100ltrs	20x socks	13kg	£43.00
OSS8-90	7.5cm x 3m	100ltrs	8x socks	13kg	£32.00
OSC10-48	30cm x 40cm	50ltrs	10x pillows	5kg	£33.00
OSC16-59	38cm x 23cm	60ltrs	16x pillows	4kg	£37.00
OSC10-60	50cm x 40cm	60ltrs	10x pillows	9kg	£38.00
OSB4-120	13cm x 3m	120ltrs	4x booms	8.6kg	£82.00
OSB2-100	20cm x 3m	320ltrs	2x booms	8.6kg	£65.00

EMPTEEZY[®]
working for the environment



01506 430309



advice@empteezy.co.uk



YELLOW CHEMICAL > ABSORBENTS



CHEMICAL ABSORBENTS

For use with most liquids including aggressive chemicals our range of chemical absorbents are manufactured to the highest standards and include sonically bonded cover stock on the pads and rolls for improved strength and reduced linting.

CP100-80



CR1-80



CC10-60



CS20-90



CB4-120



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



CHEMICAL ABSORBENTS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxH)	ABSORBENCY	QTY & FORMAT	TARE WEIGHT	DELIVERED PRICE
CP100-80	50cm x 40cm	100ltrs	100x pads	6kg	£45.00
CP200-120	50cm x 40cm	120ltrs	200x sheets	7kg	£58.00
CR1-80	50cm x 40cm	80ltrs	1x roll	6kg	£45.00
CS20-90	7.5cm x 1.2m	90ltrs	20x socks	13kg	£42.00
CS8-90	7.5cm x 3m	90ltrs	8x socks	13kg	£42.00
CC10-48	30cm x 40cm	50ltrs	10x pillows	5kg	£32.00
CC16-59	38cm x 23cm	40ltrs	16x pillows	4kg	£39.00
CC10-60	50cm x 40cm	60ltrs	10x pillows	5kg	£29.00
CB4-120	13cm x 3m	120ltrs	4x boom	8.6kg	£82.00

EMPTEEZY[®]
working for the environment



01506 430309



advice@empteezy.co.uk



SUPPORT AND ASSISTANCE
> FREE SITE ASSESSMENTS



Keeping on top of changes in legislation can be time consuming and costly if you fail to do so. With Empteezy you have access to our free, confidential and without any onus advice on how to ensure your facility is fully compliant with regulations and/or audit standards such as ISO 14001.

Our team of field based managers (supported by our office based team) are available to provide you with objective advice on spill containment & spill response related issues and can if required even provide a fully detailed site assessment report for you.

SITE ASSESSMENT ADVANTAGES

- An outside pair of eyes will often spot something that has become common place to you.
- You get recommendations based on the latest legislative and/or audit standard updates.
- Implementing best practice will reduce the risk to staff and the environment and can help reduce insurance premiums and lessen the risk of 3rd party claims.

AREAS COVERED

Delivery of containers to site	✓
Movement of containers around site	✓
Storage of full and empty containers	✓
Storage of waste and waste handling	✓
Manufacturing process including laboratories/pilot plants	✓
Maintenance procedures	✓
Site drainage and ground contamination risks	✓
Where spilt liquids can access if they leave site	✓
Flammable liquid and explosive atmospheres	✓
Existing spill containment systems	✓
Existing spill response measures	✓
Emergency decontamination of personnel	✓



Page 34

**NEED ADVICE? OR WANT TO ARRANGE
A SITE ASSESSMENT? CONTACT US ON:**

 01506 430309

 advice@empteezy.co.uk



SPILL RESPONSE KITS

> AN 8 STEP GUIDE



1. ASSESS

As soon as you encounter a spill and until it has been successfully dealt with, you must constantly assess the risk it poses to personnel, the environment and property. SAFETY ALWAYS COMES FIRST. Try and determine what the liquid is, the quantity involved and if there are any casualties. NEVER try to deal with the spill on your own, inform colleagues and wait until at least one other person is in attendance. Remember to replenish all your absorbents kits and back up stock along with disposed of PPE drain blockers etc.

2. PROTECT

Always wear the appropriate P.P.E. (personal protection equipment) to allow you to safely respond to the spill. Check M.S.D.S. (material, safety data sheets) for the hazards associated with the liquid spilled and then dress accordingly. IF IN DOUBT, ASSUME THE WORST AND WEAR THE HIGHEST LEVEL OF P.P.E.

3. CONTAIN

By containing the spill you buy time. You should also reduce the area of contamination and lessen the impact the spill will have. Use absorbent seals and booms or poly booms to provide a fast, effective containment barrier.

4. STOP THE SPILL

Once the spill is contained; STOP the source of the spill. Roll a drum damaged side up, turn a tap off, plug a hole etc. If appropriate decant any remaining liquid into a vessel. Remember NEVER step in the spill.

5. RE-ASSESS

After the spill has been contained and the source controlled, re-assess the entire situation before starting clean-up. Ensure that the spill is fully under control.

6. CLEAN UP

This can be as simple as wiping up with absorbent pads or using a cushion on deeper spills. Treat all contaminated material as the liquid spilled and dispose of accordingly.

7. DECONTAMINATION

Ensure all the personnel involved with the spill are fully decontaminated. The site of the spill, all P.P.E. & equipment must also be fully decontaminated and checked. If items have been damaged or cannot be fully decontaminated, dispose of accordingly and replace with new.

8. REPORT AND REPLENISH

Compile a complete report of the incident and fill out all associated paperwork. De-brief all personnel involved and learn from the experience. If needs be, change your procedures and/or the location of some or all of your spill kits. You will be better prepared should there be a next time. Remember to replenish all your Spill Kits and back-up stocks along with disposed of P.P.E., Drain Blockers etc.





SPILL RESPONSE KITS

> CHOOSING THE RIGHT SPILL KITS FOR YOUR SITE



CHOOSING THE RIGHT SPILL KITS FOR YOUR SITE.

Having the right spill kits and equipment in place along with trained staff to respond to a spill is fundamental to having a site spill response plan that will deliver in the event of an incident. Whether you already have a site response plan in place or you are about to start the process its worth going back to basics to ensure you understand your site as a whole.

HAVING THE ANSWERS TO THE FOLLOWING QUESTIONS WILL HELP YOU UNDERSTAND WHAT YOU NEED:

- What liquids are on site?
- Where on site are the liquids stored?
- What are the liquids stored in (drums, IBC or bulk)?
- What quantities of each type of liquid are held on site?
- How are the liquids handled & distributed around the site?
- Are there any work related activities that could increase the risk of a spill?
- Do any of the identified risk areas link to each other?
- If you have spills of incompatible liquids can they combine to create a new issue?
- Do you have a detailed site drain map?
- Are all the drains on site clearly colour coded as either foul or surface water?
- Do you have a site interceptor & if yes how often is it cleaned out?
- Do you have a consent to discharge licence?
- Do you have an inventory of all the spill response products on site?
- Do you have a site map showing the locations of your spill response equipment?
- Do you have historical data on any previous spills on site?

Understanding what liquids you have and in what quantities and how they are stored and used will help determine the types and sizes of spill kits you require. Remember to consider questions such as whether the kit needs to be mobile, or ease of access to the spill area.



NEED ADVICE? OR WANT TO ARRANGE A SITE ASSESSMENT? CONTACT US ON:

 01506 430309

 advice@empteezy.co.uk

EMPTEEZY[®]
working for the environment

 01506 430309
 advice@empteezy.co.uk



SPILL RESPONSE KITS

> CHOOSING THE RIGHT SPILL KITS FOR YOUR SITE



Kits should be located in the spill area and remote from it allowing you to cover all eventualities. A common mistake is to over specify the size of kit, it only needs to be appropriate to the spill potential and your response plan should make provision to utilise kits from other areas in the event of a major incident. As an example if you have a spill from a 205ltr drum, you don't need a 205ltr absorbent capacity spill kit as you are likely to roll the drum hole side up, or plug the hole in some way so the reality is that you might lose up to 40% so a spill kit of circa 90ltr capacity supported by other site kits would be more than adequate.

"KITS SHOULD BE LOCATED IN THE SPILL AREA AND REMOTE FROM IT ALLOWING YOU TO COVER ALL EVENTUALITIES."

Understanding potential spill path(s) any spilt liquid may take and whether your site is fully contained will allow you to determine what additional spill response equipment you will require.

- Drum sealing devices such as putty, wooden dowels or sealing straps.
- Temporary drain covers (disposable or reusable).
- Secondary containment system such as bunded stores.
- Non absorbing barriers to divert/contain liquid in a controlled manner.
- Drain sealing devices.
- Non absorbing containment booms.
- Decontamination showers for personnel involved in the spill.
- A complete survey of your site will quip you with the information you need to choose the correct spill kits and support equipment. We are happy to carry out this work for you and provide a fully detailed written report. This service is free of charge, without any onus on you to purchase anything and completely confidential.



See page 27



See page 25



SPILL RESPONSE KITS > MAINTENANCE RANGE

MAINTENANCE SPILL KITS

Our spill kits are ideal for use in laboratories, test areas, on a fork lift truck or in a vehicle. Each spill kit is designed to be stored away easily and provides you with pads, socks, pillows, waste bags, tie and much more. Depending on the size of your potential spill or site premises, we have a kit to allow you to respond to the spill.

Maintenance Spill Kits Absorbs: Oils - Coolant - Cutting fluids - Mild solvent - Water.



M30SK
30 LTRS



M50SK
50 LTRS



M25SK
25 LTRS



M90SK
90 LTRS



M120SK
120 LTRS

M15SK

Bag size: 70cm x 59cm x 5cm
Contents: 10x pads 50cm x 40cm, 1x 1.2m sock, 2x waste bag & ties.

M30SK

Bag size: 70cm x 59cm x 5cm
Contents: 20x pads 50cm x 40cm, 2x 1.2m socks, 2x waste bags & ties.

M25SK

Container size: 43cm x 26cm x 27cm
Contents: 17x 50cm x 40cm pads, 1x 1.2m sock, 2x 38cm x 23cm pillows, 2x waste bags & ties.

M50SK

Bag size: 62cm x 55cm x 7cm
Contents: 30x 50cm x 40cm pads, 3x 1.2m socks, 3x 38cm x 23cm absorbent pillows, 5x waste bags & ties.

M90SK

Container size: 72cm x 55cm
Contents: 48x 50cm x 40cm pads, 8x 1.2m socks, 1x 1kg drum plug, 1x hazard tape, 10x waste bags & ties.

M120SK

Container size: 95cm x 47cm x 54cm
Contents: 60x 50cm x 40cm pads, 4 x 1.2m socks, 8x 38cm x 23cm pillows, 10x waste bags & ties.

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK  **SPILL RESPONSE KITS**  All our prices include delivery to a mainland UK address

CODE	FORMAT	ABSORBENCY	STYLE OF KIT	TARE WEIGHT	DELIVERED PRICE
M15SK	Maintenance	15ltrs	Clip Top bag	1kg	£16.00
M30SK	Maintenance	30ltrs	Clip Top bag	1.9kg	£21.00
M25SK	Maintenance	25ltrs	Blue Caddy bin	3.2kg	£30.00
M50SK	Maintenance	50ltrs	Yellow Vinyl bag	4.3kg	£51.00
M90SK	Maintenance	90ltrs	Cylinder bin	10.5kg	£82.00
M120SK	Maintenance	120ltrs	Wheeled bin	15.9kg	£102.00



SPILL RESPONSE KITS > MAINTENANCE RANGE



M240SK

240
LTRS



M360SK

360
LTRS



M240SK

Container size: 106cm x 60cm x 74cm
Contents: 150 x 50cm x 40cm pads, 4 x 1.2m socks, 10 x 38cm x 23cm pillows, 1 x floor sign, 1 x hazard tape, 18 x waste bag & ties.

M360SK

Container size: 110cm x 58cm x 86cm
Contents: 190 x 50cm x 40cm pads, 8 x socks 1.2mtr, 4 x 3m socks, 16 x 38cm x 23cm pillows, 1 x floor sign, 1 x hazard tape, 24 x waste bags & ties.

M600SK

600
LTRS



M1000SK

1000
LTRS



M600SK

Container size: 122cm x 120cm x 77cm
Contents: 190 x 50cm x 40cm pads, 20 x 1.2m socks, 4 x 3m booms, 16 x 38cm x 23cm pillows, 1 x floor sign, 1 x hazard tape, 40 x waste bags & ties.

M1000SK

Container size: 133cm x 126cm x 104cm
Contents: 400 x 50cm x 40cm pads, 8 x 3m socks, 2 x 50m rolls, 6 x 3m booms, 16 x 38cm x 23cm pillows, 1 x floor sign, 1 x hazard tape, 60 x waste bag & ties.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



SPILL RESPONSE KITS



All our prices include delivery to a mainland UK address

CODE	FORMAT	ABSORBENCY	STYLE OF KIT	TARE WEIGHT	DELIVERED PRICE
M240SK	Maintenance	240ltrs	Wheeled bin	26.8kg	£181.00
M360SK	Maintenance	360ltrs	Wheeled bin	41.2kg	£280.00
M600SK	Maintenance	600ltrs	Wheeled bin	72.5kg	£538.00
M1000SK	Maintenance	1000ltrs	Drop Front Wheeled bin	130kg	£1,012.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



SPILL RESPONSE KITS > OIL SELECTIVE RANGE



OIL SELECTIVE SPILL KITS

Oil selective spill kits allow you to absorb "oil" off water or deal with land based spills in the rain. The absorbents in each kit will float on water making them perfect for a wide range of water based spill applications. Booms can be proactively deployed at an outfall to contain and absorb spilt oil and cushions can be placed in drains with lanyards attached for easy retrieval.

OS50SK

50 LTRS



OS15SK

Bag size: 70cm x 59cm x 5cm
Contents: 10x pads 50cm x 40cm, 1x 1.2m sock, 2x waste bags & ties.

OS30SK

Bag size: 70cm x 59cm x 5cm
Contents: 20x pads 50cm x 40cm, 2x 1.2m socks, 2x waste bags & ties.

OS30SK

30 LTRS



OS90SK

90 LTRS



OS25SK

Container size: 43cm x 26cm x 27cm
Contents: 17x 50cm x 40cm pads, 1x 1.2m sock, 2x 38cm x 23cm pillows, 2x waste bags & ties.

OS50SK

Bag size: 62cm x 55cm x 7cm
Contents: 30x 50cm x 40cm pads, 3x 1.2m socks, 3x 38cm x 23cm absorbent pillows, 5x waste bags & ties.

OS25SK

25 LTRS



OS120SK

120 LTRS



OS90SK

Container size: 72cm x 55cm x 55cm
Contents: 48x 50cm x 40cm pads, 8x 1.2m socks, 1x 1kg drum plug, 1x hazard tape, 10x waste bags & ties.

OS120SK

Container size: 95cm x 47cm x 54cm
Contents: 60x 50cm x 40cm pads, 4x 1.2m socks, 8x 38cm x 23cm pillows, 10x waste bags & ties.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



SPILL RESPONSE KITS



All our prices include delivery to a mainland UK address

CODE	FORMAT	ABSORBENCY	STYLE OF KIT	TARE WEIGHT	DELIVERED PRICE
OS15SK	Oil Selective	15ltrs	Clip Top bag	1kg	£15.00
OS30SK	Oil Selective	30ltrs	Clip Top bag	1.9kg	£20.00
OS25SK	Oil Selective	25ltrs	Blue Caddy bin	3.2kg	£30.00
OS50SK	Oil Selective	50ltrs	Yellow Vinyl bag	4.3kg	£50.00
OS90SK	Oil Selective	90ltrs	Cylinder bin	10.5kg	£81.00
OS120SK	Oil Selective	120ltrs	Wheeled bin	15.9kg	£101.00



SPILL RESPONSE KITS > OIL SELECTIVE RANGE



OS240SK

240
LTRS



OS360SK

360
LTRS



OS240SK

Container size: 106cm x 60cm x 74cm
Contents: 150x 50cm x 40cm pads, 4x 1.2m socks, 10x 38cm x 23cm pillows, 1x floor sign, 1x hazard tape, 18x waste bags & ties.

OS360SK

Container size: 110cm x 58cm x 86cm
Contents: 190x 50cm x 40cm pads, 8x socks 1.2mtr, 4x 3m socks, 16x 38cm x 23cm pillows, 1x floor sign, 1x hazard tape, 24x waste bags & ties.

OS600SK

600
LTRS



OS1000SK

1000
LTRS



OS600SK

Container size: 122cm x 120cm x 77cm
Contents: 190x 50cm x 40cm pads, 20x 1.2m socks, 4x 3m booms, 16x 38cm x 23cm pillows, 1x floor sign, 1x hazard tape, 40x waste bags & ties.

OS1000SK

Container size: 133cm x 126cm x 104cm
Contents: 400x 50cm x 40cm pads, 8x 3m socks, 2x 50m rolls, 6x 3m booms, 16x 38cm x 23cm pillows, 1x floor sign, 1x hazard tape, 60x waste bag & ties.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



SPILL RESPONSE KITS



All our prices include delivery to a mainland UK address

CODE	FORMAT	ABSORBENCY	STYLE OF KIT	TARE WEIGHT	DELIVERED PRICE
OS240SK	Oil Selective	240ltrs	Wheeled bin	26.8kg	£161.00
OS360SK	Oil Selective	360ltrs	Wheeled bin	41.2kg	£257.00
OS600SK	Oil Selective	600ltrs	Wheeled bin	72.5kg	£541.00
OS1000SK	Oil Selective	1000ltrs	Drop Front Wheeled bin	130kg	£881.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



SPILL RESPONSE KITS > CHEMICAL RANGE



CHEMICAL SPILL KITS

Our high-quality chemical spill kits will absorb almost any liquid from water to aggressive chemicals making them ideal for emergency response even when you don't know what the liquid spilled is. The range includes grab bags and mobile cart spill kits with absorbency from 15ltr to 1000ltr and the absorbents in each kit are colour coded yellow in accordance with BS 7959 part 3.

C50SK



50 LTRS

C15SK

Bag size: 70cm x 59cm x 5cm
Contents: 10x pads 50cm x 40cm, 1x 1.2m sock, 2x waste bags & ties.

C30SK

Bag size: 70cm x 59cm x 5cm
Contents: 20x pads 50cm x 40cm, 2x 1.2m socks, 2x waste bags & ties.

C25SK

Container size: 43cm x 26cm x 27cm
Contents: 17x 50cm x 40cm pads, 1x 1.2m sock, 2x 38cm x 23cm pillows, 2x waste bags & ties.

C50SK

Bag size: 62cm x 55cm x 7cm
Contents: 30x 50cm x 40cm pads, 3x 1.2m socks, 3x 38cm x 23cm absorbent pillows, 5x waste bags & ties.

C90SK

Container size: 72cm x 55cm x 55cm
Contents: 48x 50cm x 40cm pads, 8x 1.2m socks, 1x 1kg drum plug, 1x hazard tape, 10x waste bags & ties.

C120SK

Container size: 95cm x 47cm x 54cm
Contents: 60x 50cm x 40cm pads, 4x 1.2m socks, 8x 38cm x 23cm pillows, 10x waste bag & ties.

C30SK

30 LTRS



C90SK

90 LTRS



C25SK

25 LTRS



C120SK

120 LTRS



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



SPILL RESPONSE KITS



All our prices include delivery to a mainland UK address

CODE	FORMAT	ABSORBENCY	STYLE OF KIT	TARE WEIGHT	DELIVERED PRICE
C15SK	Chemical	15ltrs	Clip Top bag	1kg	£16.00
C30SK	Chemical	30ltrs	Clip Top bag	1.9kg	£21.00
C25SK	Chemical	25ltrs	Blue Caddy bin	3.2kg	£30.00
C50SK	Chemical	50ltrs	Yellow Vinyl bag	4.3kg	£52.00
C90SK	Chemical	90ltrs	Cylinder bin	10.5kg	£84.00
C120SK	Chemical	120ltrs	Wheeled bin	15.9kg	£105.00



SPILL RESPONSE KITS > CHEMICAL RANGE



C240SK

240
LTRS



C360SK

360
LTRS



C240SK

Container size: 106cm x 60cm x 74cm
Contents: 150x 50cm x 40cm pads, 4x 1.2m socks, 10x 38cm x 23cm pillows, 1x floor sign, 1x hazard tape, 18x waste bags & ties.

C360SK

Container size: 110cm x 58cm x 86cm
Contents: 190x 50cm x 40cm pads, 8x socks 1.2mtr, 4x 3m socks, 16x 38cm x 23cm pillows, 1x floor sign, 1x hazard tape, 24x waste bags & ties.

C600SK

600
LTRS



C1000SK

1000
LTRS



C600SK

Container size: 122cm x 120cm x 77cm
Contents: 190x 50cm x 40cm pads, 20x 1.2m socks, 4x 3m booms, 16x 38cm x 23cm pillows, 1x floor sign, 1x hazard tape, 40x waste bags & tie.

C1000SK

Container size: 133cm x 126cm x 104cm
Contents: 400x 50cm x 40cm pads, 8x 3m socks, 2x 50m rolls, 6x 3m booms, 16x 38cm x 23cm pillows, 1x floor sign, 1x hazard tape, 60x waste bags & ties.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



SPILL RESPONSE KITS



All our prices include delivery to a mainland UK address


CODE	FORMAT	ABSORBENCY	STYLE OF KIT	TARE WEIGHT	DELIVERED PRICE
C240SK	Chemical	240ltrs	Wheeled bin	26.8kg	£172.00
C360SK	Chemical	360ltrs	Wheeled bin	41.2kg	£301.00
C600SK	Chemical	600ltrs	Wheeled bin	72.5kg	£550.00
C1000SK	Chemical	1000ltrs	Drop Front Wheeled bin	130kg	£895.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



SPILL RESPONSE KITS > OVERPACK SPILL KITS



OVERPACK SPILL KITS

UN approved (X rated) overpack spill kits available in maintenance, oil selective and chemical formats, with the added advantage of providing an approved container to ship the used absorbent for disposal once the spill has been fully dealt with. There are 3 sizes of kit with absorbent capacities of 60ltr, 90ltr and 250ltr and the containers have coarse thread screw-top lids which are easy to secure and the largest version has "shoulders" that allow it to be picked up with a forklift truck.

60 LITRE OVERPACK KITS

The 60ltr kits are ideal for small spills. The container is fitted with handles to aid movement to and from different locations.

Each Spill Kit contains: 40x pads 50cm x 40cm, 5x 1.2m socks, 4x waste bags & ties.

Container: UN rated 1H2/X57/S (R1650 - 57kg gross weight).

90 LITRE OVERPACK KITS

The 90ltr spill response kit can be used in a designated area and provide additional cover as part of your site wide spill response programme.

Each Spill Kit contains: 48x pads 50cm x 40cm, 8x 1.2m socks, 6x waste bags & ties.

Container: UN rated 1H2/X120/S (R1600SL - 120kg gross weight).



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



OVERPACK SPILL KITS



All our prices include delivery to a mainland UK address

CODE	FORMAT	ABSORBENCY	STYLE OF KIT	TARE WEIGHT	DELIVERED PRICE
M60UNSK	Maintenance	60ltrs	Cylinder with Lid	57kg	£135.00
OS60UNSK	Oil Selective	60ltrs	Cylinder with Lid	57kg	£148.00
C60UNSK	Chemical	60ltrs	Cylinder with Lid	57kg	£148.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



SPILL RESPONSE KITS > OVERPACK SPILL KITS



250 LITRE OVERPACK KITS

The 250ltr is designed for the overpack to allow it to be picked-up and moved by a fork lift truck making it ideal for use when responding to major spills in and around site.

Each Spill Kit contains: 150x pads 50cm x 40cm, 12x 1.2m socks, 8x 23cm x 38cm pillows, 10x waste bags & ties.

Container: UN rated 1H2/X300/S (R1690 - 300kg gross weight)



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

OVERPACK SPILL KITS



All our prices include delivery to a mainland UK address


CODE	FORMAT	ABSORBENCY	STYLE OF KIT	TARE WEIGHT	DELIVERED PRICE
M90UNSK	Maintenance	90ltrs	Cylinder with Lid	120kg	£152.00
OS90UNSK	Oil Selective	90ltrs	Cylinder with Lid	120kg	£166.00
C90UNSK	Chemical	90ltrs	Cylinder with Lid	120kg	£166.00
M250UNSK	Maintenance	250ltrs	Cylinder with Lid	300kg	363.00
OS250UNSK	Oil Selective	250ltrs	Cylinder with Lid	300kg	£397.00
C250UNSK	Chemical	250ltrs	Cylinder with Lid	300kg	£397.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



SPILL RESPONSE KITS > PLASTIC SPILL STATIONS



PLASTIC SPILL STATIONS

Our spill stations are available in a steel or plastic cabinet for maintenance, oil-only and chemical absorbents. You can also purchase the cabinets without stock.

Spill stations are a great way to keep your premises protected at all times with the benefit of our team stocking them up for you when you're running low and need a refill.

- M240PSS - MAINTENANCE STOCK**
- C260PSS - CHEMICAL STOCK**
- OS260PSS - OIL SELECTIVE STOCK**

**VISIT OUR WEBSITE
FOR OUR FULL
PRODUCT LISTING**

NEW!
FEATURES,
VIDEOS &
PRODUCTS



SHOP ONLINE NOW!

www.empteezy.co.uk

**ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK**



PLASTIC SPILL STATIONS



All our prices include delivery to a mainland UK address

CODE	CONTENTS	ABSORBENCY	SIZE (LxWxH)	WEIGHT	DELIVERED PRICE
PDSD	n/a	n/a	138cm x 58cm x 55cm	24kg	£273.00
M240PSS	Maintenance 100x pads, 20x 1.2m socks, 1x 50 x 40cm roll	240ltrs	138cm x 58cm x 55cm	35kg	£392.00
C260PSS	Chemical 100x pads, 20x 1.2m socks, 1x 50 x 40cm roll	260ltrs	138cm x 58cm x 55cm	35kg	£366.00
OS260PSS	Oil Selective 100x pads, 20x 1.2m socks, 1x 50 x 40cm roll	260ltrs	138cm x 58cm x 55cm	35kg	£470.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



SPILL RESPONSE KITS > STEEL SPILL STATIONS



STEEL SPILL STATIONS

A spill response station stocked with an absorbent roll, pads and socks so you can respond to daily housekeeping issues in a defined area. Site spill stations at intervals along your production line, at dosing point or in maintenance areas to allow staff to deal with spills quickly and effectively. This spill station has a painted steel cabinet; we also have a rotationally moulded polyethylene version available.

- M240MSS - MAINTENANCE**
- C260MSS - CHEMICAL**
- OS260MSS - OIL SELECTIVE**



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



STEEL SPILL STATIONS



All our prices include delivery to a mainland UK address

CODE	CONTENTS	ABSORBENCY	SIZE (LxWxH)	WEIGHT	DELIVERED PRICE
MSS	n/a	n/a	138 cm x 58 cm x 55cm	28kg	£238.00
M240MSS	Maintenance 100x pads, 20x 1.2m socks, 1x 50 x 40cm roll	240ltrs	138 cm x 58 cm x 55cm	40kg	£339.00
C260MSS	Chemical 100x pads, 20x 1.2m socks, 1x 50 x 40cm roll	260ltrs	138 cm x 58 cm x 55cm	40kg	£388.00
OS260MSS	Oil Selective 100x pads, 20x 1.2m socks, 1x 50 x 40cm roll	260ltrs	138 cm x 58 cm x 55cm	40kg	£353.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



FOLDING DRAIN COVER > UNIVERSAL FOLDING DRAIN COVER





FOLDING DRAIN COVER

A universal folding drain cover for quick protection of drains, especially drain grates with side gates. Perfect for deployment in the event of a spill the reusable folding drain cover works with steel and horizontal plastic sewer grates.

Simple to use; just ensure the surface of the grate is clear of debris and then deploy the drain cover with its membrane side down, i.e. the inscription side up. It is compatible with all common chemicals according to the resistance list and is effective in the temperatures of -20°C to +60°C.

The drain cover works by using the physical effect of pressure difference by using a thin, highly flexible foil which is exposed to hydrostatic pressure thus creating perfect adhesion to even irregular surfaces. The foil is highly chemically resistant, flexible and strong and is attached to a flexible and magnetic foil with openings which allow liquid access to the bottom PUR foil.

Material: Magnetic isotropic foil 0.9 mm, special flexi PUR foil 0.06 mm and PES/PVC foil.



THE SIMPLE SOLUTIONS TO PROTECT OUR DRAINS AND HELP THE ENVIRONMENT

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FOLDING DRAIN COVER



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	SIZE (LxWxH)	WEIGHT	DELIVERED PRICE
FDC 01	Universal folding drain cover Drain cover size: 750mm x 630mm x 0.9mm	Pack size: 650 x 340 x 10mm	1.5kg	£151.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



DRAIN COVERS

> RE-USABLE, CLAY & MAGNETIC



OBY061

RE-USABLE DRAIN COVERS

Manufactured from polyurethane these mats have a naturally sticky finish to one side which provides a mechanical grip to the surface they are used on.

After use it is advisable to clean any particles that may have adhered to them (mild soap solution, but don't wipe with a cloth as fibres will stick to the mat).

When selecting a mat always try and oversize by a minimum of 100mm to ensure a positive seal.



MDC 03

MAGNETIC DRAIN COVER

These reusable magnetic drain covers adhere to all metal surfaces. They are extremely flexible, weather resistant and works well in high and low temperatures of between -20.



4000 X

DAMMIT CLAY MATS

HOW TO USE:

1. Remove outer packaging, **2.** Remove bottom layer to expose mat, **3.** Press down onto drain surface. **4.** Remove top layer and its ready.

You can "knit" more than one mat together to deal with oversized drains. After use treat as the liquid that it came into contact with and dispose of accordingly.

WALL BOX FOR DAMMIT MAT

- Galvanised steel.
- Can hold 2 large Dammit mats.

**FOR MORE INFORMATION
ON OUR DRAIN COVERS OR
TO ENQUIRE ABOUT CUSTOM
MADE SIZES PLEASE VISIT
OUR WEBSITE OR SIMPLY
CALL US ON 01506 430309**

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



DRAIN COVERS



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	SIZE (LxWxH)	WEIGHT	DELIVERED PRICE
4000 X	Dammit Clay Mat	2 x 45 x 65cm	11.8kg	£52.00
4010 X	Dammit Clay Mat	2 x 45 x 45cm	8.3kg	£47.00
MDC 03	Magnetic Drain Cover	615mm x 615mm	3kg	£96.00
OBY045	Small Polyurethane Drain Cover	600 x 600 x 9mm	3.7kg	£85.00
OBY061	Medium Polyurethane Drain Cover	900 x 900 x 9mm	8.3kg	£107.00
OBY091	Large Polyurethane Drain Cover	1200 x 1200 x 9mm	15kg	£203.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



SPILL RESPONSE > JUSTRITE® BERMS



JUSTRITE® RIGID-LOCK QUICKBERM

Many jobs are carried out in the great outdoors and involve the use of fuels, lubricants, chemicals etc. The need to have equipment in place to protect employees and the environment is as necessary in these "remote" working environments as it is in any purpose built facility, but the challenge can sometimes be to get practical solutions in place. Justrite® rigid-lock QuickBerms are in effect "fold-up" spill pallets which can be used in almost any terrain or environment and require no tools to erect or take them down. So if you work for example in; Forestry, Track maintenance, Civil engineering, Construction or Utilities, such as maintaining transformers at electricity substations, these are the perfect solution to your temporary storage of liquids in a bunded area.

Liquid tight, single piece construction with no assembly required, this UV resistant, tough and durable, modified PVC coated fabric bund withstands petroleum, oils, grease and most acids.



**PLEASE NOTE:
FOR EXTERIOR DIMENSIONS
PLEASE ADD 254MM TO THE
LENGTH & WIDTH TO ALLOW FOR
THE SUPPORTS AND GROMMETS.
WHEN SELECTING A UNIT SIZE
PLEASE ALLOW 305MM FOR THE
LOWERING AND RAISING OF
THE WALL**

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



JUSTRITE® BERMS



All our prices include delivery to a mainland UK address

CODE	FOLDED SIZE (LxWxH)	CAPACITY	UNIT SIZE (LxWxH)	WEIGHT	DELIVERED PRICE
28512	610mm x 610 mm x 127mm	663ltrs	1.2m x 1.8m x 305mm	12.7kg	£612.00
28514	610mm x 610mm x 152mm	890ltrs	1.2m x 2.4m x 152mm	15.4kg	£702.00
28516	610mm x 610 mm x 305mm	1344ltrs	1.8m x 2.4m x 305mm	17.2kg	£831.00

EMPTEEZY®
working for the environment



01506 430309

advice@empteezy.co.uk



SPILL RESPONSE > JUSTRITE® BERMS



JUSTRITE® RIGID-LOCK QUICKBERM

Unlike other portable bunds which are susceptible to wall collapse and containment failure the patented Rigid-Lock stainless steel internal brace support system holds each wall at a full 90° locking them in position for secure, leak proof containment and the system also provides maximum usable space inside the bund and greatly reduces trip hazards around the bund perimeter.

With the walls in the "drive-in" position, the bund can withstand vehicle weights in excess of 5,000kg at each tire and when in the "contained" position the supports will maintain the integrity of the bund against wind loads of up to 40mph. For further security, each of the supports is fitted with a heavy-duty brass grommet for anchoring the bund under high wind conditions (anchor stakes not included). Should the bund fill completely with liquid the Rigid-Lock support system will hold the walls without bending or buckling.



**PLEASE NOTE:
FOR EXTERIOR DIMENSIONS
PLEASE ADD 254MM TO THE
LENGTH & WIDTH TO ALLOW FOR
THE SUPPORTS AND GROMMETS.
WHEN SELECTING A UNIT SIZE
PLEASE ALLOW 305MM FOR THE
LOWERING AND RAISING OF
THE WALL**

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

JUSTRITE® BERMS



All our prices include delivery to a mainland UK address

CODE	FOLDED SIZE (LxWxH)	CAPACITY	UNIT SIZE (LxWxH)	WEIGHT	DELIVERED PRICE
28518	660mm x 660 mm x 305mm	1798ltrs	2.4m x 2.4m x 305mm	20.4kg	£946.00
28519	711mm x 711 mm x 305mm	2821ltrs	3m x 3m x 305mm	27.2kg	£1,322.00
28524	660mm x 660mm x 406mm	5433ltrs	3.7m x 4.9m x 305mm	41.7kg	£1,945.00
28528	914mm x 914 mm x 406mm	7230ltrs	4.9m x 4.9m x 305mm	52.2kg	£2,329.00
28530	914mm x 914mm x 508mm	9049ltrs	4.9m x 6.1m x 305mm	61.2kg	£2,656.00
28532	965mm x 965mm x 559mm	11318ltrs	6.1m x 6.1m x 305mm	72.6kg	£3,132.00

EMPTEEZY®
working for the environment

01506 430309
advice@empteezy.co.uk

**NEED ADVICE? OR WANT TO ARRANGE
A SITE ASSESSMENT? CONTACT US ON:**

 01506 430309

 advice@empteezy.co.uk



DIRTEEZE® DRY WIPES > NON WOVEN DRY CLOTHS



MAX110B



MAX 110 MULTI PURPOSE RANGE

The strongest wipes in the range. Use for rugged equipment wiping, working with sealants and heavy spills, **160 Sheets**. Also available MAX110 Roll **475 Sheets**.

MAX75B



MAX 75 MULTI PURPOSE RANGE

Medium strength wipes for multi-purpose use. Perfect for cleaning oils, grease, lubricants, cleaning parts and equipment. **200 Sheets**.

MAX60B



MAX 60 MULTI PURPOSE RANGE

Lightweight but strong. Perfect for cleaning, drying glass surfaces and general maintenance with added strength over paper. **176 Sheets**.

LAX60B



LAX60 PURPLE HIGH STRENGTH

The Rag Killer - 1 box of **150 extra Large wipes** can replace 2x 10kg white cotton rags. Low Lint, Works with solvents, can be wrung out, extra strong.

SONTEK65



SONTEK65 PURPLE HIGH STRENGTH

Low lint, well suited for Food & Pharmaceutical, absorbs upto 4 times its own weight. Twin pack rolls, tough & durable, low Lint, twin pack roll of **280 sheets**, smooth texture.

GRB200



GREY 70 PURPLE MEDIUM STRENGTH

Industrial grey wipes with multi layer technology, available as box with **200 sheets** or roll with **500 sheets**, great alternative to rags, can be used with cleaning fluids, absorbs oil, grease and muck, ultra soft for delicate surfaces.

GRR500

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



DIRTEEZE® DRY CLOTHS



All our prices include delivery to a mainland UK address

CODE	SHEET SIZE (LxW)	QTY	COLOUR	QTY PER PACK	DELIVERED PRICE
MAX110B	32cm x 34cm	1	Blue	160x sheets	£37.00
MAX75B	30cm x 42cm	1	White	200x sheets	£31.00
MAX60B	30cm x 40cm	1	White	176x sheets	£24.00
LAX60B	30cm x 50cm	1	White	150x large wipes	£23.00
SONTEK65	30cm x 40cm	2	Blue	280x sheets	£66.00
GRB200	30cm x 42cm	1	Grey	200x sheets	£19.00
GRR500	30cm x 42cm	1	Grey	500x sheets	£48.00

EMPTEEZY®
working for the environment

01506 430309
advice@empteezy.co.uk




DIRTEEZE® WET WIPES

> WET WIPES



THE DIRTEEZE WET WIPES ARE MADE FROM SPUNLACE, A SOFTER, STRONGER ALTERNATIVE TO MORE COMMON POLYPROPYLENE WIPES, WITH SIGNIFICANT ADVANTAGES ON WIPING PERFORMANCE IN TERMS OF ABSORBENCY AND CLEANING POWER

DGPC80



ROUGH & SMOOTH TRADE WET WIPES

ROUGH & SMOOTH - DGPC80

- ✓ Micro beaded Hand & Surface Degreaser wipes 80 sheets.
- ✓ Also available as Flowpack of 40 wipes.
- ✓ Microbeads for increased cleaning power.
- ✓ No sticky residue left on hands.
- ✓ A cloth not a wipe.
- ✓ Cosmetic approved - 100% safe on skin.
- ✓ Use on surfaces and hands, to remove paint, sealant, foam, caulk & more.

DGCL



SMOOTH & STRONG TRADE WET WIPES

SMOOTH & STRONG - DGCL

- ✓ Spunlace Hand & Surface Degreaser wipes 80 sheets.
- ✓ Twice as effective at removing sealants.
- ✓ Super soft, strong & absorbent.
- ✓ Cosmetic approved - 100% safe on skin.
- ✓ Use on surfaces and hands, to remove paint, sealant, foam, caulk & more.

GDCL



GLASS & PLASTIC TRADE WET WIPES

GLASS & PLASTIC - GDCL

- ✓ Spunlace Surface wipes 80 sheets.
- ✓ Amazing streak-free finish on glass surfaces.
- ✓ Can replace glass spray & paper wiping for convenience.
- ✓ The first glass surface wipe that really works.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



DIRTEEZE® WET WIPES



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	QTY	COLOUR	DELIVERED PRICE
DGPC80	Rough & Smooth Microbeaded Wipes	80x wipes / 8 tubs	Purple	£62.00
DGCL	Smooth Degreaser Wipes	80x wipes / 8 tubs	Orange	£54.00
GDCL	Glass & Plastic Wipes	80x wipes / 8 tubs	Green	£58.00



DIRTEEZE
LAX 60
Page 39

EMPTEEZY®
working for the environment



01506 430309

advice@empteezy.co.uk



DIRTEEZE® ANTIBACTERIAL WIPES

> ANTIBACTERIAL WIPES - FOOD SAFE!



ANTIBACTERIAL FOOD RANGE BY DIRTEEZE

Developed for the food sector professionals, Dirteeze Multi-Purpose AntiBacterial Wipes set new standards for cleaning and sanitising food preparation areas and equipment. Innovative wiping material, trusted powerful lotion with maximum kill rates, combined with innovative and flexible packaging options make up the range.



ANTIBACTERIAL WIPES CANISTER

Quat Based sanitising surface wipes for use in the Manufacturing, Catering, Hospitality, Education & other Private/Public sectors. Triple layer blue wiping material with inherent antibacterial properties.

- Quat Based, Alcohol Free, Taint Free, Food Safe.
- Antibacterial kill rate of 99.9999%.
- Outstanding kill rate within 10 seconds.
- Tested against E-Coli, Salmonella, Listeria, MRSA, Test standards, EN1276, EN1650, EN13697.
- 250x sheets.

ANTIBACTERIAL WIPES FLOWPACK

Quat Based sanitising surface wipes for use in the Manufacturing, Catering, Hospitality, Education & other Private/Public sectors.

- Triple layer blue wiping material with inherent antibacterial properties, Quat Based, Alcohol Free, Taint Free, Food Safe, Antibacterial kill rate of 99.9999%.
- Outstanding kill rate within 10 seconds, Tested against E-Coli, Salmonella, Listeria, MRSA, Test standards, EN1276, EN1650, EN13697,
- 200x sheets.

QUAT FREE WIPES BUCKET

Quat-free sanitising wipes for use in Manufacturing, Catering, Hospitality Education & other Private/Public sectors.

- Heavy duty blue strongweave wiping fabric. Biguanide- Free, Alcohol-Free, Taint-Free, Food Safe, Antibacterial kill rate of 99.999%
- BPR Article 95 compliant, Outstanding microbial performance against gram positive and gram negative bacteria.
- Tested against E-Coli, P.Aeruginosa, S.Aureus, E.Hirae, C.Albicans, Influenza Type A (H1N1), Vaccina Virus, BVV, Mycobacterium Terrae, EN1276, EN1650, EN13697, EN14476, DGHM Quantitative suspension test.
- 1000x sheets.

HMAXCL250



Pack Dimensions:
245mm x 115m diameter

HMAXF200



Pack Dimensions:
285mm x 113m diameter

HMAXB1000QF



Pack Dimensions:
220mm x 295m diameter

IDEAL FOR CLEANING AND SANITISING FOOD PREPARATION AREAS, WORK SURFACES, STAINLESS STEEL UTENSILS AND EQUIPMENT

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

DIRTEEZE® ANTIBACTERIAL WIPES



All our prices include delivery to a mainland UK address

CODE	WIPE SIZE (LxWxH)	QTY	COLOUR	WEIGHT PER PACK	DELIVERED PRICE
HMAXF200	200mm x 200mm	200x wipes / case of 12	Blue	789g	£55.00
HMAXB1000QF	200mm x 200mm	1000x wipes / case of 2	Blue	3.5kg	£33.00
HMAXCL250	200mm x 200mm	250x wipes / case of 8	Blue	1.1kg	£39.00

EMPTEEZY®
working for the environment



01506 430309
advice@empteezy.co.uk

NEW

**QUICK TO USE
FAST TO ABSORB**

Introducing

SPILL TRAP[®]

PERFECT FOR PLUMBING, MAINTENANCE,
FACILITIES MANAGEMENT & SPILL
RESPONSE APPLICATIONS.

**ROBUST CARDBOARD
DISPENSER, PERFORATED
FOR EASE OF USE,
SIMPLY PULL & TEAR,
NON-DRIP, NO FUSS!**



**CODE: SAP25
PRICE: £48.00**

EMPTEEZY[®]
working for the environment

SUPER ABSORBENT POLYMER STRIPS



Spill Trap® can be used anywhere. Water based liquids may leak or spill and the bright yellow colour highlights that the spill is being dealt with.

Specifically designed for applications where you need to contain and absorb water based spills such as leaking freezer/chiller units, dripping water pipes etc. this handy box provides 25 x 1.2m strips each of which will absorb and retain 3ltrs.

**"CONTAIN & ABSORB
SPILLS FAST"**



POLY SPILL CONTAINMENT

**NEED ADVICE? OR WANT TO ARRANGE
A SITE ASSESSMENT? CONTACT US ON:**

 01506 430309

 advice@empteezy.co.uk



POLYETHYLENE SPILL CONTAINMENT PRODUCTS

> COMPATIBILITY



BY USING THE RIGHT PRODUCTS FOR YOUR APPLICATIONS YOU WILL:

- Contain leaking containers.
- Improve safety by storing liquids in define areas.
- Reduce the risk of polluting the ground or water course.
- Provide a cleaner, safer workplace for your staff.

⚠ Please Note:

The list below is not exhaustive, it merely represents an extract from the data we hold. If you don't see a listing for your specific liquid please contact us to discuss. The Material Safety Data Sheet for the product is always the best source of this information.

ADVANTAGES OF USING POLYETHYLENE

Polyethylene has many advantages over steel. It normally represents a more cost effective solution, its lighter weight than a comparative steel version and it offers broadband chemical compatibility.

Rotationally moulded from Polyethylene our products are all designed with good housekeeping and compliance with regulations pertaining to the correct storage of liquids. The sumps conform to the 110% of the single largest item or 25% of the combined total of items, whichever is the greater rule and just as importantly they have all been designed with practicality and ease of use in mind.

i POLYETHYLENE COMPATIBILITY GUIDE

— Acetic acid 10%	— Dextrose Sol	— Hydrochloric acid Conc	— Orthophosphoric acid 50%
— Aluminium chloride Sat.sol	— Diethylene glycol	— Hydrofluoric acid 40%	— Perchloric acid 20%
— Aluminium sulphate Sat.sol	— Disodium phosphate	— Inks	— Phosphoric acid upto 25%
— Ammonium acetate	— Emulsions, photographic	— Iron (II) chloride Sat.sol	— Phosphoric acid 25 to 50%
— Ammonium chloride Sat.sol	— Ethyl alcohol 35%	— Iron (II) sulphate Sat.sol	— Photographic solutions
— Asorbic acid 10%	— Ethyl alcohol 100%	— Iron (III) chloride Sat.sol	— Sodium acetate Sat.sol
— Barium carbonate Sat.sol	— Ethylene glycol 100%	— Iron (III) nitrate Sol	— Sodium bisulphate Sat.sol
— Barium hydroxide Sat.sol	— Ferric Chloride Sat.sol	— Iron (III) sulphate Sat.sol	— Sulphuric acid 10%
— Barium sulphate Sat.sol	— Ferric nitrate Sat.sol	— Isopropanol	— Sulphuric acid 50%
— Boric acid Sat.sol	— Ferric sulphate Sat.sol	— Lactic acid 10%	— Tannic acid Sol
— Calcium carbonate Sat.sol	— Formaldehyde 40%	— Lactic acid 28%	— Tartaric acid Sat.sol
— Calcium hypochlorite Sol	— Formic acid 40%	— Lactic acid up to 100%	— Vanilla extract
— Calcium sulphate Sat.sol	— Formic acid 98 to 10%	— Laytex	— Vinegar
— Castor oil Sol	— Fruit pulps Sol	— Mercury	— Wetting agents
— Chromic acid Sat.sol	— Gelatine	— Milk	— Yeast Sol
— Citric acid Sat.sol	— Glucose Sat.sol	— Molasses work.con	— Zinc bromide Sat.sol
— Citric acid 10%	— Glycerine 100%	— Nickel chloride Sat.sol	— Zinc chloride Sat.sol
— Citric acid 25%	— Glycerol 100%	— Nitric acid 25%	
— Detergents, synthetic	— Hydrochloric acid upto 36%	— n-Octane	



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> SPILL PALLETS



SPILL PALLETS

- All the containment capacities are fully compliant with UK regulations.
- Rotationally moulded polyethylene construction means:
 1. Robust, hard wearing and long lasting.
 2. Compatible with most liquids.
- Colour option available on 2 drum version to allow you to match with existing pallets.
- Spill pallets should only be moved when empty.

SPILL COMPLIANCE

- The sump will hold 110% of the single largest item or 25% of the combined total whichever is greater.

YOUR FIRST LINE OF DEFENCE TO STOP LEAKING DRUMS CAUSING GROUND & WATER POLLUTION



PLEASE NOTE: The letter Y after a product code denotes the item is yellow and a B denotes that it is blue. Please double check before placing your order to ensure to receive the right colour product.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

SPILL PALLETS



All our prices include delivery to a mainland UK address

CODE	CODE	SIZE (LxWxH)	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT	DELIVERED PRICE
Y BP1Y	B BP1B	900 x 700 x 585mm	225ltrs	Standard	22kg	£204.00
Y BP2Y	B BP2B	1220 x 820 x 330mm	240ltrs	Standard	34kg	£186.00
Y BP2FWY	B BP2FWY	1220 x 820 x 450mm	230ltrs	Standard	27kg	£242.00
Y BP3Y	B BP3B	900 x 700 x 525mm	228ltrs	Standard	30kg	£270.00

EMPTEEZY®
 working for the environment

01506 430309
 advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> SPILL PALLETS



SPILL PALLETS

- Use anywhere you might otherwise have to stand drums directly on the ground.
- Exceptional value for money compared to steel versions.
- Excellent liquid compatibility.

COMPLIANCE

- No taps or drainage points to compromise the bunded area.
- Fully meet the standards set out in the UK oil storage regulations.

PLEASE NOTE:

- Colour option available on 4 drum version to allow you to match existing pallets.
- Spill pallets should only be moved when empty.
- 4 and 8 drum versions available in blue or yellow to match your existing spill pallets.

ALL LIQUIDS CAN CAUSE A PROBLEM IF THEY LEAK, BY STORING THE DRUMS ON SPILL PALLETS THE RISKS ARE GREATLY REDUCED



PLEASE NOTE: The letter Y after a product code denotes the item is yellow and a B denotes that it is blue. Please double check before placing your order to ensure to receive the right colour product.

ORDER ONLINE AT WWW.EMPTTEEZY.CO.UK

SPILL PALLETS



All our prices include delivery to a mainland UK address

CODE	CODE	SIZE (LxWxH)	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT	DELIVERED PRICE
Y BP4Y	B BP4B	1310 x 1310 x 370mm	410ltrs	Standard	40kg	£276.00
Y BP4LY	B BP4LB	1280 x 1280 x 275mm	230ltrs	Standard	29kg	£236.00
Y BP4FWY	B BP4FWB	1220 x 1220 x 390mm	250ltrs	Standard	40kg	£267.00
Y BP8Y	B BP8B	2560 x 1350 x 510mm	1140ltrs	Standard	116kg	£726.00
Y BP8FWY	B BP8FWY	2340 x 1225 x 610mm	1150ltrs	Standard	91kg	£738.00

EMPTTEEZY[®]
working for the environment



01506 430309

advice@emptteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> PALLET CONVERTERS



PALCON2



PALCON4

SPILL GUARD PALLET CONVERTER

- Quickly and simply contain your palletised drums.
- Optional rain cover available for 4 drum version.
- So robust that even running them over with the fork lift truck won't harm them.



COMPLIANCE

Both versions have sumps that fully comply with current UK regulations.



THE ORIGINAL AND STILL THE BEST ON THE MARKET. IF YOU WANT TO KEEP DRUMS ON THEIR SHIPPING PALLET AND ALSO WANT TO ENSURE THAT IF THEY LEAK THEY WILL BE FULLY CONTAINED LOOK NO FURTHER

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK		PALLET CONVERTERS		All our prices include delivery to a mainland UK address			
CODE	SIZE (LxWxH)	No. OF DRUMS	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT	DELIVERED PRICE	
Y PALCON2	1500 x 1100 x 440mm	2	250ltrs	Standard	17kg	£229.00	
Y PALCON4	1500 x 1300 x 440mm	4	310ltrs	Standard	19kg	£255.00	

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> RECYCLED SPILL PALLETS



BP2R - TWO DRUM SPILL PALLET

Rotationally moulded using recycled polyethylene and designed to accommodate 2 x 205ltr drums this spill pallet (only available in black) has a removable plastic grid for easy access to clean the sump and is fitted with fork pockets to help with moving the pallet (we do not advise this is done when laden as the drums could slide off, or if unevenly loaded it could damage the spill pallet).

You will require an appropriate size/capacity fork lift truck to offload this item from the delivery vehicle. Our standard delivery doesn't include any offloading.



BP4LR - FOUR DRUM SPILL PALLET

Rotationally moulded using recycled polyethylene and designed to accommodate 4 x 205ltr drums this low profile spill pallet (only available in black) has a removable plastic grid for easy access to clean the sump and is fitted with fork pockets to help with moving the pallet (we do not advise this is done when laden as the drums could slide off, or if unevenly loaded it could damage the spill pallet).

You will require an appropriate size/capacity fork lift truck to offload this item from the delivery vehicle. Our standard delivery doesn't include any offloading.



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

RECYCLED SPILL PALLETS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	SUMP	COLOUR	WEIGHT	UDL	DELIVERED PRICE
BP2R	1280 x 820 x 330mm	240ltrs	Black	23kg	650kg	£117.00
BP4LR	1280 x 1280 x 275mm	230ltrs	Black	29kg	1250kg	£145.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> DRUM CRADLES



*Additional safety chains now fitted as standard

DRUM & CRADLE STACKER

Rotationally moulded from medium density polyethylene, drum cradle DB4 will hold 2 x 205ltr drums in the horizontal position over a 400ltr sump and by adding the stacker unit DBC you can add a further 2 x 205ltr drums. Both models are available in blue or yellow.

THE PRACTICAL AND SAFE WAY TO DISPENSE FROM YOUR DRUMS & CONTAINERS

VISIT OUR WEBSITE FOR OUR FULL PRODUCT LISTING

NEW!
FEATURES, VIDEOS & PRODUCTS

SHOP ONLINE NOW!
www.empteezy.co.uk



SBS



ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

DRUM CRADLES



All our prices include delivery to a mainland UK address

CODE	CODE	SIZE (LxWxH)	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
Y DBCY Stacker unit	B DBCB	1240 x 795 x 370mm	n/a	13kg	£229.00
Y DB4Y Sump base	B DB4B	1390 x 1250 x 490mm	400ltrs	50kg	£453.00
SBS Stacker for 1x 205ltr, or 1-2 x 25ltr drums	-	875 x 765 x 730mm	n/a	10kg	£97.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> BUNDED TROLLEYS



205LTR DISPENSING TROLLEY

- BT230Y is a "one person" operated trolley that allows you to simply tip a 205ltr drum from the vertical to the horizontal position and move it with ease.
- 230ltr sump and dispensing area means that even if the entire contents leaked out it would be fully contained.

SMALL TROLLEY

- BT100Y with a 100ltr capacity this trolley is useful for moving 25ltr drums, vehicle batteries and other small loads around your facility.

SINGLE DRUM TROLLEY

- PDDHY a mobile drip tray that aids housekeeping when transporting and dispensing from vertical drums.

MOVE DRUMS AROUND YOUR FACILITY IN THE SAFE KNOWLEDGE THAT ANY LEAKS WILL BE FULLY CONTAINED



PLEASE NOTE: The letter Y after a product code denotes the item is yellow and a B denotes that it is blue. Please double check before placing your order to ensure to receive the right colour product.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

BUNDED TROLLEYS



All our prices include delivery to a mainland UK address

CODE	CODE	SIZE (LxWxH)	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
Y BT230Y	B BT230B	1600 x 740 x 640mm	230ltrs	42kg	£412.00
Y BT100Y	B BT100B	900 x 700 x 300mm (980mm to top of handle)	100ltrs	15kg	£238.00
Y PDDHY	B PDDHB	725 x 725 x 255mm (990mm to top of handle)	30ltrs	15.5kg	£219.00

EMPTEEZY®
working for the environment

01506 430309
advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> STORAGE BINS



STORAGE BINS

A comprehensive range of storage bins rotationally moulded from 100% polyethylene giving them broad-band chemical compatibility and making them lightweight and durable. As most of the range comes with loose lids there is the option to purchase lock and hinge kits and castors are also available to aid mobility. Tough and durable static and mobile storage containers for almost any application.

LOCK KITS AVAILABLE FOR GPSC2 & GPSC2W - AVAILABLE TO ORDER ONLINE OR CALL US ON 01506 430309 TO ADD TO YOUR ORDER



ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

STORAGE BINS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
PSB1	1265 x 855 x 910mm	350ltrs	26kg	£187.00
PSB1W	1265 x 855 x 910mm	350ltrs	31kg	£265.00
PSB2	1460 x 1010 x 975mm	1000ltrs	35kg	£378.00
PSB2W	1460 x 1010 x 1015mm	1000ltrs	40kg	£493.00
PC	1360 x 710 x 965mm	60ltrs	38kg	£504.00
GPSC2W	875 x 875 x 1010mm	250ltrs	25kg	£310.00
GPSC2	875 x 875 x 880mm	250ltrs	22kg	£259.00

EMPTEEZY[®]
working for the environment



01506 430309
advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> OVERPACKS



A COST EFFECTIVE AND PRACTICAL WAY OF IMPROVING YOUR FACILITIES HOUSEKEEPING

UN RATED OVERPACKS

Our UN approved overpacks (all "X" rated) come in 3 sizes which are available with screw on or lever lock lids making it easy to facilitate the safe storage, handling and transportation of hazardous materials, deal with spill containment and the clean-up of hazardous materials and bio waste disposal and incineration.

Manufactured in yellow blow-moulded high-density polyethylene (HDPE) with UV inhibitors, they are lightweight yet durable and weather and chemical resistant.



R1650



R1652



R1600SL

COMPLIANCE

An overpack is defined by the UN Model Regulations and means "an enclosure used by a single consignor to contain one or more packages and to form one unit for the convenience of handling and stowage during transport".

The UN regulations enable goods to be transported whilst still meeting each countries different regulations.

PLEASE NOTE: OVERPACK OP1 is not UN approved.

DESIGNED TO ACCOMMODATE DRUMS UP TO 205LTR IN SIZE, THE OVERPACK ALLOWS YOU TO CONTAIN DAMAGED OR LEAKING DRUMS UNTIL THEY CAN BE DISPOSED OF CORRECTLY



R1601



R1690



OP1



ORDER ONLINE AT WWW.EMPTEEZY.CO.UK OVERPACKS  All our prices include delivery to a mainland UK address

CODE	SIZE (TxBxH)	LID TYPE	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
R1650	49.3 x 42.6 x 52.7 cm	Screw on lid	75.7ltrs	57kg	£87.00
R1652	48.3 x 41.4 x 48.3 cm	Lever lock lid	75.7ltrs	6kg	£92.00
R1600SL	50.5 x 41.3 x 68.6 cm	Screw on lid	113.6ltrs	6.5kg	£101.00
R1601	48.5 x 42.6 x 67 cm	Lever lock lid	113.6ltrs	6.3kg	£102.00
R1690	68.9 x 65 x 99.1 cm	Screw on lid	359.7ltrs	22.5kg	£300.00
OP1	830mmØ x 1020mm	Screw on lid	340ltrs	22kg	£269.00

EMPTEEZY® *working for the environment*   **01506 430309**
 **advice@empteezy.co.uk**



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> FUNNELS & DRUM COVERS




DRUM/IBC FUNNELS

- BT50 for "closed head" 205ltr drums, with hinged lid and cut-away for fill gauge.
- DF1 for either "closed" or "open head" 205ltr drums, with hinged lid and a ribbed surface to allow items to drain. Debris strainer fitted as standard.
- BT75 for "closed head" 205ltr drums, with location spout and debris.
- Strainer (no lid).
- DF200 for IBCs, 90mm drain with debris strainer and ribbed surface.
- 08530 "drum full" indicator fits the 3/4" opening on a closed head drum.



DRUM COVERS

- DL1 loose fit cover for 205ltr drums.
- DL2 tight fit cover for 205ltr drums.



A COST EFFECTIVE AND PRACTICAL WAY OF IMPROVING YOUR FACILITIES HOUSEKEEPING

PLEASE NOTE: The letter Y after a product code denotes the item is yellow and a B denotes that it is blue. Please double check before placing your order to ensure to receive the right colour product.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FUNNELS & DRUM COVERS



All our prices include delivery to a mainland UK address

DRUM & IBC FUNNELS				
CODE	DIAMETER	HEIGHT	WEIGHT	DELIVERED PRICE
DF1	610mm	230mm	4kg	£53.00
DF200	610mm	150mm	4kg	£65.00
BT75	870mm	240mm	5kg	£67.00
BT75PLUG	n/a	n/a	n/a	£18.00
DRUM COVERS				
CODE	DIAMETER	HEIGHT	WEIGHT	DELIVERED PRICE
DL2	630mm	160mm	2kg	£41.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> SPILL FLOORING



SPILL FLOORING

Backed by a 3 year guarantee and available in blue or yellow with black plastic decks, this range of low profile (150mm high) sump flooring can be used as stand-alone sections or joined together with sump connectors to create fully bonded work areas.

ACCESSORIES

When creating a work area using multiple sections of spill flooring we recommend you use the metal joining strips (BFS2 & BFS4) to secure them together and cover the gap between sections. The 1" BSP threaded sump connector (pack of 2) allows spilt liquid to flow freely between sections utilising all the sump capacity in the event of a large spill. Please discuss your requirements with us prior to ordering accessories.



PLEASE NOTE: The letter Y after a product code denotes the item is yellow and a B denotes that it is blue. Please double check before placing your order to ensure to receive the right colour product.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

SPILL FLOORING



All our prices include delivery to a mainland UK address

LOW PROFILE SPILL FLOORING

CODE	CODE	SIZE (LxWxH)	CAPACITY	WEIGHT	UDL	DELIVERED PRICE
Y BF2Y	B BF2B	1260 x 860 x 150mm	130ltrs	20kg	1000kg	£221.00
Y BF4Y	B BF4B	1660 x 1260 x 150mm	300ltrs	38kg	2000kg	£280.00
Y BF4SY	B BF4SB	2610 x 895 x 150mm	300ltrs	42kg	2000kg	£354.00
BFR		650 x 800 x 160mm	n/a	8kg	1000kg	£129.00
DESCRIPTION						
BFS2		1260 x 60 x 35mm	PVC Joint cover per 1meter length	1.5kg	n/a	£63.00
BFS4		1660 x 60 x 35mm	Joining strip	2kg	n/a	£75.00
BFC		790 x 400mm	Sump connector 1inch BSP x 2	0.6kg	n/a	£28.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS


> SPILL FLOORING KITS




SUMP FLOOR KIT - BF4KIT1

Backed by our 3 year guarantee
 This kit gives provides a 3320mm x 2520mm fully contained 4 section rectangular low profile (150mm) storage/bunded work area and comes complete with sump connectors (holes are pre-drilled) and joining strips. Once assembled you have a storage/bunded work area that can accommodate up to 4 x 1000ltr standard IBCs making this a very practical and cost effective storage/bunded work space solution.

YOU WILL REQUIRE AN APPROPRIATE SIZE/CAPACITY FORK LIFT TRUCK TO OFFLOAD THIS ITEM FROM THE DELIVERY VEHICLE. OUR STANDARD DELIVERY DOESN'T INCLUDE ANY OFFLOADING



BF4KIT1B or BF4KIT1Y - 4 x BF4B (BF4Y), 2 x BFS2, 2 x BFS4 & 4 x BFC



BF4KIT2B or BF4KIT2Y - 4 x BF4B (BF4Y), 3 x BFS4 & 3 x BFC

SUMP FLOOR KIT - BF4KIT2

Backed by our 3 year guarantee
 This kit gives provides a 5040mm x 1660mm fully contained 4 in a line low profile (150mm) storage/bunded work area and comes complete with sump connectors (holes are pre-drilled) and joining strips. Once assembled you have a storage/bunded work area that can accommodate up to 4 x 1000ltr standard IBCs making this a very practical and cost effective storage/bunded work space solution.



BF4KIT1



BF4KIT2

ADDITIONAL INFORMATION FOR BF4KIT1 & BF4KIT2

- External size per section:** 1660mm L x 1260mm W x 150mm H
- N° of containers:** Up to 4 x 1000ltr IBC
- Sump capacity:** 300ltr per section
- Colour:** Blue or Yellow
- UDL:** 2000kg per section
- Approval:** DIBt Z-40.22-398



PLEASE NOTE: The letter Y after a product code denotes the item is yellow and a B denotes that it is blue. Please double check before placing your order to ensure to receive the right colour product.

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

SPILL FLOORING KITS



All our prices include delivery to a mainland UK address

CODE	CODE	ASSEMBLED SIZE (LxWxH)	SUMP PER KIT	WEIGHT	DELIVERED PRICE
Y BF4KIT1Y	B BF4KIT1B	3320 x 2520 x 150mm	1200ltrs	38kg per section	£1,167.00
Y BF4KIT2Y	B BF4KIT2B	5040 x 1660 x 150mm	1200ltrs	38kg per section	£1,118.00



01506 430309
 advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS


> IBC SPILL PALLETS



OPEN IBC SPILL PALLETS

Our plastic IBC spill pallets are rotationally moulded in our own UK factory from medium density polyethylene which has excellent chemical compatibility and is lightweight and resistant to corrosion.

All of our plastic IBC spill pallets fully comply with UK regulations relating to sump capacities.



NO GRIDS EQUAL LOWER COST

FULLY COMPLIANT SPILL PALLETS WITH EASY ACCESS TO THE SUMP



PLEASE NOTE: The letter Y after a product code denotes the item is yellow and a B denotes that it is blue. Please double check before placing your order to ensure to receive the right colour product.

ORDER ONLINE AT WWW.EMPTTEEZY.CO.UK

IBC SPILL PALLETS



All our prices include delivery to a mainland UK address

CODE	CODE	SIZE (LxWxH)	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
Y BB3Y	B BB3B	1590 x 1455 x 715mm	1125ltrs	80kg	£623.00
Y BB4Y	B BB4B	2340 x 1360 x 510mm	1150ltrs	66kg	£628.00
Y BB4TY	B BB4TB	530 x 520 x 450mm	86ltrs	4kg	£80.00

EMPTTEEZY[®]
working for the environment



01506 430309

advice@emptteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> IBC SPILL PALLETS



IBC SPILL PALLETS

- Two styles available either with or without a built-in dispensing area.
- Suitable for most standard size 1000ltr IBCs.
- Covered version for economical outdoor storage.
- The tray clips onto the top edge of a BB1B spill pallet acting as a dispensing area to catch any leaks or drips. Should the tray become full the liquid flows back into the main sump of the sump pallet.

COMPLIANCE

- All models are fully compliant with all current UK regulations.
- Sumps hold 110% of the capacity of a 1000ltr IBC.
- Spill pallets should only be moved when empty.

FOUR WAY FORKLIFT ENTRY IBCS

Manufactured from medium density polyethylene this heavy duty spill pallet has 4 way fork lift access, broad range chemical compatibility, a removable plastic mesh deck and it fully complies with all the UK regulations relating to sump capacities.



ALTHOUGH REGARDED AS ONE OF THE SAFEST WAYS OF TRANSPORTING LIQUIDS, ACCIDENTS STILL HAPPEN. BY HOUSING YOUR IBC ON A SPILL PALLET YOU REDUCE THE RISK AND ENSURE COMPLIANCE

PLEASE NOTE: The letter Y after a product code denotes the item is yellow and a B denotes that it is blue. Please double check before placing your order to ensure to receive the right colour product.

ORDER ONLINE AT
WWW.EMPTTEZY.CO.UK



IBC SPILL PALLETS



All our prices include delivery to a mainland UK address

CODE	CODE	SIZE (LxWxH)	SUMP CAPACITY	WEIGHT	UDL	DELIVERED PRICE
Y BB1Y	B BB1B	1760 x 1350 x 710mm	1100ltrs	91kg	1500kg	£676.00
Y BB1CY	B BB1CB	2380 x 1350 x 2410mm	1100ltrs	119kg	1500kg	£1,664.00
Y BB1TY	B BB1TB	525 x 545 x 835mm	86ltrs	8.5kg	n/a	£121.00
Y BB1DY	B BB1DB	1950 x 1400 x 725mm	1100ltrs	86kg	1500kg	£654.00
Y BB1FWY	B BB1FWB	1230 x 1230 x 1090mm	1150ltrs	71kg	3000kg	£722.00



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> IBC SPILL PALLETS



COVERED IBC SPILL PALLETS

Designed to give you the flexibility of using an IBC spill pallet outside without the sump filling with rainwater. This IBC spill pallet has a self-assembly steel frame and comes with a polyethylene cover which can be tied in place to keep it open. The sump fully complies with all the UK regulations relating to sump capacities.

DISPENSING TRAY

Rotationally moulded from polyethylene, this hard-wearing dispensing/drip tray is only for use with spill pallet BB2CY.

The tray clips onto the spill pallet and when it becomes full the liquid flows back into the main sump of the spill pallet.



ENSURE YOUR BULK LIQUIDS ARE STORED ON A SPILL PALLET TO ENSURE CONTAINMENT IN THE EVENT OF A LEAK

PLEASE NOTE: The letter Y after a product code denotes the item is yellow and a B denotes that it is blue. Please double check before placing your order to ensure to receive the right colour product.

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

IBC SPILL PALLETS



All our prices include delivery to a mainland UK address

CODE	CODE	SIZE (LxWxH)	SUMP CAPACITY	TARE WEIGHT	UDL	DELIVERED PRICE
Y BB2CY	B BB2CB	2560 x 1350 x 2140mm	1140ltrs	181kg	2500kg	£1,981.00
Y BB2FWY	B BB2FWB	2340 x 1225 x 610mm	1150ltrs	91kg	2500kg	£738.00
Y BB2Y	B BB2B	2560 x 1350 x 510mm	1140ltrs	116kg	2500kg	£726.00
Y BB2TY	B BB2TB	530 x 520 x 530mm	86ltrs	4kg	n/a	£97.00
Y BB3Y	B BB3B	1590 x 1455 x 715mm	1125ltrs	77kg	1500kg	£623.00
Y BB4TY	B BB4TB	530 x 520 x 530mm	86ltrs	4kg	n/a	£80.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> COVERED IBC SPILL PALLETS



COVERED SPILL PALLETS

If you find that you have to store your drums outside you will need to ensure the sump can't be compromised by rainwater.

We offer 2 loose fit PVC covers for use with 2 and 4 drum spill pallets. BP2 and BP4L and 3 sizes of spill pallet complete with metal frames and covers.

ADVICE

If any liquid (including rainwater) is found in a sump don't be tempted to just assume it's not contaminated or harmful. Please have it tested to determine how it should be disposed of.

IF YOU NEED TO STORE DRUMS OUTDOORS, THESE COVERED SPILL PALLETS ARE A COST EFFECTIVE WAY OF KEEPING RAINWATER OUT OF THE SUMPS



PLEASE NOTE: The letter Y after a product code denotes the item is yellow and a B denotes that it is blue. Please double check before placing your order to ensure to receive the right colour product.

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

COVERED SPILL PALLETS



All our prices include delivery to a mainland UK address

CODE	CODE	SIZE (LxWxH)	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT	DELIVERED PRICE
Y BP3CY	B BP3CB	1785 x 780 x 1975mm	228ltrs	Standard	58kg	£939.00
Y BP4CY	B BP4CB	1415 x 1310 x 1870mm	410ltrs	Standard	54kg	£1,010.00
Y BP8CY	B BP8CB	2560 x 1350 x 214mm	1140ltrs	Standard	156kg	£1,981.00
PVC2-P	-	Cover only for BP2	n/a	n/a	2kg	£75.00
PVC4-P	-	Cover only for BP4L (image not shown)	n/a	n/a	3kg	£79.00



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> HARD COVERED SPILL PALLETS



BP2HCY



BP4HCY



HARD COVERED SPILL PALLETS

Manufactured from medium density polyethylene, this spill pallet has a hard cover and roller shutter door fitted with a central lock and two handles for easy opening and closing.

BP2HCSY/BP2HCSB WITH CRADLE

This version is supplied with a cradle to allow you to store a 205ltr drum horizontally for dispensing from and the sump, which fully complies with all the UK regulations relating to sump capacities and comes complete with an injection moulded removable plastic mesh deck.

Cradle size: 1210 x 810 x 470mm
Cradle UDL: 300kg
 Delivered fully assembled ready for use. Supplied with steel horizontal drum cradle.

BP2HCSY



BP2HCHY



RAMP - BFR5

A heavy duty ramp manufactured from 100% polyethylene to provide toughness and durability, it features grip runners and raised sides for additional stability.



PLEASE NOTE: The letter Y after a product code denotes the item is yellow and a B denotes that it is blue. Please double check before placing your order to ensure to receive the right colour product.

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

HARD COVERED SPILL PALLETS

All our prices include delivery to a mainland UK address

CODE	CODE	SIZE (LxWxH)	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT	DELIVERED PRICE
Y BP2HCY	B BP2HCB	1490 x 990 x 1690mm	230ltrs	Standard	85kg	£801.00
Y BP4HCY	B BP4HCB	1470 x 1420 x 2070mm	410ltrs	Standard	121kg	£1,055.00
Y BP2HCSY	B BPHCSB	1490 x 990 x 1690mm	230ltrs	Standard	90kg	£884.00
Y BP2HCHY	B BP2HCHB	1490 x 990 x 1690mm	230ltrs	Standard	95kg	£962.00
BFR5	-	1740 x 1000 x 370mm	UDL: 1000kg	n/a	35kg	£286.00



01506 430309
 advice@empteezy.co.uk



POLYETHYLENE SPILL CONTAINMENT PRODUCTS

> HARD COVERED SPILL PALLETS



BP4HCS



BP4HCS - 4 DRUM

Manufactured from medium density polyethylene this spill pallet, designed to hold 4 x 205ltr drums and has a 0.6mm galvanised steel (powder coated paint finish) cover fitted with hinged doors and retaining catches to hold them open during loading and unloading. The metal cover is secured to the spill pallet by means of M8 dome head allen bolts & nylocnuts.



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK




HARD COVERED SPILL PALLETS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	DOOR APERTURE (HxW)	CAPACITY	WEIGHT	UDL	DELIVERED PRICE
BP4HCS	1480 x 1385 x 1865mm	1390mm x 1225mm	410ltrs	221kg	1250kg	£1,500.00



Page
16

EMPTTEEZY'S ABSORBENTS

EMPTTEEZY[®]
working for the environment



☎ 01506 430309
✉ advice@emptteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> HARD COVERED SPILL PALLETS



This range of galvanised metal covered, lockable full bunded rotational moulded polyethylene spill pallets provides you with a cost effective way to store expensive liquids securely.

Available in 3 versions; 4 x 205ltr drum; single IBC (standard 1000ltr) and a double IBC (standard 1000ltr) or 8 x 205ltr drum the galvanised metal covers are full powder coat paint finished inside and out to afford good corrosion protection. The hinged lockable doors are fitted with retaining latches to hold them open during loading and unloading. Units are delivered pre-assembled ready for use. If you are looking to purchase multiple units we can ship in kit form to save on transport costs. Please contact us for details.



BB2HCS - 8 DRUM OR 2 IBC

Manufactured from medium density polyethylene this spill pallet, designed to hold 8 x 205ltr drums or 2 x 1000ltr IBC has a 0.6mm galvanised steel (powder coated paint finish) cover fitted with hinged doors and retaining catches to hold them open during loading and unloading. The metal cover is secured to the spill pallet by means of M8 dome head allen bolts & nyloc nuts.



BB1HCS

Manufactured from medium density polyethylene this spill pallet, designed to hold 1 x 1000ltr IBC has a 0.6mm galvanised steel (powder coated paint finish) cover fitted with hinged doors and retaining catches to hold them open during loading and unloading. The metal cover is secured to the spill pallet by means of M8 dome head allen bolts & nyloc nuts.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

HARD COVERED SPILL PALLETS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	DOOR APERTURE (HxW)	CAPACITY	WEIGHT	UDL	DELIVERED PRICE
BB1HCS	1425 x 1840 x 2405mm	1590mm x 1165mm	1100ltrs	223kg	1200kg	£2,056.00
BB2HCS	2625 x 1430 x 2110mm	1490mm x 2365mm	1140ltrs	285kg	2200kg	£2,788.00



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> CUPBOARDS WITH BUILT IN SUMPS



PSC1Y



PSC2Y

STORAGE CUPBOARDS

A range of 5 cabinets all with built-in sumps which can be used for a multitude of applications from storing liquids, holding spill response equipment, storing dry coveralls and space blankets at emergency shower stations to PPE and maintenance consumables in workshops and on production lines. Rotationally moulded in polyethylene they are robust and durable, yet lightweight and come complete with lockable doors.



PSC3Y



PSC4Y




PSC5Y



ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

CUPBOARDS

 All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
PSC1Y	534 x 420 x 990mm	30ltrs	15kg	£268.00
PSC2Y	650 x 570 x 1650mm	70ltrs	44kg	£431.00
PSC3Y	740 x 920 x 1835mm	225ltrs	50kg	£696.00
PSC4Y	740 x 920 x 1835mm	225ltrs	60kg	£745.00
PSC5Y	920 x 740 x 1520mm	100ltrs	55kg	£626.00

EMPTEEZY[®]
working for the environment

 01506 430309
 advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> CUPBOARDS & ROLL DISPENSERS



ROLL DISPENSING STANDS

A robust cabinet with lockable door and a built-in roll holder on top, ideal for use as a dispensing stand for absorbents or maintenance products.

CONTENTS NOT INCLUDED

PRHLY - COUNTER TOP

This counter top absorbent roll dispenser makes it easy to wipe up drips and spills and keeps rolls off the floor. Rolls up to 480mm.



VISIT OUR WEBSITE FOR OUR FULL PRODUCT LISTING

NEW!
FEATURES, VIDEOS & PRODUCTS



SHOP ONLINE NOW!

www.empteezy.co.uk



PDS



PDS



PWS



PRHLY

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

CUPBOARDS & ROLL STANDS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	COLOUR	WEIGHT	DELIVERED PRICE
PDS	640 x 580 x 1180mm	Yellow	20kg	£229.00
PDS	640 x 580 x 1180mm	Yellow	23kg	£271.00
PWS	640 x 580 x 980mm	Yellow	20kg	£219.00
PRHLY	640 x 625 x 580mm	Yellow	10kg	£99.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> SPILL TRAYS



SPILL TRAYS

Our ST range of spill trays provide a cost effective solution to the storing and handling of smaller drums and containers in liquid dispensing work areas, dosing points, in laboratories etc. There are 6 standard sizes available all with easy to remove grids for quick access to the tray to clean up drips and spills. Model ST66WH is a mobile version fitted with swivel castors and a full width handle to make moving small containers easy.



OUR SPILL TRAYS ARE MADE FROM POLYPROPYLENE AND ARE TOUGH AND RIGID IN CONSTRUCTION



A COST EFFECTIVE AND PRACTICAL WAY OF IMPROVING YOUR FACILITIES HOUSEKEEPING

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK



SPILL TRAYS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	SUMP CAPACITY	UDL	WEIGHT	DELIVERED PRICE
ST20	595 x 395 x 175mm	22ltrs	55kg	3.5kg	£61.00
ST30	805 x 405 x 170mm	31ltrs	55kg	4.5kg	£68.00
ST40	800 x 605 x 170mm	43ltrs	105kg	7.5kg	£79.00
ST60	1000 x 605 x 200mm	63ltrs	205kg	10kg	£96.00

EMPTEEZY[®]
working for the environment



☎ 01506 430309
✉ advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> SPILL TRAYS



COMPLIANCE

A "secondary containment system" is defined as a drip tray, an area surrounded by a bund or any other system for preventing oil which is no longer in its container from escaping from the place where it is stored.

OUR SPILL TRAYS ARE MADE FROM POLYPROPYLENE AND ARE TOUGH AND RIGID IN CONSTRUCTION



A COST EFFECTIVE AND PRACTICAL WAY OF IMPROVING YOUR FACILITIES HOUSEKEEPING

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

SPILL TRAYS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	SUMP CAPACITY	UDL	WEIGHT	DELIVERED PRICE
ST66	804 x 608 x 220mm	66ltrs	150kg	8.5kg	£109.00
ST70	804 x 608 x 315mm	70ltrs	150kg	9.5kg	£114.00
ST100	1195 x 795 x 185mm	104ltrs	205kg	15kg	£135.00
ST66WH	933 x 608 x 938mm	66ltrs	120kg	13.5kg	£219.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> SPILL TRAYS



SPILL TRAYS

- No more liquid on the floor to cause ground contamination.
- No more liquid on the floor to cause a slip hazard to your staff.
- 5 standard versions available from low profile to deep.

COMPLIANCE

Where any drum is used for the storage of oil in conjunction with a drip tray as the secondary containment system, it is sufficient if the tray has a capacity of not less than 25% of (a) The drum's storage capacity; or (b) If there is more than one drum used at the same time with the tray, the aggregate storage capacity of the drums.



TT16



TT65

OUR SPILL TRAYS ARE MADE FROM POLYPROPYLENE AND ARE TOUGH AND RIGID IN CONSTRUCTION

VISIT OUR WEBSITE FOR OUR FULL PRODUCT LISTING

NEW!
FEATURES,
VIDEOS &
PRODUCTS



SHOP ONLINE NOW!

www.empteezy.co.uk



TT100



A COST EFFECTIVE AND PRACTICAL WAY OF IMPROVING YOUR FACILITIES HOUSEKEEPING

ORDER ONLINE AT WWW.EMPTTEEZY.CO.UK

SPILL TRAYS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
TT16	530 x 400 x 100mm	16ltrs	0.75kg	£24.00
TT65	1000 x 550 x 150mm	64.5ltrs	3.5kg	£78.00
TT100	1000 x 1000 x 120mm	99ltrs	7kg	£103.00

EMPTTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS


> SPILL TRAYS



TTS



TTL



BT50



GPT2



TTXL

SPILL TRAYS

- No more slip hazards for staff to worry about.
- No more unsightly spilt liquids on the floor.
- 5 versions to choose from.

COMPLIANCE

- Where any drum is used for the storage of oil in conjunction with a drip tray as the secondary containment system, it is sufficient if the tray has a capacity of not less than 25% of
 - The drum's storage capacity; or
 - If there is more than one drum used at the same time with the tray, the aggregate storage capacity of the drums.

YOUR FIRST LINE OF DEFENCE TO STOP SPILT OR LEAKING LIQUID CONTAMINATING THE GROUND OR WATER COURSE



ORDER ONLINE AT WWW.EMPTTEEZY.CO.UK

SPILL TRAYS

All our prices include delivery to a mainland UK address

DRIP TRAYS					
CODE	SIZE (LxWxH)	CAPACITY	WEIGHT	DELIVERED PRICE	
TTS	630 x 590 x 175mm	45ltrs	3kg	£58.00	
TTL	1450 x 840 x 70mm	60ltrs	8kg	£65.00	
TTXL	1200 x 550 x 50mm	30ltrs	2.6kg	£54.00	
GPT2	1290 x 730 x 295mm	230ltrs	10kg	£151.00	
CIRCULAR DRIP TRAY					
CODE	DIAMETER	HEIGHT	CAPACITY	WEIGHT	DELIVERED PRICE
BT50	870mm	190mm	50ltrs	5kg	£58.00

EMPTTEEZY[®]
working for the environment

01506 430309
 advice@emptteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> SPILL TRAYS



SPILL TRAYS - TTXS/TTXM

Ideal for general house-keeping and spill control this grey spill tray is suitable for small container handling and storage. Made from 100% polyethylene it offers high resistance to most oils and chemicals.

SPILL TRAY - GPT1

Manufactured from 100% polyethylene this 110ltr capacity spill tray has broad chemical compatibility and is ideal for smaller drums and containers.

SPILL TRAY - TTHD

Suitable for most liquids this 145ltr capacity spill tray is made from durable polyethylene and provides a simple and safe way to store containers and drums.



TTXM



TTXS



GPT1



TTHD

VISIT OUR WEBSITE FOR OUR FULL PRODUCT LISTING

NEW! FEATURES, VIDEOS & PRODUCTS

SHOP ONLINE NOW!

www.empteezy.co.uk

A COST EFFECTIVE AND PRACTICAL WAY OF IMPROVING YOUR FACILITIES HOUSEKEEPING



ORDER ONLINE AT WWW.EMPTEEZY.CO.UK **SPILL TRAYS** All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	UDL	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
TTXS	598 x 395 x 50mm	n/a	8ltrs	2.5kg	£40.00
TTXM	574 x 390 x 53mm	n/a	10ltrs	0.9kg	£45.00
GPT1	730 x 730 x 295mm	250kg	100ltrs	6.5kg	£103.00
TTHD	1460 x 960 x 120mm	650kg	145ltrs	12kg	£134.00


EMPTEEZY® *working for the environment*

01506 430309
advice@empteezy.co.uk



POLYETHELENE SPILL CONTAINMENT PRODUCTS

> SPILL TRAYS



SPILL TRAYS

Ideal for general house-keeping and spill control this black polyethylene spill tray is ideal for small container handling and storage.

A COST EFFECTIVE AND PRACTICAL WAY OF IMPROVING YOUR FACILITIES HOUSEKEEPING



ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

SPILL TRAYS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	SUMP CAPACITY	COLOUR	WEIGHT	DELIVERED PRICE
TT9	790 x 400 x 50mm	9ltrs	Black	1.2kg	£41.00
TT28	645 x 490 x 120mm	28ltrs	Black	1.3kg	£50.00
TT64	800 x 800 x 120mm	64ltrs	Black	2.6g	£76.00
TT65	1000 x 550 x 150mm	65ltrs	Black	2kg	£78.00

EMPTEEZY[®]
working for the environment




01506 430309
advice@empteezy.co.uk




POLYETHELENE SPILL CONTAINMENT PRODUCTS

> COLUMN GUARD



SMALL



LARGE

A SELF-INSTALL PROTECTION SYSTEM FOR COLUMNS THAT SIMPLY BOLTS IN PLACE AND IS MAINTENANCE FREE

COLUMN GUARDS

Protect the fabric of your building and reduce damage to your fork lift trucks.


Just clamp around the column and bolt together, it's that simple.

Completely maintenance free once fitted.


Minimise column, forklift, and personnel damage with our range of beam protectors.

An affordable protection system for warehouse and factory columns our self-install column protectors simply bolt in place and are maintenance free.


Rotationally moulded from highly visible yellow, weatherproof and UV stabilized, polyethylene, our building protectors are resistant to most chemicals.



SMALL



LARGE



MEDIUM



NOT SUITABLE FOR USE WITH CAST IRON COLUMNS

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

COLUMN GUARD



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	COLOUR	WEIGHT	DELIVERED PRICE
UBP1	640 x 500 x 985mm	Yellow	34kg	£232.00
UBP2	695 x 640 x 985mm	Yellow	39kg	£229.00
UBP3	360 x 350 x 945mm	Yellow	12kg	£227.00
UBP4	515 x 490 x 945mm	Yellow	18kg	£223.00
UBP5	360 x 350 x 945mm	Yellow	12kg	£220.00

EMPTEEZY[®]
working for the environment



01506 430309


advice@empteezy.co.uk

THE VERTICAL TANK SHOWER

AN EMERGENCY TANK SHOWER FOR USE WHERE A CONSTANT WATER SUPPLY OR ADEQUATE WATER PRESSURE IS UNAVAILABLE.



*See Page 119 & 120 for more details



10 Questions...

As a starting point the following questions will generate the information required to help you ensure you store products correctly and safely.

1. What are the liquids?
2. Is there a fire, explosion or vapour release risk associated with any of the liquids?
3. Is there a requirement to store any of the liquids separately?
4. How many litres of each product do you want to store?
5. Are you looking to bulk store, or use drums & or IBCs?
6. Will the liquid be stored indoors or out?
7. If indoors are there any access issues with regard to the location?
8. If outdoors are there surface water drains or a water course in the vicinity?
9. How will the liquids be delivered to site?
10. How will they be moved around the site?





DRUM & IBC BUNDED STORAGE > STEEL DRUM & IBC STORAGE



The incorrect storage or poor management of liquids can have far reaching consequences for your business and the environment and although all the different UK Oil Storage Regulations are amongst some of the most highly publicised regulation currently in force it's all too easy to forget that all liquids pose a potential threat to health, safety and the environment if not properly handled and stored. Remember you are responsible for all the liquids on your site and you can be prosecuted for a pollution incident that originates on your site even if it was caused by vandals.

The following information will help you determine the correct system to suit your specific requirements and when used in conjunction with other measures including good housekeeping, spill kits and training, will substantially reduce the risk of an incident.

The SDS (Safety Data Sheet) for the liquids you use will provide much of the detail required to answer questions 1, 2 & 3 but you should also talk to the manufacturer for advice on issues such as segregation of liquids, possible explosion risk and vapour release hazards.

Determining the amounts (litres) of product you have on site and in what types of container (205ltr drums, 1000ltr IBC, bulk tanks etc.) is fundamental to ensuring you don't end up with product stored in a way that will lead to an incident. Don't forget to include used, empty containers which are likely to have residues in them and must therefore still be stored correctly too.

You must consider the location of the storage area with great care to minimise the risks of damage to the environment, the health and safety of your employees and the public. It must be located somewhere that if liquids leak or spill, you will not pollute the air, land, surface or ground waters.

It goes without saying that your storage containers (bunded stores, spill pallets etc.) must be designed with environmental protection in mind. This means that the bund and any storage units or spill pallets must be able to contain at least 110% of the volume of the largest container or 25% of the total volume stored, whichever is greater and you must check that they are made of a material that is compatible with the liquid you are storing. Don't forget to consider how you protect the drums or IBCs when they are being moved around the site, bunded trolleys or mobile spill pallets are ideal but remember to properly secure the load before setting off.

Don't forget areas where you have smaller amounts of liquids such as laboratories, test rigs, workshops or vehicles. The same rules apply but you may only require a laboratory cabinet (Flammable liquids must be held in a fire-proof steel cabinet) to store the liquids in. Remember to consider segregation issues when storing different liquids together and ensure that the cabinet is secured to the floor and/or wall to prevent it toppling over, avoid the temptation to store liquids directly on the floor, even on a temporary basis, and always avoid storing above eye-height, or on top of cupboards or cabinets. Wear/use PPE (Personal Protective Equipment) as appropriate at all times.





DRUM & IBC BUNDED STORAGE
> STEEL SPILL PALLETS



GSP2D



GSP4D

STEEL SPILL PALLETS

Manufactured from galvanised steel these spill pallets have a fully seam welded sump that is fully compliant with all the UK regulations relating to sump capacities and a removable galvanised steel grid mesh deck is fitted as standard as are the 150mm wide fork hoops, which are used for moving the pallet and keep the underside of the sump off the ground.

ACCESSORIES

- All our steel spill pallets have sump capacities that are fully compliant with current UK regulations.

ALL MODELS HAVE REMOVABLE GALVANISED MESH DECKS FOR EASY CLEANING OF THE SUMP

EMPTEEZY
 20 YEAR GUARANTEE

“DON'T LET LEAKING DRUMS CREATE POLLUTION PROBLEMS. STORE THEM SAFELY ON A FULLY CONTAINED SPILL PALLET”

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

STEEL SPILL PALLETS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	No. DRUMS	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
GSP2D	1220 x 815 x 393mm	2x 205ltrs	225.5ltrs	51kg	£219.00
GSP4D	1220 x 1220 x 463mm	2x 205ltrs	440ltrs	82kg	£289.00

STEEL Chemstor®
 Storage Solutions

PAGE 90





DRUM & IBC BUNDED STORAGE

> STEEL SPILL PALLETTS



SPILL PALLETTS

- Used to protect drums in areas where they are at risk of being knocked into.
- Vertical models come complete with a safety chain to aid retention of the drum during transit.
- Horizontal models can be fitted with a sliding carriage system to aid loading and unloading (can't be stacked if this option is fitted).
- All models can be stacked up to 3 high.



**STANDARD COLOUR: GREEN
RAL 6029**



SLIDING CARRIAGE

**VISIT OUR WEBSITE
FOR OUR FULL
PRODUCT LISTING**

NEW!
FEATURES,
VIDEOS &
PRODUCTS



SHOP ONLINE NOW!

www.empteezy.co.uk

EMPTEEZY
20 YEAR
GUARANTEE

***OPTION: SLIDING CARRIAGE. (SLC) £652/PAIR. UNITS CANNOT BE STACKED IF FITTED WITH THIS OPTION**

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

STEEL SPILL PALLETTS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	No. DRUMS	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
HD1	1300 x 880 x 1220mm	1	225ltrs	64kg	£578.00
HD2	1580 x 1320 x 1220mm	2	270ltrs	141kg	£610.00
HD4	1580 x 1320 x 2020mm	4	370ltrs	198kg	£946.00
VD1	800 x 800 x 1375mm	1	225ltrs	76kg	£584.00
VD2	1580 x 830 x 1300mm	2	260ltrs	90kg	£769.00
VD4	1580 x 1320 x 1300mm	4	370ltrs	152kg	£980.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE

> SPILL FLOORING, TROLLEYS & SHELVING



SPILL FLOORING

- Join sections together to create a fully contained workstation.
- Low profile (110mm) allows for easy access.


STEEL DRUM TROLLEYS

- ST1 suitable for single 205ltr drum in a vertical position with retaining strap and removable galvanised steel.
- All models are fitted with two fixed and two swivel 150mm brake castors.

SELF ASSEMBLY BUNDED RACKING

Designed to hold smaller containers (1ltr-25ltr) the sump is manufactured from galvanised steel sheet and the racking includes 6 cross members, 3 shelves and all the nuts and bolts required for self-assembly.

STANDARD COLOUR: GREEN
RAL 6029



EMPTEEZY

20 YEAR GUARANTEE

USE SPILL FLOORING TO BUND A WORKING AREA OR MOVE DRUMS ON A FULLY BUNDED TROLLEY

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

SPILL FLOORING, TROLLEYS & SHELVING

All our prices include delivery to a mainland UK address

SPILL FLOORING					
CODE	SIZE (LxWxH)	CAPACITY	WEIGHT	DELIVERED PRICE	
SF10	1050 x 1050 x 110mm	110ltrs	80kg	£478.00	
SF20	2300 x 1050 x 110mm	230ltrs	125kg	£800.00	
SF30	2800 x 1300 x 110mm	360ltrs	170kg	£838.00	
SFRAMP	1000 x 500 x 110mm	n/a	16kg	£174.00	
SFSTRIP	*Joint stripper 1metre length	n/a	n/a	£25.00	
SPILL TROLLEYS					
CODE	SIZE (LxWxH)	No. DRUMS	CAPACITY	WEIGHT	DELIVERED PRICE
ST1	800 x 800 x 1050mm	1x 205ltrs	240ltrs	64kg	£657.00
ST2	1400 x 750 x 1050mm	2x 205ltrs	250ltrs	60kg	£693.00
ST2F	1400 x 750 x 1050mm	1x 205ltrs	250ltrs	80kg	£833.00
BUNDED RACKING					
CODE	SIZE (LxWxH)	CAPACITY	WEIGHT PER SHELF	DELIVERED PRICE	
BR1	1996 x 950 x 1860mm	180ltrs	600kg	£748.00	



DRUM & IBC BUNDED STORAGE

> IBC STEEL SPILL PALLETS



GSP1IBC



IBCD



IBC2

STANDARD COLOUR: GREEN RAL 6029



GSP2IBC

IBC SPILL PALLETS

- GSP1IBC standard pallet.
- IBCD standard pallet fitted with an angled dispensing frame that aids complete drainage of the GSP1IBC.
- IBC2 if space is at a premium this unique solution could be what you are looking for. If the upper GSP1IBC leaks the liquid is channelled via the hollow support frame to the main sump.
- GSP2IBC holds 2x IBC side by side
- All models come complete with galvanised removable grid decks to aid cleaning of the sump.
- All sumps comply with current UK regulations.
- All models are fitted with fork hoops to aid movement (when empty) and keep the base of the sump off the floor.

EMPTEEZY
20 YEAR GUARANTEE

STEEL MANUFACTURED UNITS ARE OFTEN THE SOLUTION FOR THE SAFE STORAGE OF IBC'S BEING USED IN A "HOSTILE/TOUGH" ENVIRONMENT, FOR EXAMPLE A FOUNDRY WHERE HEAT IS AN ISSUE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

IBC SPILL PALLETS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	NO. IBCs	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
GSP1IBC	1220 x 1220 x 1050mm	1	1100ltrs	121kg	£537.00
IBCD	1400 x 1640 x 1000mm	1	1125ltrs	160kg	£1,250.00
IBC2	1400 x 1640 x 2480mm	2	1125ltrs	380kg	£1,595.00
GSP2IBC	2450 x 1220 x 550mm	2	1100ltrs	164kg	£738.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE

> FULLY ENCLOSED SECURE DRUM STORES



DRUM STORES

We bring more than 30 years expertise to the design and manufacture of banded storage units. Manufactured in our modern UK factory our comprehensive range of secure banded storage units is designed for use with both 205ltr drums and 1000ltr IBCs.

Our extensive range of banded storage units includes fork lift truck access stores for drums/IBCs and easily accessible walk-in stores.


Delivered to site ready for use our banded storage units provide an immediate solution to the problems encountered in complying with environmental legislation.

Our secure banded storage units are fully compliant with all the current UK regulations covering oil and chemical storage.

DS16HS allows you to store 16 x 205ltr drums vertically all on one level while DS32R holds 32 x 205ltr drums vertically on two levels and is fitted with roller shutter doors. Please contact us for further details.



STORAGE LAYOUT IN A DS12S



STANDARD COLOUR: GREEN
RAL 6029

EMPTEEZY
20 YEAR GUARANTEE

THREE MODELS THAT HAVE BEEN DESIGNED TO GIVE YOU PRACTICAL OPTIONS ON THE WAY YOU STORE AND USE YOUR DRUM STORES

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FULLY ENCLOSED STORES



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	No. DRUMS	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
DS8S	3000 x 1500 x 1675mm	8	1125ltrs	702kg	£2,822.00
DS8SE	3000 x 1500 x 2405mm	8	1125ltrs	938kg	£3,916.00
DS12S	3000 x 1500 x 2405mm	4Horizontal + 4Vertical	1125ltrs	1008kg	£4,064
DS16HS	5920 x 1500 x 1675mm	16	2200ltrs	1200kg	POA
DS32R	5920 x 1500 x 3505mm	32	2200ltrs	1800kg	POA

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE

> FULLY ENCLOSED DRUM OR IBC STORES



IB1DS



IB2DS

STANDARD COLOUR: GREEN RAL 6029



DPU16-4

IBC STORES

- IB1DS twin hinged lockable doors and 110% capacity sump.
- IB2DS twin sliding lockable doors and additional height space for funnels or pumps.
- DPU16-4 twin sliding lockable doors and a "Support Beam" shelf for 2x IBCs.
- All units have: removable galvanised sump grid mesh, crane lifting points, sloping roofs with a rain channel and base plinths to eliminate ground contact with the sump (Grid mesh available for shelving at additional cost).
- All sumps are fully compliant with current UK regulations.

VISIT OUR WEBSITE FOR OUR FULL PRODUCT LISTING

NEW! FEATURES, VIDEOS & PRODUCTS



SHOP ONLINE NOW!

www.empteezy.co.uk

EMPTTEEZY
20 YEAR GUARANTEE

ORDER ONLINE AT WWW.EMPTTEEZY.CO.UK

FULLY ENCLOSED STORES



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	No. IBCs	No. DRUMS	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
IB1DS	1500 x 1400 x 2414mm	1x 1000ltrs	4	1470ltrs	560kg	£2,634.00
IB2DS	3000 x 1500 x 2450mm	2x 1000ltrs	8	1125ltrs	965kg	£3,890.00
DPU16-4	3000 x 1500 x 3295mm	4x 1000ltrs	16	1125ltrs	1160kg	£4,515.00

WIPES WITH A DIFFERENCE
SEE THE DIRTEEZE RANGE ON Page 40



EMPTTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE

> FULLY ENCLOSED SECURE OR DRUM STORES



IBC STORES

- DPU32-8 store 8x 1000ltr IBCs (4 per level) in a single pallet depth unit.
- DPU48-12 store 12x 1000ltr IBCs (6 per level) in a single pallet depth unit.
- DPU64-16 store 16x 1000ltr IBCs (8 per level) in a double pallet depth unit with doors on both sides.
- DPU96-24 store 24x 1000ltr IBCs (12 per level) in a double pallet depth unit with doors on both sides.
- DPU64-16PB store 16x 1000ltr IBCs (8 per level) in a double pallet depth unit with doors on 1 side only, fitted with Push Back Loading.
- DPU96-24PB store 24x 1000ltr IBCs (12 per level) in a double pallet depth unit with doors on 1 side only, fitted with Push Back Loading.
- Push Back Loading is a simple way of gaining access to pallets without the need for extended forks or up rated fork lift trucks. A "sliding rail" device allows the pallet to be pushed to the back of the unit. The front pallet controls the movement of the back one.
- All units have: removable galvanised sump grid mesh, "Support Beam" shelves, lockable sliding doors, crane lifting points, sloping roofs with a rain channel and base plinths to eliminate ground contact with the sump (Grid mesh available for shelving at additional cost).
- All sumps are fully compliant with current UK regulations.



PUSH BACK LOADING

WHETHER YARD SPACE IS AN ISSUE OR NOT WE HAVE THE ANSWER WITH THE OPTION OF ACCESS FROM BOTH SIDES OF THE UNIT OR PUSH-BACK LOADING WHICH ALLOWS ACCESS FROM ONE SIDE IF THE UNIT NEEDS PLACING AGAINST A WALL



STANDARD COLOUR: GREEN RAL 6029 SHOWN WITH OPTIONAL TOP SHELF GRID MESH

EMPTEEZY
20 YEAR GUARANTEE

OPTIONS FOR OUR DRUM AND IBC RANGE INCLUDE: LIGHTING, HEATING, AIR CONDITIONING AND FIRE SUPPRESSION. ELECTRICAL OPTIONS ARE AVAILABLE IN BOTH COMERCIAL AND ATEX VERSIONS.

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

FULLY ENCLOSED STORES



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	No. IBC	No. DRUMS	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
DPU32-8	5920 x 1500 x 3275mm	8	32	2200ltrs	1970kg	£6,309.00
DPU48-12	8840 x 1500 x 3275mm	12	48	3300ltrs	2800kg	£8,821.00
DPU64-16	5920 x 2800 x 3325mm	16	64	4100ltrs	3100kg	£9,810.00
DPU64-16PB	5920 x 2800 x 3660mm	16	64	4100ltrs	3400kg	£10,969.00
DPU96-24	8840 x 2800 x 3325mm	24	96	6100ltrs	4100kg	£15,553.00
DPU96-24PB	8840 x 2800 x 3660mm	24	24	6100ltrs	4400kg	£14,853.00

EMPTEEZY[®]
working for the environment


01506 430309
advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE > SECURE COMBINATION STORES




CBS1 PLAN



COMBI-STORE

- CBS1 a 6m long unit with a 16x 205ltr vertical drum store built in to one end with the remaining space (approx 4.5m) a fully contained work area with 3 sets of shelves.
- CBS2 as above but with a 16x 205ltr drum store at each end leaving a 3m (approx) work area in between.
- The end storage units are designed to accommodate IBCs too and will hold 4 per unit.
- These units can be customized to suit your specific needs for example; the sump can be compartmentalized for the safe storage of incompatible liquids.

CBS2 PLAN



EMPTEEZY
20 YEAR
GUARANTEE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

COMBINATION STORES



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
CBS1	6000 x 3000 x 3325mm	4500ltrs	3000kg	£10,681.00
CBS2	6000 x 3000 x 3325mm	4500ltrs	3000kg	£11,929.00

**SAFETY
JUSTRITE
CANISTERS**



Page 105

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE > TAILORED SOLUTIONS



TAILORED SOLUTIONS

- You may think it's complicated but it's not.
- You tell us what you want to store, drums/IBCs of liquid, cylinders of special gasses, hazardous powders, temperature sensitive products, dry goods etc.
- You tell us where you want the store located and how you want to access it.
- We carry out an assessment of the site.
- We provide a report, drawings and of course a quotation and you have the information to make your decision with confidence.



ADDITIONAL INFORMATION

- Typically there is no need for planning permission.
- We don't use sub contractors only our own fully trained staff.
- A schedule of works is agreed at the start of the project.
- All work guaranteed.



WHEN YOU WANT A STORE TO SUIT YOUR PARTICULAR NEEDS, WHETHER THAT BE TO FIT A SPECIFIC SPACE OR A UNIQUE LAYOUT, LOOK NO FURTHER, JUST TELL US WHAT YOU WANT AND WE WILL DESIGN, BUILD AND INSTALL IT FOR YOU

EMPTTEEZY
20 YEAR
GUARANTEE

OPTIONS FOR OUR DRUM AND IBC RANGE INCLUDE: LIGHTING, HEATING, AIR CONDITIONING AND FIRE SUPPRESSION. ELECTRICAL OPTIONS ARE AVAILABLE IN BOTH COMERCIAL AND ATEX VERSIONS.

ORDER ONLINE AT
WWW.EMPTTEEZY.CO.UK

TAILORED SOLUTIONS  All our prices include delivery to a mainland UK address

FOR MORE INFORMATION ON FULLY COMPLIANT STORAGE OR TO ARRANGE A NO OBLIGATION, FREE OF CHARGE SITE ASSESSMENT PLEASE CONTACT US TODAY! - See Page 19





DRUM & IBC BUNDED STORAGE > COMPOUNDS



COMPOUNDS

- We offer 3 standard models capable of storing 64 to 96 x 205ltr drums or 16 to 24 x 1000ltr IBCs.
- We can also build them to almost any size or configuration.
- Our roofing system (extruded aluminium frame with double skinned polycarbonate sheets) is designed to maximum natural light and provide a safe working height for fork lift trucks.
- Construction is to a very high specification using 80 x 80mm rolled hollow section steel for the framework and corrugated mild steel infill panels.
- All sumps are fully seam welded and fully compliant with the 25% of the combined total stored rule.



ADDITIONAL INFORMATION

- Standard access is via sliding steel doors but we also offer hinged or roller shutters to suit your requirements.
- Internal storage bays are not normally fitted with doors but if bays require heating temperature control to protect the contents we would advise that they are.
- The space in the centre of a standard compound is not normally protected by a sump but we can supply one if required by your specification.
- Planning permission should not be required but we would strongly recommend that you confirm this with your local authority before any project is started.



EMPTEEZY
20 YEAR
GUARANTEE

WHEN LOOKING TO STORE LARGE QUANTITIES OF DRUMS / IBC OUR COMPOUNDS CAN BE THE COST EFFECTIVE ANSWER COMPARED TO "BRICKS & MORTAR" PLEASE CONTACT US TO DISCUSS YOUR OPTIONS

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

COMPOUNDS



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	SIZE(LxWxH)	No. DRUMS	SUMP CAPACITY	DELIVERED PRICE
DC64	2 twin compartment 2 tier units facing each other with a central roof back wall and double sliding access doors – 16 pallets	8760 x 6520 x 4800mm	64	3780ltrs	POA
DC96	3 twin compartment 2 tier units configured in a horseshoe with a central roof and double sliding access doors – 24 pallets	8760 x 7420 x 4800mm	96	5670ltrs	POA
DC160	2 double twin 2 tier compartments with push back loading and 1 twin 2 tier compartment in a horseshoe configuration with a central roof and double sliding access doors – 40pallets	11760 x 7420 x 4800mm	160	7560ltrs	POA

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE > TEMPERATURE CONTROL SYSTEMS



TEMPERATURE CONTROLLED UNITS

- These units allow you to combine heating and cooling in one unit.
- Tell us the minimum and maximum temperature range you require.



REFRIGERATED UNITS

- Specifically for refrigerating and controlling low temperature ranges.
- Tell us the minimum and maximum temperature range you require.

OVEN UNITS

- Specifically for heating and controlling a heat range.
- Tell us the minimum and maximum temperature range you require.
- Available with steam or electrical heating.



ADDITIONAL INFORMATION

- Optional audio and/or visual alarm systems can be fitted to any unit or connected to your Building Management System.
- Automatic extraction devices available.
- Every unit is built specifically to your specification.
- No obligation, free of charge site assessment is recommended.

EMPTEEZY
20 YEAR
GUARANTEE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



TEMPERATURE CONTROLLED
SYSTEMS



All our prices include delivery to a mainland UK address

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE > TAILORED SOLUTIONS



ADDITIONAL INFORMATION

As manufacturers accredited to ISO 9001, ISO 14001 & OHSAS 18001 we are uniquely placed within our industry to work with you to find solutions to your non-standard applications. From an initial consultation with one of our experienced members of staff we will bring in our team of designers & engineers and work with you to deliver a bespoke solution.

The images below show examples of some of the bespoke projects we have carried out, if you have an application that you feel requires a bespoke solution please feel free to contact us to arrange a no obligation, free consultation. Email: advice@empteezy.co.uk or call 01506 430309.



OPTIONS FOR OUR DRUM AND IBC RANGE INCLUDE: LIGHTING, HEATING, AIR CONDITIONING AND FIRE SUPPRESSION. ELECTRICAL OPTIONS ARE AVAILABLE IN BOTH COMERCIAL AND ATEX VERSIONS.

EMPTEEZY
20 YEAR
GUARANTEE

MANY LIQUIDS ARE TEMPERATURE SENSITIVE REQUIRING SPECIFIC TEMPERATURES TO BE STORED OR USED IN, THIS PAGE SHOWS EXAMPLES OF HOW WE CAN HELP YOU PROTECT AND STORE YOUR PRODUCTS

EMPTEEZY[®]
working for the environment

☎ 01506 430309
✉ advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE > CHEMSTORE®



STORAGE BOX - CS7

Manufactured from structural grade steel with a 2mm wall thickness sump this Chemstor® storage box is fully compliant with all regulations for the safe storage of chemicals and flammables and is ideal for applications where security is an issue. The lid is fitted with twin KALE 156 F safety mortise locks and the unit is finished in electrostatic powder coat paint.

STORAGE BOX - CS8

Manufactured from structural grade steel with a 2mm wall thickness sump this Chemstor® storage box is fully compliant with all regulations for the safe storage of chemicals and flammables and is ideal for applications where security is an issue. The lid is fitted with twin KALE 156 F safety mortise locks and the unit is finished in electro-static powder coat paint.

STORAGE BOX - CS9

Manufactured from structural grade steel with a 2mm wall thickness sump this Chemstor® storage box is fully compliant with all regulations for the safe storage of chemicals and flammables, it comes complete with a shelf and is ideal for applications where security is an issue. The lid is fitted with twin KALE 156 F safety mortise locks and the unit is finished in electro-static powder coat paint.



EMPTEEZY
20 YEAR
GUARANTEE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

CHEMSTORE®



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	WEIGHT	COLOUR	DELIVERED PRICE
CS7	760mm x 675mm x 667mm	58kg	Red	£352.00
CS8	1208mm x 675mm x 690mm	80kg	Red	£376.00
CS9	1585mm x 675mm x 1278mm	170kg including the shelf (65kg)	Red	£617.00

EMPTEEZY®
working for the environment



01506 430309

advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE > WALK-IN STORES



MDL2M



WALK-IN BUNDED STORES

The side and roof panels are manufactured from 0.60mm cold rolled corrugated galvanised steel and for additional strength the unit has a structural frame which is fitted at each end and the centre of the unit. The double doors, fitted with 3 upper and 3 lower vents in each door, are located in one of the "short" sides of the unit and are secured with a Kale mortis lock with cylinder (152 R). Inside the unit is fitted with two sets of shelves (60 kg/shelf distributed load) on each of the "long" side.

The sump is manufactured from 2mm structural grade galvanised steel and is fitted with base plinths to keep the underside out of contact with the ground.



MDL3M



MDL4M

EMPTEEZY
20 YEAR
GUARANTEE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

WALK-IN STORES



All our prices include delivery to a mainland UK address

CODE	EXTERNAL SIZE (LxWxH)	INTERNAL SIZE (LxWxH)	CAPACITY	WEIGHT	COLOUR	DELIVERED PRICE
MDL2M	2184 x 2168 x 2198mm	2018 x 2080 x 1935mm	415ltrs	525kg	Galvanised Silver	£2,665.00
MDL3M	2184 x 2928 x 2198mm	2018 x 2840 x 1935mm	560ltrs	650kg	Galvanised Silver	£3,062.00
MDL4M	2184 x 3778 x 2198mm	2018 x 3690 x 1935mm	727ltrs	815kg	Galvanised Silver	£3,637.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE > CHEMSTORE®



CHEMSTORE®

- Each unit is fitted with industrial racking as standard and has high and low level vents with flame arresters to provide protected natural ventilation.
- Construction is based on a rolled hollow section frame with steel panels welded to it for strength and durability.
- The hinged access door on each model is fitted with a "cam-lock gear" system like those found on shipping containers, which when fitted with the appropriate padlock (not supplied) helps ensure excellent security. *If staff are to work in a unit, mechanical ventilation will be required. Please contact us for advice.



- Single bulk head door 1250mm wide
- Cam gear lock
- 3 sets of double shelves



- Single bulk head door 1250mm wide
- Cam gear lock
- 2 sets of double shelves



- Single bulk head door 775mm wide
- Cam gear lock
- 2 sets of double shelves



EMPTEEZY 20 YEAR GUARANTEE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

CHEMSTORE®



All our prices include delivery to a mainland UK address

CODE	25LTR CANS	EXTERNAL SIZE	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
CS1	72 Including floor under shelving	2160 x 2160 x 2658mm	650ltrs	660kg	£5,150.00
CS2	72 Including floor under shelving	3000 x 2440 x 2658mm	1098ltrs	1350kg	£5,482.00
CS3	80x 25ltr + small containers, steel banded store	3000 x 1500 x 2450mm	1125ltrs	1048kg	£4,326.00
CS4	48x 25ltr, steel banded store	2500 x 800 x 2350mm	450ltrs	600kg	£2,157.00
CS5	20x 25ltr, steel banded store	1500 x 750 x 1633mm	260ltrs	240kg	£1,277.00
CS6	108 Including floor under shelving	5920 x 2440 x 2658mm	2196ltrs	2200kg	£10,0.00

EMPTEEZY®
working for the environment

01506 430309
advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE > FIRE RATED STORAGE



FIRE RATED STORES

When considering the storage of flammable liquids, there are strict adherences concerning separation distances. In simple terms the distance the flammable liquids must be stored from occupied buildings, boundaries, process units, flammable liquid storage tanks and or sources of ignition.

Up to 1000ltr - 2 metres
From 1000ltr to 100,000ltr - 4 metres
Above 100,000ltr m - 7.5 metres

If you can achieve the relevant distance you can use a standard single skinned, fully banded storage unit to hold your flammable liquids. If you can't achieve the relevant distance the storage unit needs to be fire rated.

The components; such intumescent seals & vents and the Firebatt insulation panels we use in the manufacture of our fire rated units are certified by the manufacturers and we construct each unit to ensure compliance using fire resistance classes which are the fire resistance of building components

and constructions which are classified in different fire resistance classes or combinations thereof. The different fire resistance classes specify different performance criteria and are normally followed by a number, for example 30, 60, 90 or 120 which shows the time the performance criteria fulfilled during a standardized fire test.

R - Load bearing capacity
The length of time that the relevant structural element is able to carry the current load in a normal fire development phase.

E - Integrity
The length of time that the structural element retains its integrity against flames or hot gases in a standard fire.

I - Insulation
The time it takes to produce an increase in temperature on the cold side of the structural element.

So if a fire rated unit has an REI of 120 it shows that it is classed as a 120 minute (Two hour) fire rated unit.



EMPTTEEZY
20 YEAR
GUARANTEE

ORDER ONLINE AT
WWW.EMPTTEEZY.CO.UK

FIRE RATED STORES



All our prices include delivery to a mainland UK address

CODE	No. OF CONTAINERS	DESCRIPTION	SIZE (LxWxH)	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
CS2FR	72x 25ltr including floor under shelves	Single central door 1060mm wide 2 sets of double shelves	3000 x 2440 x 2600mm	1080ltr	1800kg	£8,361.00



DIRTEEZE
LAX 60
Page 39

EMPTTEEZY[®]
working for the environment

01506 430309
advice@emptteezy.co.uk



DRUM & IBC BUNDED STORAGE > FIRE RATED STORAGE



DPU16-4FR

- Fork lift access style.
- Holds 16 x 205ltr drums or 4x 1000ltr IBCs.

DPU32-8FR

- Fork lift access style.
- Holds 32 x 205ltr drums or 8x 1000ltr IBCs.

ENSURE COMPLIANCE AND STORE YOUR DRUMS, IBCs OR SMALL CONTAINERS IN A UK COMPLIANT FIRE RATED STORE

CS6FR

- Walk-in style.
- Holds up to 108x 25ltr drums.
- 108 x 25ltr cans including floor space under shelves.

EMPTEEZY
20 YEAR GUARANTEE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



STANDARD COLOUR: GREEN RAL 6029

FIRE RATED STORES



All our prices include delivery to a mainland UK address

CODE	EXTERNAL SIZE	DESCRIPTION	SIZE (LxWxH)	SUMP CAPACITY	WEIGHT	DELIVERED PRICE
CS6FR	5920 x 2440 x 2658mm	Single door offset 1250mm wide 3 sets of double shelves	6000 x 2440 x 2600mm	2196ltrs	3600kg	£16,200.00
DPU16-4FR	3000 x 1500 x 3295mm	2 full sized hinged doors 1 central shelf	3000 x 1500 x 3275mm	1125ltrs	2250kg	£8,675.00
DPU32-8FR	5920 x 1500 x 3295mm	4 hinged doors 1 central shelf	5920 x 1500 x 3275mm	2100ltrs	2800kg	£14,532.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



DRUM & IBC BUNDED STORAGE > GAS CYLINDER STORAGE



GAS CYLINDER STORES

- We can colour code your unit to suit the gases you are storing. This can be useful when you have numerous gases and need to ensure correct segregation.
- All models are fitted with fork pockets to aid unloading and location on site.
- Our standard finish is Green RAL 6029.
- All models are fitted with retaining straps or chains (not applicable on CT2LP).

CT1

- Mainly for internal use this unit allows you to keep up to 8 large cylinders together.
- Fitted with a handy access ramp that doubles as a security device (can be padlocked) to deter unauthorised movement of individual cylinders.

ENSURING THAT YOUR GASES ARE SAFELY, SECURELY AND CORRECTLY STORED IS AS IMPORTANT AS YOUR LIQUID STORAGE

EMPTEEZY
20 YEAR
GUARANTEE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

CT2

- For indoor or outdoor use, this unit is enclosed on three sides and roofed.
- Access is via a drop down loading ramp and hinged steel mesh door.
- The unit is "gapped" around the base and roof to aid ventilation.
- Can hold up to 8 cylinders.

CT2LP

- Built to the same specification as CT2, this unit is fitted with a shelf suitable for smaller cylinders or bottles.
- Can hold up to 12 cylinders or bottles.

GB30

- This unit can hold up to 27 cylinders in compartments fitted with securing chains.
- The twin hinged mesh doors allow you to control who has access.
- A detachable steel ramp is included with this model to aid loading and unloading.



GAS CYLINDER STORAGE



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	CYLINDER QTY & SIZE	WEIGHT	DELIVERED PRICE
CT1	1280 x 780 x 920mm	8x 285mmØ (Vertical)	100kg	£1,166.00
CT2	1280 x 780 x 2200mm	8x 285mmØ	168kg	£1,485.00
CT2LP	1280 x 780 x 2200mm	6x11kg per level	180kg	£1,664.00
GB30	3000 x 1500 x 2256mm	27x 285mmØ	550kg	£3,797.00



DRUM & IBC BUNDED STORAGE > SECURE DRY GOODS STORE



RACKSTOR

- Will hold up to twelve 1m x 800mm pallets or eight 1.2m x 1m pallets.
- Equally spaced beams provide 2.7m space between the uprights.
- Uniform Distributed Load is 2.6 tonne per bay, 10.4 tonne per unit.
- Adjustable racking is bolted to the units frame to provide flexible storage options.
- Large lockable sliding doors for easy access by fork lift truck.
- No planning permission required.
- No special foundations required.

IF YOU HAVE LIMITED INDOOR STORAGE SPACE THIS UNIT CAN PROVIDE THE SOLUTION, ITS SOLID FRAME IS CLAD WITH PLASTISOL AND ACCESS IS CONTROLLED VIA LOCKABLE SLIDING DOORS



STANDARD COLOUR: GREEN RAL 6029

VISIT OUR WEBSITE FOR OUR FULL PRODUCT LISTING

NEW!
FEATURES, VIDEOS & PRODUCTS



SHOP ONLINE NOW!

www.empteezy.co.uk

EMPTEEZY
20 YEAR GUARANTEE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

SECURE DRY GOODS STORE



All our prices include delivery to a mainland UK address

CODE	EXTERNAL SIZE (LxWxH)	INTERNAL SIZE (LxWxH)	CAPACITY	WEIGHT	DELIVERED PRICE
RS6M	5920 x 1500 x 3400mm	1260 x 1240 x 3000mm	8x 1.2m x 1m or 12x 1m x 800mm pallets	1400kg	£6,281.00

Page
118

**EMERGENCY DECONTAMINATION
SHOWERS & EYEWASH**

FLAMMABLE LIQUID SAFETY

PRODUCTS

It's important not to overlook any aspect associated with the safe handling of flammable liquids. Static discharge during filling/decanting, combustion due to excessive heat build-up, potential ignition source such as a spark from a tool or electrical component and pressure build-up in a container.

HAZARDOUS MATERIAL/
FIRE RATED PRODUCTS





HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> WHAT YOU NEED TO KNOW!



RECOMMENDATIONS

- The H.S.E. recommends that the maximum quantities that are stored in cabinets/bins are no more than 50ltr for extremely flammable, highly flammable and those flammable liquids with a flashpoint below the maximum ambient temperature 30°C of the working area; and no more than 250ltr for other flammable liquids with a higher flashpoint of up to 55 °C.
- These quantities are intended to be viewed as recommended maximums and represent good industry safe practice, rather than being taken as the absolute limits.

GUIDANCE

- There can be some flexibility with the limits of the quantities stored, where it is understood that the design of the building and or the pattern of work can sometimes make adherence to these quantities difficult. For example, in large or open-plan working areas. However, where the employer/duty holder does identify a need to store quantities in excess of the recommended maximum, they must fully demonstrate the need for this requirement and in particular the risk assessment should take into account:
 - The properties of the materials to be stored or handled (For mixed storage the worst case situation should be applied, i.e. all materials in the storage cabinets or bin should be considered as being as dangerous as the one that has the lowest flashpoint).
 - The size of the workroom/working area and the number of people working in it.
 - The amount of flammable liquids being handled in the working area and the quantities of liquid that may be accidentally released or spilled.
 - Ignition sources and potential fire spread in the event of an ignition.
 - Exhaust ventilation provision to the working area and or the storage cabinets or bin.
 - The fire performance of the storage cabinet or bin.
 - The arrangements for closing the cabinet or bin door/lid in the event of a fire.
 - Means of escape from the working area.

OBJECTIVE

- In the event of an incident the objective is to ensure that people can safely escape from the working area and in this context, the purpose of storing Dangerous Substances in the appropriate cabinets/bins is to provide a physical barrier to delay the involvement of the stored materials in a fire and provide sufficient time for people's safe evacuation and the duty holder's immediate emergency procedures supporting this to be implemented.
- It is the responsibility of the employer/duty holder to ensure that cabinets/bins meet the minimum legal requirements. Equally, the use of cabinets/bins with enhanced fire performance should not be seen as a substitute for the provision of a dedicated store room(s) and outdoor storage areas for the safe keeping of containers which are nominally empty or are not needed for current work.

PRODUCTS

- It's important not to overlook any aspect associated with the safe handling of flammable liquids. Static discharge during filling/decanting, combustion due to excessive heat build-up, potential ignition source such as a spark from a tool or electrical component and pressure build-up in a container.





HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> WHAT YOU NEED TO KNOW!



REGULATION

The safe storage of flammable liquids in process areas, workrooms, laboratories and similar working areas requires careful and informed consideration.

The Dangerous Substances and Explosive Atmospheres Regulations 2002 (DSEAR) require risks from the indoor storage of Dangerous Substances to be controlled by elimination or by reducing the quantities of such substances in the workplace to a minimum and providing mitigation to protect against foreseeable incidents.

FIRE TRIANGLE

There are 3 elements required for a fire to start:

HEAT — OXYGEN — FUEL

If you eliminate any one of these elements, you eliminate the fire.



HEAT Can be any ignition source which generates heat, such as a mechanical spark, static electricity, a lit match, cigarette/cigar etc.

Effective control is achieved by the flame arresters and self-closing leak tight lids fitted to all our safety cans.

OXYGEN & FUEL Oxygen is all around us and fuel can be a flammable or combustible liquid.

Both are controlled by leak tight lids fitted with sealing gaskets that ensure fire can't get in and flammable vapours can't get out.

REQUIREMENTS

For practical purposes where flammable liquids are used, there is likely to be a need for a limited quantity to be stored in the working environment. It is the responsibility of the employer/duty holder when carrying out their risk assessment to justify the need to store any particular quantity of flammable liquid within the work room/working area.

However, the guiding principle is that only the minimum quantity needed for frequently occurring activities or an amount required for use during half a day or one shift should be present in the work room/working area.

Actual quantities will depend on the work activity and also the arrangements for controlling the fire risks.

When not in use, containers of flammable liquids needed for ongoing work activities should be kept closed and stored in suitable fire resistant cabinets or bins which are also designed to retain spills.

They should be located in designated areas that are where possible away from the processing area and so as not to interfere with the escape route from the working area.

The flammable liquids should be stored separately from other dangerous substances that may enhance the risk of fire or compromise the integrity of the container or cabinet/bin it's stored in; for example, oxidizers and corrosive materials should be separated. Remember other dangerous substances may also be flammable in their own right, however, it is still inappropriate to store these in the same cabinet/bin with flammable liquids. Further guidance on energetic and spontaneously combustible substances is contained in HS(G)131 published by the HSE.

FIRE RATED CABINETS

EN/FM APPROVED

30 & 90 Min
Fire Rated

Page102



UNDER BENCH & FREE STANDING UNITS



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> ADVICE ON STORAGE



HAZARDOUS MATERIALS

In support of our standard range of units we are able to offer products that comply with a variety of regulations.

Products range from dual certified EN/FM 30 & 90 minute fire rated cabinets to forklift truck access and walk-in REI90 drum and IBC stores.

ADVICE

- To start the process of helping you select the correct product to suit your situation we will need to know the following; what volume and quantity of product you want to store and the proposed location. We will also need copies of the Material Safety Data Sheets.
- We would normally recommend a visit to site, this carries no onus, cost or obligation on your part.
- We also strongly recommend that you take independent advice from your insurers, local authority fire brigade and the HSE.

DEFINITION OF FLAMMABLE LIQUIDS

- In general terms it is a liquid which has a flash point of 55°C or below.
- The three main categories are flammable, highly flammable and extremely flammable.

FLAMMABLE LIQUIDS

- Liquids with a flash point equal to or greater than 21°C and less than or equal to 55°C, which supports combustion when tested at 55°C.

HIGHLY FLAMMABLE LIQUIDS

- Liquids with a flash point lower than 21°C but are not classified as extremely flammable.

EXTREMELY FLAMMABLE LIQUID

- Liquids with a flash point lower than 0°C and with a boiling point lower than or equal to 35°C.

PUBLICATIONS

- Storage of flammable liquids in containers HSG51 Ordering code: ISBN 0717614719.
- Safe use and handling of flammable liquids HSG140 Ordering code: ISBN 0717609677.
- The Dangerous Substances and Explosive Atmospheres Regulations 2002 Ordering code: ISBN 0110429575.
- Storage of Dangerous Substances L.135 Ordering code: ISBN 0-7176 2200-2.
- Control and Mitigation Measures L.136 Ordering code: ISBN 0-7176 2201-0.
- Chemical Warehousing the Storage of Packaged Dangerous Substances.
- HSG71 Ordering code: ISBN 97807 176 14844.
- All publications are available online from: www.hsebooks.com/books.

COMPRESSED GASES



FLAMMABLE NON-FLAMMABLE/
NON-TOXIC TOXIC

FLAMMABLE SOLIDS



READILY SPONATEOUSLY DANGEROUS
COMBUSTABLE COMBUSTABLE WHEN WET

OXIDISING SUBSTANCES



OXIDISING ORGANIC
SUBSTANCE PEROXIDE



TOXIC CORROSIVE FLAMMABLE
SUBSTRANCE SUBSTRANCE LIQUIDS

"THE REGULATIONS COVERING THE STORAGE OF HAZARDOUS MATERIALS ARE RIGOROUS AND STRICT AND YOU NEED TO UNDERSTAND THEM AS THEY APPLY TO YOUR SPECIFIC CIRCUMSTANCES."



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> UK SPECIFICATION CABINETS

HAZARDOUS MATERIAL/
FIRE RATED PRODUCTS



FLAMMABLE LIQUID AND COSHH CABINETS

- Liquid tight sumps ensure spills are fully contained.
- Adjustable shelves provide flexible storage.
- Manufactured from 1mm thick sheet steel with a powder-coat paint finish.

NOTE

- All models comply with current UK legislation.
- Warning signage conforms to BS 5378.
- Storage bin models are not supplied with padlocks.



HSC72/36



FS36/24



FS36/24



COSHH24/36

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

YELLOW FLAMMABLE LIQUID & GREY COSHH CABINETS

MODEL FLAMMABLE	MODEL COSHH	DESCRIPTION	EXTERNAL LxWxH	WEIGHT	DELIVERED PRICE
HSC18/18	COSHH18/18	Single door – 1 shelf – 1 tray	457 x 305 x 457mm	13kg	£158.00
HSC24/18	COSHH24/18	Single door cabinet – 1 shelf – 1 tray	457 x 457 x 609mm	19kg	£174.00
HSC24/36	COSHH24/36	Twin door cabinet – 1 shelf – 1 tray	915 x 457 x 609mm	31kg	£245.00
HSC30/18	COSHH30/18	Single door cabinet – 1 shelf	460 x 460 x 760mm	22kg	£187.00
HSC36/18	COSHH36/18	Single door cabinet – 1 shelf	460 x 460 x 915mm	25kg	£195.00
HSC24/24	COSHH24/24	Single door cabinet – 1 shelf	610 x 305 x 610mm	19kg	£213.00
HSC28/36	COSHH28/36	Twin door cabinet – 1 shelf	915 x 460 x 710mm	33kg	£263.00
HSC36/36	COSHH36/36	Twin door cabinet – 1 shelf	915 x 460 x 915mm	36kg	£284.00
HSC48/36	COSHH48/36	Twin door cabinet – 2 shelves	915 x 460 x 1220mm	53kg	£360.00
HSC60/36	COSHH60/36	Twin door cabinet – 2 shelves	915 x 460 x 1525mm	60kg	£394.00
HSC72/36	COSHH72/36	Twin door cabinet – 3 shelves	915 x 460 x 1830mm	72kg	£414.00

FLAMMABLE LIQUID BINS – YELLOW

MODEL	DESCRIPTION	EXTERNAL LxWxH	WEIGHT	DELIVERED PRICE
HSFB20/24	Storage Bin flat lid – hasp & staple for padlock – 1 tray	508 x 330 x 609mm	18kg	£164.00
HSB26/24	Storage Bin – sloping lid – hasp & staple for padlock	609 x 457 x 660mm	20kg	£262.00
HSB30/46	Storage Bin – sloping lid – hasp & staple for padlock	1170 x 460 x 760mm	43kg	£368.00

FLAMMABLE STORE – RED

MODEL	DESCRIPTION	EXTERNAL LxWxH	WEIGHT	DELIVERED PRICE
FS36/24	Storage Bin – flat lid – hasp & staple for padlock	914 x 635 x 686mm	54kg	£460.00

Optional 455mm high stand available for each size of cabinet (except HSC72/36 and COSHH72/36) – please quote product code to ensure correct stand is supplied. Weight 10kg. Additional shelves can be ordered for all the cabinets, please quote product code.

EMPTEEZY[®]
working for the environment



01506 430309
advice@empteezy.co.uk



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> UK SPECIFICATION CABINETS



ACID AND ALKALI CABINETS

- Colour coded white and labelled with signage to BS 5378.

PETROLEUM CABINETS

- Manufactured from 1.6m thick sheet steel.
- Colour coded red and fitted with signage to BS 5378.
- 3 point door closure and separate lock.
- Perforated shelves.

PESTICIDE AND AGROCHEMICAL CABINETS

- Vented doors and fitted with a spigot on the back panel to enable venting equipment to be attached.
- Colour coded white and fitted with signage to BS 5378.

NOTE

- All versions have liquid tight sumps and comply with current UK legislation.

SAFE STORAGE AND EASY IDENTIFICATION OF CONTENTS IS AIDED WHEN YOU USE THESE COLOUR CODED CABINETS.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

ACID & ALKALI STORAGE CABINETS – WHITE

CODE	DESCRIPTION	EXTERNAL (LxWxH)	WEIGHT	DELIVERED PRICE
AAC30/18	Single door cabinet - 1 Shelf	460 x 460 x 760mm	22kg	£234.00
AAC36/18	Single door cabinet - 1 Shelf	460 x 460 x 915mm	25kg	£286.00
AAC24/24	Single door cabinet - 1 Shelf	610 x 305 x 610mm	19kg	£297.00
AAC28/36	Twin door cabinet - 1 Shelf	915 x 460 x 710mm	25kg	£401.00
AAC36/36	Twin door cabinet - 1 Shelf	915 x 460 x 915mm	33kg	£423.00
AAC48/36	Twin door cabinet - 2 Shelves	915 x 460 x 1220mm	53kg	£451.00
AAC60/36	Twin door cabinet - 2 Shelves	915 x 460 x 1525mm	60kg	£497.00
AAC72/36	Twin door cabinet - 3 Shelves	915 x 460 x 1830mm	72kg	£644.00

PESTICIDE & AGROCHEMICAL STORAGE CABINETS – VENTED DOORS – RED

CODE	DESCRIPTION	EXTERNAL (LxWxH)	WEIGHT	DELIVERED PRICE
PAC30/18	Single door cabinet - 1 Shelf	460 x 460 x 760mm	22kg	£196.00
PAC36/18	Single door cabinet - 1 Shelf	460 x 460 x 915mm	25kg	£222.00
PAC24/24	Single door cabinet - 1 Shelf	610 x 305 x 610mm	19kg	£245.00
PAC28/36	Twin door cabinet - 1 Shelf	915 x 460 x 710mm	33kg	£299.00
PAC36/36	Twin door cabinet - 1 Shelf	915 x 460 x 915mm	36kg	£322.00
PAC48/36	Twin door cabinet - 2 Shelves	915 x 460 x 1220mm	53kg	£412.00
PAC60/36	Twin door cabinet - 2 Shelves	915 x 460 x 1525mm	60kg	£447.00
PAC72/36	Twin door cabinet - 3 Shelves	915 x 460 x 1830mm	72kg	£470.00

For AAC and PAC models there are optional 455mm high stand available for each size of cabinet (except AAC72/36 and PAC72/36) – please quote product code to ensure correct stand is supplied. Weight 10kg. Additional shelves can be ordered for all the cabinets, please quote product code.

EMPTEEZY[®]
working for the environment



01506 430309



advice@empteezy.co.uk



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS > DUAL APPROVED EN/FM FIRE RATED CABINETS

HAZARDOUS MATERIAL/
FIRE RATED PRODUCTS



30 MINUTE FIRE RATED UNDER-BENCH & FREE STANDING EN/FM APPROVED CABINETS

Manufactured in the EU to comply with EN and FM standards this cabinet is built in melamine which has good overall chemical compatibility. The exterior is finished with a PVC protection film RAL 7035 grey with RAL 1023 yellow edges and is fitted with safety labelling in accordance with EN 14470-1.

Ventilation is provided by means of 100mmØ air inlet/air outlet ducts which provide natural ventilation or can be connected to a forced ventilation/filtration system. The ducts are protected by thermos fuse seals that automatically shut the system in the event of a fire. Likewise the door is protected by thermo-expanding seals and is fitted with a non-sparking, lockable three-point latching mechanism.

ADDITIONAL CABINETS INFORMATION

Cabinets 3031E & 3032E come complete with a removable steel containment sump fitted with a perforated steel cover and the self closing door (can be kept open) is fitted with a fusible link, which if the temperature rises above 47°C will break and allow the door to close automatically.

Cabinets 3034E & 3035E have additional 3 steel retention shelves which are adjustable in 32mm increments.

Notes: Ventilation and filtration systems are available to allow you to ventilate or filtrate the fumes coming from inside the cabinet, please contact us to discuss your options. If you intend to locate a cabinet on an upper floor you must consider its weight in terms of getting it up any stairs or in a lift and whether the floor construction can accommodate the weight.



STANDARDS: EN14470-1 - FIRE SAFETY STORAGE CABINETS - SAFETY STORAGE CABINETS FOR FLAMMABLE LIQUIDS & FM 6050 FLAMMABLE (IGNITABLE) LIQUIDS EQUIPMENT.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	STORAGE CAPACITY	MAX LOAD PER SHELF	DIMENSIONS (HxLxD)	UNIT WEIGHT	DELIVERED PRICE
3031E	1x door under-bench 30 min Complete with: 1 containment sump & perforated cover plate	30ltrs	30kg	635mm x 605mm x 630mm (550mm + 80mm for the 100mm outlet connection)	64kg	£1,357.00
3032E	2x doors under-bench 30 min Complete with: 1 containment sump & perforated cover plate	60ltrs	50kg	635mm x 1115mm x 630mm (550mm + 80mm for the 100mm outlet connection)	108kg	£1,764.00
3034E	1x door free standing 30 min Complete with: 3 shelves & 1 containment sump	130ltrs	30kg	1980mm x 605mm x 550mm	117kg	£1,702.00
3035E	2x doors free standing 30 min Complete with: 3 shelves & 1 containment sump	250 litres	50kg	1980mm x 1115mm x 550mm	210kg	£2,202.00



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> DUAL APPROVED EN/FM FIRE RATED CABINETS



90 MINUTE FIRE RATED UNDER-BENCH & FREE STANDING EN/FM APPROVED CABINETS

Manufactured in the EU to comply with EN and FM standards this cabinet is built using a double wall construction method: Thermal insulation is sandwiched between an outer sheet steel shell and an inner melamine-based wood shell and the exterior is finished in a high quality epoxy coating RAL 9010 white and is fitted with safety labelling in accordance with EN 14470-1.

Ventilation is provided by means of 100mmØ air inlet/air outlet ducts which provide natural ventilation or can be connected to a forced ventilation/filtration system. The ducts are protected by thermos fuse seals that automatically shut the system in the event of a fire. Likewise the door is protected by thermo-expanding seals and is fitted with a cylinder locks.

ADDITIONAL CABINETS INFORMATION

Cabinets 792T & 792E come complete with a removable containment sump and an earthing link, the self closing door (can be kept open) is fitted with a fusible link, which if the temperature rises above 47°C will break and allow the door to close automatically.

Cabinets 794EE & 795E have additional 3 containment shelves

Notes: Ventilation and filtration systems are available to allow you to ventilate or filtrate the fumes coming from inside the cabinet, please contact us to discuss your options.

If you intend to locate a cabinet on an upper floor you must consider its weight in terms of getting it up any stairs or in a lift and whether the floor construction can accommodate the weight.



STANDARDS: EN14470-1 - FIRE SAFETY STORAGE CABINETS - SAFETY STORAGE CABINETS FOR FLAMMABLE LIQUIDS, EN 1363-1 FIRE RESISTANCE TESTS - GENERAL REQUIREMENTS & FM 6050 FLAMMABLE (IGNITABLE) LIQUIDS EQUIPMENT.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	STORAGE CAPACITY	MAX LOAD PER SHELF	DIMENSIONS (HxLxD)	UNIT WEIGHT	DELIVERED PRICE
792T	1x door/drawer under-bench 90 min Complete with: 1 containment sump	60ltrs	50kg	670mm x 1135mm x 615mm	240kg	£1,920.00
792E	2x doors under-bench 90 min Complete with: 1 containment sump & shelf	60ltrs	50kg	670mm x 1135mm x 615mm	213kg	£2,009.00
794E	1x door free standing 90 min Complete with: 3 shelves & 1x containment sump	130ltrs	30kg	1880mm x 635mm x 615mm	287kg	£1,942.00
795E	2x doors free standing 90 min Complete with: 3 shelves & 1 containment sump	250ltrs	50kg	1880mm x 1135mm x 615mm	453kg	£2,647.00



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> TYPE I SAFETY CANS



TYPE I STEEL CANS

- Designed with a single spout for filling and pouring.
- Cans up to 1ltr size have a trigger release handle.
- 4ltr and bigger cans have a swinging handle for easier carrying.
- Factory Mutual approved.

TYPE I POLYETHYLENE CANS

- Where compatibility with steel is an issue.
- Resistant to tough acids and corrosives as well as heat.
- Self close lid, pressure relief mechanism and dual density flame arrester.
- Factory Mutual approved.



11202Y



7150100Z



7125100Z



14160Z



Backed by our
Quality 10 Year
Limited Warranty

THIS RANGE OF NON-EXPLOSIVE SAFETY CANS GIVES YOU CONTROL OVER FLAMMABLE LIQUIDS. EASY TO FILL AND DISPENSE FROM, THE CONTENTS ARE PROTECTED BY FLAME ARRESTERS AND SELF-CLOSE, LEAK PROOF LIDS

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

TYPE I CANS FOR FLAMMABLES

CODE	DESCRIPTION	OUTER Ø & HEIGHT	WEIGHT	DELIVERED PRICE
10001Z	0.5ltr safety can - red	117 x 172mm	1kg	£72.82
10101Z	1ltr safety can - red	117 x 210mm	1kg	£73.87
7110100Z	4ltr safety can - red	241 x 279mm	2kg	£62.35
7120100Z	7.5ltr safety can - red	241 x 349mm	2kg	£68.63
7125100Z	9.5ltr safety can - red	298 x 292mm	3kg	£71.77
7150100Z	19ltr safety can - red	298 x 429mm	4kg	£72.82
11202Y	Polypropylene funnel for use with steel cans 4ltr & above	13 x 286mm	0.5kg	£20.47

TYPE I POLYETHYLENE CANS FOR FLAMMABLES

CODE	DESCRIPTION	OUTER Ø & HEIGHT	WEIGHT	DELIVERED PRICE
14065Z	2ltr oval can - red stainless steel	117 x 194 x 241mm	1kg	£90.62
14160Z	4ltr oval can - red stainless steel	117 x 194 x 324mm	1kg	£91.67
14261	9.5ltr round can - red stainless steel	273 x 362mm	2kg	£142.97
14561	19ltr round can - red stainless steel	324 x 406mm	4kg	£177.52



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> TYPE II STEEL SAFETY CANS



TYPE II ACCUFLOW™ STEEL CANS

- Patented, innovative manifold automatically vents for smooth, plug free pouring.
- Safe-Squeeze® trigger provides maximum control when pouring.
- Stainless steel flame arrester dissipates heat to prevent flashback ignition.

ERGONOMIC LIFT LEVER OPENS THE SELF-CLOSE SPOUT FOR EASY FILLING. A FULL LENGTH STAINLESS STEEL FLAME ARRESTER DISSIPATES HEAT AND ALLOWS DEEPER, SECURE INSERTION OF THE NOZZLE WHEN FILLING


ADDITIONAL INFORMATION

- All Type II cans are Factory Mutual approved.



THESE CANS WILL NOT EXPLODE UNDER FIRE CONDITIONS

TYPE II ACCUFLOW™ SAFETY CAN



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY

All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	OUTER Ø & HEIGHT	HOSE Ø & LENGTH	WEIGHT	DELIVERED PRICE
7210120Z	4ltr safety can with hose - red	241 x 267mm	16 x 229mm	3kg	£118.89
7220120Z	7.5ltr safety can with hose - red	241 x 337mm	16 x 229mm	4kg	£119.94
7225130Z	9.5ltr safety can with hose - red	298 x 305mm	25 x 229mm	4kg	£124.12
7250130Z	19ltr safety can with hose - red	298 x 445mm	25 x 229mm	5kg	£129.36

EMPTEEZY®
working for the environment

01506 430309
advice@empteezy.co.uk



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS > LABORATORY CANS



LABORATORY CANS

- Designed specifically for use in the laboratory to make pouring hazardous liquids into test tubes, beakers and small flasks as safe as possible, the fill spouts have self-closing pressure relief caps and double mesh flame arresters.
- The polyethylene version gives superb corrosion protection and a unique current carrying carbon insert embedded into the container allows for proper earthing
- All models are Factory Mutual approved.

WHEN WORKING IN THE CONFINES OF A LABORATORY/TEST FACILITY HAVING LIQUIDS "UNDER YOUR CONTROL" MEANS YOU HAVE ONE LESS THING TO WORRY ABOUT AND THESE CANS ARE DESIGNED NOT TO EXPLODE UNDER FIRE CONDITIONS



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	OUTER Ø & HEIGHT	WEIGHT	DELIVERED PRICE
7225140	9.5ltr shelf can with 08540 tap	298 x 292mm	4kg	£173.33
7225150Z	9.5ltr shelf can with 08902 tap	298 x 292mm	4kg	£173.33
7150140	19ltr shelf can with 08540 tap	298 x 429mm	4kg	£181.71
7150150Z	19ltr shelf can with 08902 tap	298 x 429mm	4kg	£176.47
7150146	19ltr tilt can with 08540 tap & stand	298mm Ø x 403mm	6kg	£230.92
7150156	19ltr tilt can with 08902 tap & stand	298 x 403mm	6kg	£239.29
14545Z	9ltr poly shelf can with 08540 tap	298 x 432mm	4kg	£261.28

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> WASTE CANS



SELF-CLOSING CANS FOR CORROSIVES

- Manufactured from high-density "natural" polyethylene specifically developed to resist acids and caustics, the flame arrester free spout allows quick pouring of nonflammable corrosives. Translucent material allows you to see the liquid level in the container.



*Not fitted with a flame arrester.

LIQUID DISPOSAL CANS

- Designed for the safe collection of combustible solvents these cans have built-in flame arresters, wide openings to aid filling and automatic venting.



THESE CONTAINERS ARE DESIGNED WITH WIDE APERTURES TO ALLOW THE SAFE COLLECTION OF WASTE LIQUIDS

PRODUCTS; 12161, 12762, 12260 & 12765 ARE NOT FITTED WITH A FLAME ARRESTER.



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

SELF-CLOSE WASTE CONTAINERS FOR NON-FLAMMABLE CORROSIVES

CODE	DESCRIPTION	OUTER Ø & HEIGHT	OPENING	WEIGHT	DELIVERED PRICE
12161	4ltr polyethylene oval container with stainless steel hardware	117 x 194 x 324mm	37mm	1kg	£81.20
12762	7.5ltr wide mouth polyethylene container with stainless steel hardware	305 x 375mm	92mm	3kg	£229.87
12260	9.5ltr wide mouth polyethylene container with stainless steel hardware	273 x 362mm	37mm	3kg	£145.06
12765	19ltr wide mouth polyethylene container with stainless steel hardware	305 x 508mm	92mm	4kg	£241.39

LIQUID DISPOSAL CANS

CODE	DESCRIPTION	OUTER Ø & HEIGHT	WEIGHT	DELIVERED PRICE
14265	7.5ltr red polyethylene can with stainless steel hardware & 08530 fill gauge	305 x 375mm	3kg	£211.02
14762Z	7.5ltr red polyethylene can with stainless steel hardware	305 x 375mm	3kg	£214.17
12751	7.5ltr white polyethylene can with stainless steel hardware	305 x 375mm	3kg	£173.33
14765Z	19ltr red polyethylene can with stainless steel hardware	305 x 508mm	5kg	£276.99
12754	19ltr white polyethylene can with stainless steel hardware	305 x 508mm	5kg	£241.39

EMPTEEZY®
working for the environment



01506 430309
advice@empteezy.co.uk



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> BENCH CANS & DISPENSING BOTTLES



BENCH CANS

- These products can be used to either moisten cloths or "wash" small components.
- The mesh screen also acts as a flame arrester, while the hinged lid helps reduce evaporation.

ADDITIONAL INFORMATION

- Flame arresters are designed to prevent in the event of fire, flame from entering the can and causing it to explode.
- All products apart from 14002 and 11171 are Factory Mutual tested and approved.



10375Z



DISPENSING BOTTLES

- Apply liquid directly on to the surface of the component in a controlled manner with a dispensing bottle.
- The brass valves are self closing and leak proof and the body of the bottle is contoured and textured to aid grip.



14010

14004

14009

14002

THE USE OF CLEANING SOLVENTS TO CLEAN COMPONENTS CAN LEAD TO INCIDENTS WHERE RELATIVELY LARGE AMOUNTS OF LIQUID ARE SPILLED. THESE LIQUID DISPENSING SYSTEMS ALLOW YOU TO HAVE FULL CONTROL OVER THE AMOUNT OF LIQUID USED

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

BENCH CANS

CODE	DESCRIPTION	DASHER	OUTER Ø & HEIGHT	WEIGHT	DELIVERED PRICE
10175	1ltr steel can	108mm	124 x 140mm	1kg	£51.88
10295Z	2ltr steel can	191mm	238 x 83mm	2kg	£64.44
10375Z	4ltr steel can	191mm	238 x 114mm	2kg	£62.35
10575Z	8ltr steel can	248mm	292 x 149mm	4kg	£104.23
11171	Basket for 10375Z	n/a	175 x 22mm	0.2kg	£29.89

POLYETHYLENE DISPENSING BOTTLES

CODE	DESCRIPTION	DASHER	OUTER Ø & HEIGHT	WEIGHT	DELIVERED PRICE
14002	0.12ltr dispenser bottle	6mm	57 x 140mm	1kg	£36.18
14004	0.24ltr dispenser bottle	6mm	79 x 140mm	1kg	£43.50
14010	1ltr dispenser bottle	6mm	102 x 267mm	1kg	£47.69
14009	0.5ltr bottle with flex tube	n/a	76 x 191mm	1kg	£25.71
14011	1ltr bottle with flex tub	n/a	89 x 232mm	0.5kg	£27.80



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> PLUNGER CANS



10208Z



10308Z



14018Z

PLUNGER CANS

- Made from chemically resistant Ryton® and brass, the new Blacktop "smart pump" is designed to drain the contents down to the last few ml so it needs refilling less often.
- A simple and effective way to moisten cleaning cloths and ensure the liquid is fully under your control.
- Place a cloth onto the perforated screen (which also acts as a flame arrester) depress the plunger and a controlled amount of liquid is released.



THE USE OF CLEANING SOLVENTS TO CLEAN COMPONENTS CAN LEAD TO INCIDENTS WHERE RELATIVELY LARGE AMOUNTS OF LIQUID ARE SPILLED. THESE LIQUID DISPENSING SYSTEMS ALLOW YOU TO HAVE FULL CONTROL OVER THE AMOUNT OF LIQUID USED

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

PLUNGER CANS							
CODE	DESCRIPTION	DASHER	PLUNGER	DASHER Ø	OUTER Ø & HEIGHT	WEIGHT	DELIVERED PRICE
10008	0.5ltr steel can	steel	Ryton® & brass	70mm	125 x 133mm	1kg	£57.12
10108Z	1ltr steel can	steel	Ryton® & brass	128mm	185 x 143mm	1kg	£69.68
10208Z	2ltr steel can	steel	Ryton® & brass	128mm	185 x 187mm	1kg	£67.59
10308Z	1ltr steel can	steel	Ryton® & brass	128mm	185 x 267mm	2kg	£78.06
14018Z	1ltr polyethylene can	brass	Ryton® & brass	128mm	141 x 210mm	1kg	£82.24



Page
16

EMPTTEEZY'S ABSORBENTS



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> WASTE CONTAINERS



OILY WASTE CANS

- The name is misleading, these containers are for use with any combustible waste material.
- The self-closing lids reduce oxygen and stop a fire within the container, while the raised and ventilated base allows air to pass underneath dissipating heat and reducing the risk of spontaneous combustion.



ADDITIONAL INFORMATION

- Both types of cans are Factory Mutual approved and tested.

COMBUSTIBLE MATERIAL SUCH AS USED WIPES, SOLVENT SOAKED CLEANING CLOTHS ETC. CAN BE A MAJOR FIRE HAZARD IF LEFT IN UNPROTECTED CONTAINERS



*09200 not TUV approved

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	OUTER Ø & HEIGHT	WEIGHT	DELIVERED PRICE
09200	8ltr counter top can	244 x 232mm	3kg	£72.82
09100	20ltr foot operated can	302 x 403mm	4.3kg	£86.43
09300	34ltr foot operated can	354 x 464mm	6kg	£99.00
09500	52ltr foot operated can	480 mm Ø x 514mm	7kg	£126.22
09700	80ltr foot operated can	467 x 595mm	10kg	£182.76

NEW FOLDING DRAIN COVER





HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> DIP & FLOOR STANDING RINSE TANKS



DIP TANKS

- The simple solution to soaking "parts". These tanks are fitted with spring loaded stay-open lids with a fusible link which in the event of a fire, melts at 74°C and slams the lid shut, extinguishing the burning contents.



RINSE TANKS

- Features a self-close cover that is a foot treadle operated to allow both hands to be free.



ADDITIONAL INFORMATION

- Both types of tank are Factory Mutual approved and tested.



SOME CONTAMINATED COMPONENTS REQUIRE SOAKING/WASHING IN ORDER TO CLEAN THEM AND THIS CAN INVOLVE THE USE OF LARGE AMOUNTS OF FLAMMABLE LIQUIDS, WHICH CAN POSE A RISK OF FIRE AND/OR PERSONNEL INJURY

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

DIP TANKS

CODE	DESCRIPTION	OUTER Ø & HEIGHT	WEIGHT	DELIVERED PRICE	WITH BASKET	DELIVERED PRICE
27601Z	4ltr steel tank	238 x 140mm	2kg	£85.00	n/a	£88.53
27602Z	8ltr steel tank	238 x 254mm	3kg	£88.00	27901	£91.67
27605	19ltr steel tank	349 x 330mm	5kg	£112.00	27903	£116.79
27615	19ltr steel tank with HDPE liner	349 x 330mm	5kg	£320.00	27923	£312.58
27608	30ltr steel tank	397 x 362mm	6kg	£130.00	27906	£135.64

FLOOR STANDING RINSE TANK

CODE	DESCRIPTION	SIZE WxDxH	WEIGHT	DELIVERED PRICE
27220	83ltr tank	895 x 406 x 305mm	35kg	£766.79
27005	Parts basket for use with 27220	711 x 330 x 102mm	5kg	£163.00
27006	Sediment screen for use with 27220	584 x 349 x 919mm	1.1kg	£86.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> SAFETY DRUM TAPS





HAZARDOUS MATERIAL/
FIRE RATED PRODUCTS



TO AID YOU IN GETTING LIQUID FROM ITS MAIN CONTAINER INTO A SMALLER ONE FOR DAILY USE, THESE TAPS HAVE SAFETY AS THE PRIME FEATURE

TAPS

- These safety taps incorporate an internal flame arrester which prevents flashback of fire into the drum.
- Brass construction with a (PTFE) polytetrafluoroethylene seal assures a leak proof operation.
- The adjustable versions screw tightly into the drum and can then be adjusted to the dispensing position required with the spout downwards without damaging the thread or leakage.
- For trouble free dispensing of viscous non corrosive flammables such as adhesives, paint or heavy oils above 30w, use the viscous gate valve model 08552.



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	THREAD	WEIGHT	DELIVERED PRICE
08902	Brass rigid	19mm	1kg	£55.02
08910	Brass adjustable	19mm	1kg	£87.48
08540	Brass control flow - laboratory	19mm	0.5kg	£62.35
08552	Brass gate valve - viscous liquids	51mm	3kg	£217.31
08916	Stainless steel adjustable	19mm	1kg	£276.99

Page
118

EMERGENCY DECONTAMINATION SHOWERS & EYEWASH



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> DRUM VENTS & ANTI STATIC WIRES



*These models must be installed in a vertical position



SAFETY DRUM VENTS

- These Factory Mutual approved vents have an operating valve that opens at 0.35 bar internal pressure in normal service for automatic pressure relief.
- Vacuum relief is either manual or automatic dependent on the model and permits 15ltr or more per minute to flow through a standard 19mm tap. All the vents have a flame arrester for added safety as standard.

ANTI STATIC WIRES

- Reduce the risk of fire from static electricity generated by the movement and flow of flammable liquids. By bonding between containers during liquid transfer and connecting drums to an earth you will greatly reduce the risk of a fire.

PRESSURE BUILD-UP AND STATIC DISCHARGE CAN POSE A SERIOUS HAZARD TO STAFF OR EMERGENCY SERVICE PERSONNEL. THESE PRODUCTS ARE DESIGNED TO STOP THIS FROM HAPPENING



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

SAFETY DRUM VENTS

CODE	DESCRIPTION	VACUUM RELIEF	THREAD	WEIGHT	DELIVERED PRICE
08101	Brass vertical vent for petroleum based product	Automatic	51mm	0.9kg	£129.36
08300	Brass horizontal vent for petroleum based product	Manual	51mm	0.5kg	£84.34
08005	Non metallic vertical vent, plated steel flame arrester for petroleum based product	Automatic	51mm	0.5kg	£57.12
08006	Non metallic vertical vent, stainless steel flame arrester for chlorinated solvents	Automatic	51mm	0.5kg	£107.37

ANTI STATIC WIRES

CODE	DESCRIPTION	END CONNECTIONS	WEIGHT	DELIVERED PRICE
08497	Insulated 3m coiled	Hand clamp x 6mm terminal	1kg	£72.82
08499	Flexible 1m	Dual hand clamps	1kg	£122.03

EMPTEEZY®
working for the environment

01506 430309
advice@empteezy.co.uk



HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> SAFETY FUNNELS

HAZARDOUS MATERIAL/
FIRE RATED PRODUCTS



EXPOXY POWDER-PAINT FINISH PROVIDES EXCELLENT CHEMICAL RESISTANCE. FACTORY MUTUAL APPROVED.



THESE FUNNELS HAVE SUPERIOR SAFETY FEATURES THAT MAKE THEM IDEAL FOR USE WITH FLAMMABLE LIQUIDS, SUCH AS SOLVENTS, THINNERS, OIL & PAINT WASTE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY

All our prices include delivery to a mainland UK address

CODE	STEEL LID TYPE	FUNNEL ØxH	DELIVERED PRICE
08207Z	Self close lid with 152mm flame arrester	273 x 254mm	£308.40
08205	Self close lid with 813mm flame arrester	273 x 254mm	£381.69

AVOID DANGEROUS SPILLS AND LEAKS

SEE OUR RANGE OF SPILL TRAYS

Page 66





HAZARDOUS & FLAMMABLE LIQUID SAFETY PRODUCTS

> DRUM COVERS AND LOCKS



DRUM LOCKS

- A simple but extremely effective way to secure and control access to expensive liquids. The lock is made from corrosion resistant, nonsparking die cast zinc. To secure the drum lock it is not necessary to remove the original bung, therefore there is no contact with the drum contents. This elimination of potential content contamination has applications across many industries, including chemical and food processing.
- Installs in seconds, simply place both halves around the bung lip, slide the lock bar through the halves and then attach a padlock (not supplied) through the end hole of the bar.
- The steel set includes two units, one to fit over the 2" NPT plug and the other to fit over the 3/4" NPT plug.
- The plastic set includes two units which fit over both 2" plugs.
- 7.14mmØ shackle, typical of a No. 3 Master Lock.



DRUM COVERS

- You only need a spanner and a screwdriver to convert a standard 205ltr steel drum into a fire safe bin. The cover is constructed from steel with a highly chemical resistant powder coat paint finish which is tough and durable. The replaceable fusible-link assembly melts at 74°C to automatically slam the lid shut in the event of a fire in the drum, extinguishing the flames.
- The VaporTrap™ cover also converts a standard 205ltr steel drum but has a gasket to seal in vapour. There is a 121mm spring loaded, self closing port on the top of the lid so you don't have to open the full lid each time for maximum vapour retention. The manual latching cover vents to relieve pressure build-up and it also accepts a padlock (not supplied) for added security.
- Note: Drum not included.



CONVERT OPEN TOP 205LTR STEEL DRUMS INTO FIRE SAFE BINS AND CONTROL ACCESS TO EXPENSIVE LIQUIDS



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

FLAMMABLE LIQUID SAFETY



All our prices include delivery to a mainland UK address

DRUM COVERS			
CODE	DESCRIPTION	WEIGHT	DELIVERED PRICE
26750Z	Open head drum cover - Red	6.1kg	£198.46
DRUM LOCKS			
CODE	DESCRIPTION	WEIGHT	DELIVERED PRICE
08508	Steel drum set - 2 locks, one for 2" & one for 3/4" bungs	0.3kg	£74.01
08509	Plastic drum set - 2 locks	0.7kg	£83.29

EMPTEEZY®
working for the environment

01506 430309
advice@empteezy.co.uk



EMERGENCY SHOWERS

ANSI STANDARD

The ANSI Z358.1 2014 standard establishes universal minimum performance and use requirements for emergency eyewash & drench shower equipment used for the treatment of the eyes, face, and/or body of a person who has been exposed to hazardous materials and/or chemicals. The standard, first implemented in 1981 was modified in 1990, 1998, 2004, 2009 & 2014.

DID YOU KNOW?

THE HEALTH & SAFETY (FIRST AID) REGULATIONS 1981 AND THE CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH (COSHH) REGULATIONS 1996 REQUIRE;

THAT EMERGENCY SAFETY SHOWERS AND/OR EYE/FACE WASH SYSTEMS ARE PROVIDED WHEREVER EMPLOYEES MAY BE EXPOSED TO CHEMICAL/BURN INJURIES.



DECONTAMINATION EQUIPMENT

> ANSI Z358.1 2014 KEY POINTS



CHOOSING, INSTALLING AND MAINTAINING YOUR EMERGENCY SAFETY SHOWER EQUIPMENT CORRECTLY

When researching new equipment prior to a purchase you may have noticed that there always seems to be a comprehensive choice available and that most of the products appear to follow a similar design to one another, and like a lot of purchase decisions it's the related information that you need to understand before you make the purchase that is just as important as the product and its performance.

Plumbed in emergency safety showers and eye wash basins are no exception, with an array of product choice out there and a real need to gather and interpret related information of paramount importance, the following is a guide to the important information you really should consider so that you choose, install and maintain your emergency safety shower and or eye wash basin correctly at the first time of asking.

Equipment Location: All emergency stations must be located in areas that are accessible within 10 seconds, roughly 17m; this is referred to by the industry as the "10 second rule".

Best practice is to check the travel time to determine if you have the emergency station located within 10 seconds, keeping in mind that an injured person may require extra time/ support to reach the designated station. Where highly corrosive chemicals are used, thought should be given to installing the emergency station as close as possible to the potential hazard. Remember to check the routing of any electrical supply which might then be within the contamination zone.

Obstructions: Emergency stations must be located on the same level as the hazard and the pathway between them must be clear of any obstruction. If your site has a hazard that is located on a different level to your current emergency station, you will have to install an additional station on the same level as the hazard. Again there must be no obstructions between them. Please note that a door is classed as an obstruction, but if the hazard is non-corrosive, one door is acceptable between the hazard and the emergency station so long as it opens in the direction of travel of the person requiring its use.

Water supply: Always connect to a potable water supply and consider draining the water supply and fitting a filter prior to connecting the emergency equipment to it. To comply with the ANSI Z358.1 standards, tepid water (16°C - 38°C) should be provided.

Recommended incoming pipe sizes are:

- ½" for eyewash stations and eye/face wash stations
- 1" for drench showers
- 1¼" for combination eyewash drench showers

Water Temperature & Tepid Water: Tepid water is crucial, but often overlooked when providing emergency shower and eye wash equipment. Medical professionals recommend that tepid water is used to treat chemically injuries to eyes and body tissue because temperatures that exceed 38°C can enhance chemical interaction with the eyes and skin. Additionally, flushing liquid temperatures below 16°C can

cause hypothermic shock and while cooler flushing fluids may provide immediate relief after chemical contact, prolonged exposure to cold fluids affect the ability to maintain adequate body temperature and can result in the premature cessation of first aid treatment.

If you are providing tepid water you must install a hot water shut-off to prevent accidental scalding, and a cold water bypass to ensure the delivery of flushing liquids in the event that the hot water supply fails. Most facilities located in the UK have outside temperatures that can drop to below 0°C during the winter, therefore emergency safety shower and or eye wash equipment that can be exposed to freezing temperatures need protection to ensure their continued availability for use. Conversely locations where the ambient water temperature can exceed 37°C will require anti-scald valves to purge potentially scalding water from the feed lines. This will include outdoor locations that are exposed to direct sunlight, or indoor locations exposed to extremes of temperature created by a manufacturing process.

Shut-Off Valves: If shut-off valves are installed on the water supply line for maintenance purposes, provisions must be made to prevent an unauthorised shut-off to ensure valves are always open.

Signs: Each unit installed must be identified with the appropriate safety sign to help identify the area and the emergency equipment located in it.


Operation: In the event of an accident, the injured person should shower or wash their eyes IMMEDIATELY for 15 minutes. All equipment should be fitted with stay open valves so the water supply will continue without the requirement to keep hold of the activation device.

A qualified first aider or doctor should be in attendance as soon as possible and if appropriate the injured person should be taken to hospital for further treatment.

16°C - 38°C




TEPID WATER
SIMULTANEOUS
OPERATION



OBSTRUCTIONS



EQUIPMENT
LOCATION



IDENTIFICATION



DECONTAMINATION EQUIPMENT

> ANSI Z358.1 2014 KEY POINTS



Training: All employees who may be exposed to hazardous or corrosive materials must know the locations of, and be instructed in the proper use of the eyewash and/or drench shower equipment on site; in addition, site plans showing the exact locations of all emergency stations should be freely available to anyone entering the site.

Maintenance & Testing: Planned maintenance is necessary to ensure that all emergency equipment is functioning safely and correctly. Weekly testing will ensure the supply lines are clear of sediment and bacteria build-up that can occur in stagnant water and also allows you to verify the equipment's operation and ensure that flushing fluid is available.

Record keeping: The HSE consider equipment like this to be lifesaving equipment, so by carrying out regular checks and servicing you will help satisfy any HSE inspection and show that the equipment is being well maintained. Remember to keep a record of all maintenance activity, detailing any repairs undertaken including all activations.

COSHH regulations require that safety equipment is "maintained in an efficient state, in efficient working order and in good repair" and that records are kept for a period of at least 5 years to prove the inspections and maintenance work has been carried out.

PUWER (Provision & Use of Work Equipment Regulations 1998) requires that where inspections are carried out they should be undertaken by a competent person and a record kept until the next inspection.



Waste Disposal: Proper disposal of the contaminated water must be considered when installing new equipment and drainage, freezing temperatures and pollutants should be considered too. We recommend that you consult your Local Authority, Water provider or Environment Agency for additional guidance on the correct wastewater disposal method for your site.

We hope you find this information useful and if you would like assistance with choosing the right emergency safety shower equipment for your facility please do not hesitate to contact us and we can arrange for one of our experienced managers to visit and carry out a confidential, without onus and free of charge assessment with you.



FOR MORE INFORMATION ON FULLY COMPLIANT STORAGE OR TO ARRANGE A NO OBLIGATION, FREE OF CHARGE SITE ASSESSMENT PLEASE CONTACT US TODAY! - See Page 19



EMPTEEZY[®]
working for the environment

☎ 01506 430309
✉ advice@empteezy.co.uk



DECONTAMINATED EQUIPMENT > EMERGENCY TANK SHOWERS



VERTICAL TANK SHOWERS SE-VTS-1 & SE-VTS-2

Our emergency tank showers are designed for locations that don't have access to a potable water supply or the location suffers from low water pressure rendering a plumbed in version inadequate. Model SE-VTS-1, our 2000ltr independently tested and certified version, provides 15 minutes continuous flow of tepid water in line with ANSI Z358.1.

Instead of simply going through a process of self-certification, Empteezy went the extra mile and elected to have its tepid water emergency tank shower SE-VTS-1 undergo independent tests to prove its compliance to international standards.

Firstly we worked with IAPMO R&T, North America's premium plumbing and mechanical product certification agency to demonstrate that the SE-VTS-1 tank shower, which distributes 75.7 litres of tepid water per minute over 15 minutes met with ANSI standard Z358.1-2014 for the US market and in addition also had the product tested to the same standard by Applus+ Laboratories, one of Europe's top test & certification organisations.

Applus+ Laboratories tested the emergency tank shower to verify its compliance with the European Norm; UNE-EN 15154-3: 2010 Safety Showers - Part 3: Body Showers Not Connected to the Water Supply & UNE-EN 15154-4: 2010 Safety Showers - Part 4: Eyewash Units Not Connected to the Water Supply. The tank shower passed the test with flying colours.

STANDARD SPECIFICATION FOR BOTH MODELS:

- 40mm x 40mm x 3mm hot dip galvanised (provides corrosion protection) carbon steel, square tubular frame with bolt down fixing brackets.
- Rotationally moulded polyethylene water tank (2000ltr or 1250ltr).
- 40mm reflective Kingspan Thermapatch® TP10 rigid polyurethane foam, insulation board (0.022Wm.k thermal conductivity).
- GRP tank shroud complete with warning signage.
- 3Kw heating element (sits in a sump to ensure it is covered even when the tank is empty).
- Activation & test handle (you don't get wet when testing or assisting someone).
- Stainless steel shower head.
- Swing arm water level gauge.

THE COMPREHENSIVE RANGE OF OPTIONS FOR BOTH MODELS INCLUDES:

- Stainless steel frame.
- Galvanised or stainless steel waste water collection sump with galvanised or stainless steel grid mesh.
- GRP main shower activation foot treadle.
- Self-drain eyewash bull horns.
- Self-drain yewash basin, plastic or stainless steel.
- GRP eyewash activation foot treadle.
- Modesty/spray containment panels (2 sides & back).
- Digital water level/water temperature display.
- Audible/visual alarm to denote activation of the shower.
- Audible/visual alarm for temperature/water level.
- 6Kw heater for areas where the ambient is below freezing.
- Water chiller for areas where the ambient could result in scolding water.
- Standard commercial electrics.
- ATEX zoned electrics.



EMPTEEZY[®]
working for the environment

☎ 01506 430309
✉ advice@empteezy.co.uk



DECONTAMINATED EQUIPMENT > EMERGENCY TANK SHOWERS



**SE-VTS-1 SHOWN
IN OPTIONAL
COLOUR WHITE.**



VERTICAL TANK SHOWERS

Our emergency tank shower has a self-contained water supply and delivers tepid water at a flow rate of 75.7ltr per minute in full compliance with the internationally recognised ANSI Z358.1 standard.

The emergency tank shower can be fitted with a variety of activation and warning options making it suitable for deployment in a wide range of situations.



COMPLIANCE

At present there are no UK mandated requirements in HSE legislation regarding Emergency Tank Showers; however, our tank showers are tested and certified to the internationally recognised ANSI Z358.1 standard & European Norm (EN) (CEN, CENELEC, ETSI) standards.

DIMENSIONS	1590mm x 1480mm x 3930mm (Overall height)
WEIGHT	672kg un-laden & 2,872kg filled
HEATING	2.25" BSP, 230v 3kw rated, wired to rotary isolation switch
TANK CAPACITY	2000Ltr
FLOW RATE	75.7lpm over 15 minute duration
SHOWER HEAD	Polished stainless steel
WETTED PARTS	Manufactured from non-ferrous materials
TEST ACTIVATION HANDLE	Fitted outside the shower area
VISUAL WATER LEVEL INDICATOR	Fitted on front face of tank shroud



AN EMERGENCY TANK SHOWER FOR USE WHERE A CONSTANT WATER SUPPLY OR ADEQUATE WATER PRESSURE IS UNAVAILABLE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS



Carriage on application.

CODE	DESCRIPTION	COLOUR	WEIGHT	DELIVERED PRICE
SE-VTS-1	Vertical Tank Shower	White or Green	672kg	£6,020.00

EMPTEEZY[®]
working for the environment



01506 430309
advice@empteezy.co.uk



DECONTAMINATED EQUIPMENT > EMERGENCY TANK SHOWERS



VERTICAL TANK SHOWERS

Our emergency tank shower has a self-contained water supply and delivers tepid water at a flow rate of 75.7ltr per minute in full compliance with the internationally recognised ANSI Z358.1 standard.

The emergency tank shower can be fitted with a variety of activation and warning options making it suitable for deployment in a wide range of situations.

COMPLIANCE

At present there are no UK mandated requirements in HSE legislation regarding Emergency Tank Showers; however, our tank showers are tested and certified to the internationally recognised ANSI Z358.1 standard & European Norm (EN) (CEN, CENELEC, ETSI) standards.



SE-VTS-2 SHOWN IN OPTIONAL COLOUR GREEN.

DIMENSIONS	1320mm x 1430mm x 3600mm (Overall height)
WEIGHT	480kg when empty & 1775kg when full
HEATING	2.25" BSP, 230v 3kw rated, wired to rotary isolation switch
TANK CAPACITY	1250Ltr
FLOW RATE	75.7lpm over 15 minute duration
SHOWER HEAD	Full stainless steel construction
WETTED PARTS	Manufactured from non-ferrous materials
TEST ACTIVATION HANDLE	Full width bar across the rear of the unit which also extends beyond the framework for remote & test activation.
VISUAL WATER LEVEL INDICATOR	Fitted on front face of tank shroud

AN EMERGENCY TANK SHOWER FOR USE WHERE A CONSTANT WATER SUPPLY OR ADEQUATE WATER PRESSURE IS UNAVAILABLE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS



Carriage on application.

CODE	DESCRIPTION	COLOUR	WEIGHT	DELIVERED PRICE
SE-VTS-2	Vertical Tank Shower	White or Green	672kg	£5,542.00

**NEW
FOLDING
DRAIN
COVER**



Page
34



DECONTAMINATED EQUIPMENT > WRAP AROUND EMERGENCY SAFETY SHOWER



WAES

A rotationally moulded polyethylene wrap-around water tank and pipework encased in a one piece GRP shroud with access panels for pump, pipework & electrical controls. This emergency safety shower is fitted with galvanised grid mesh treadle, which when walked on activates the shower and is semi enclosed and fully compliant with ANSI Z358.1. An electric pump maintains the flow rate and used water can be pumped straight to a waste water hold tank ready for disposal.

OPTIONS INCLUDE

- GRP roof and one piece shroud can be supplied in a range of colours.
- Eyewash basin.
- Galvanised or stainless steel collection sump complete with ramp.
- Stainless steel grid mesh & activator.
- Chiller unit.
- Solar Panels/Inverter/battery system.
- Digital display for water temperature and level.
- Alarm system for water temperature and level.
- Remote Alarm system to BMS via volt free signal.
- 110v equipment (Standard is 230v).

Size: 1.87m L x 1.57m D x 2.77m H
(to top of curved roof)

Shower flow rate: from 75.7ltr per min

Eyewash flow rate: from 1.5ltr per min



DIGITAL DISPLAY SCREEN



SHOWER HEAD



STAINLESS STEEL MESH FLOOR WITH RAMP



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	COLOUR	DIMENSIONS	DELIVERED PRICE
WAES	Wrap Around Emergency Shower	White	1.87m x 1.57m x 2.77m	£5,950.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



EMERGENCY SHOWERS

> OPTIONAL EXTRAS



VERTICAL EMERGENCY TANK SHOWER OPTIONAL EXTRAS

EYEWASH WITH STAINLESS STEEL BOWL



TREADLE PLATE ACTIVATOR FOR MAIN SHOWER



PRIVACY SCREENS (3) SIDES



ALARM SYSTEM FOR BOTH SHOWER & EYEWASH



DIGITAL WATER LEVEL & WATER TEMPERATURE GAUGE



WATER COLLECTION BUND



OTHER EXTRAS

- 6KW HEATER FOR AREAS WHERE AMBIENT IS BELOW FREEZING
- STAINLESS STEEL SUPPORT FRAME
- TRACE HEATING FOR MAIN TANK FEED PIPE
- TRACE HEATING FOR OPTIONAL EYE/FACE WASH BASIN
- WASTE WATER COLLECTION SUMP (GALVANISED OR STAINLESS STEEL) WITH TREADLE OUTLET

LIGHT WITH PIR ACTIVATION SENSOR



For more information on our tank shower options, call our sales team today on 01506 430309

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



EMERGENCY SHOWERS

> WATER TREATMENT CHEMICAL



ENDOSAN5™ WATER TREATMENT CHEMICAL

EndoSan™ 5 is an independently tested highly effective bactericide, virucide, sporicide, fungicide, algacide and amoebicide and is both chlorine and alcohol free and non-corrosive to any material during application. This is an environmentally responsible way to dose the water in your portable Eye wash or Tank shower as it degrades into harmless water and oxygen, is odourless, colourless and tasteless.

Key Benefits:

- PH neutral
- Two year shelf life
- Powerful whilst being non-toxic
- Creates no harmful bi-products
- Versatile and easy to use
- Odourless, colourless & tasteless
- Highly effective biofilm remover
- Effective at a wide range of temperatures.

When dosing, the parts per million ratio for EndoSan™ 5 is 50



ENDOSAN5™ TEST STRIPS

EndoSan™ test strips measure the Hydrogen Peroxide levels in the water in parts per million (0 - 100ppm). These are a useful indicator of the levels of biocide in the tank or system.



FOR ENDOSAN5™ PRODUCTS THE PPM RATIO IS 50, PLEASE SEE THE ENDOSAN - METHOD STATEMENT AND RISK ASSESSMENTS FORM FOR FULL DETAILS, THIS CAN BE FOUND ON OUR WEBSITE

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS All our prices include delivery to a mainland UK address

CODE	PRODUCT & QTY	CONTAINER SIZE (LxWxH)	WEIGHT	DELIVERED PRICE
20-10-001	50 x Test strips	85 (H) x 40mm Ø	32g	£41.00
20-05-001	1x 1ltr	223 (H) x 88.5mm Ø	1.1kg	£26.00
20-05-005	1x 5ltrs	182 x 162 x 245mm	5.36kg	£78.00

STEEL Chemstor® Storage Solutions

PAGE 90



EMERGENCY SHOWERS

> COMBINATION SHOWERS



COMBINATION SHOWER - SELF DRAIN PLATFORM SHOWER - CPSE

Manufactured using galvanised pipe work which is protected with an anti-corrosive Polyamide 11 high visibility yellow plastic coating to give good resistance to acids, bases, seawater and oils, all fittings are brass and the 250mmØ shower head and eyewash bowl are manufactured from ABS reinforced plastic. The eyewash has two high flow, aerated low pressure outlets fitted with automatic opening dust covers.

This combination safety shower and eyewash is fitted with an automatic drain system to remove residual water after use and has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.

OPTIONAL FOOT TREADLE FOR FSCS - FTFSS

This treadle plate is designed for use with the combination shower FSCS. Simple to install and use the foot treadle provides hands free activation of the shower unit.

Manufactured from steel the treadle which is protected with an anti-corrosive polyamide 11 high visibility yellow plastic coating to give good resistance to acids, bases, seawater and oils.

COMBINATION SHOWER - ABS PLASTIC SHOWER HEAD & BASIN - FSCS

This treadle plate is designed for use with the combination shower FSCS. Simple to install and use the foot treadle provides hands free activation of the shower unit.

Manufactured from steel the treadle which is protected with an anti-corrosive polyamide 11 high visibility yellow plastic coating to give good resistance to acids, bases, seawater and oils.



*THE RECOMMENDED WATER INLET PRESSURE IS 2 BAR WITH A MAXIMUM OF 8 BAR; PLEASE NOTIFY US PRIOR TO ORDERING IF YOUR WATER PRESSURE IS BELOW 1.5 BAR

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	WATER INLET	SHOWER FLOW RATE	SHOWER OPERATION	SHOWER VALVE	EYEWASH FLOW RATE	EYEWASH OPERATION	EYEWASH VALVE	WASTE	TOTAL WEIGHT	DIMENSIONS (LxWxH)	DELIVERED PRICE
FSCS	1 1/4" BSP	Regulated at 110lpm	Pull handle	Full bore 1"	22lpm	Push paddle	Full bore 1/2"	1 1/4" BSP	18kg	76 x 26 x 22cm	£702.00
FSCS-SS	1 1/4" BSP	Regulated at 110lpm	Pull handle	Full bore 1"	22lpm	Push paddle	Full bore 1/2"	1 1/4" BSP	20kg	76 x 26 x 22cm	£1,597.00
FTFSS	-	-	-	-	-	-	-	-	6kg	500 x 650 x 30mm	£333.00

EMPTEEZY[®]
working for the environment



01506 430309



advice@empteezy.co.uk



EMERGENCY SHOWERS

> COMBINATION SHOWERS



FSCS-SD



FSCS-SSHB



CPSE

SELF DRAIN COMBINATION SHOWER - FSCS-SD

Manufactured using galvanised pipe work which is protected with an anti-corrosive Polyamide 11 high visibility yellow plastic coating to give good resistance to acids, bases, seawater and oils, all fittings are brass and the 250mmØ shower head and eyewash bowl are manufactured from stainless steel. The eyewash has two high flow, aerated low pressure outlets fitted with automatic opening dust covers.

This combination safety shower and eyewash has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.

COMBINATION SHOWER - PART STAINLESS STEEL - FSCS-SSHB

Manufactured using galvanised pipe work which is protected with an anti-corrosive Polyamide 11 high visibility yellow plastic coating to give good resistance to acids, bases, seawater and oils, all fittings are brass and the 250mmØ shower head and eyewash bowl are manufactured from ABS reinforced plastic. The eyewash has two high flow, aerated low pressure outlets fitted with automatic opening dust covers.

This combination safety shower and eyewash is fitted with an automatic drain system to remove residual water after use and has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.

SELF DRAIN PLATFORM SHOWER WITH ABS PLASTIC SHOWER HEAD & EYEWASH - CPSE

Manufactured using galvanised pipe work which is protected with an anti-corrosive Polyamide 11 high visibility yellow plastic coating to give good resistance to acids, bases, seawater and oils, all fittings are brass and the 250mmØ shower head is manufactured from ABS reinforced plastic. The eyewash (no bowl) has two high flow, aerated low pressure outlets fitted with automatic opening dust covers.

This combination safety shower and eyewash (no bowl) is fitted with a guide frame and an automatic drain system to remove residual water after use, and has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2 - DIN12899.3 - ANSI Z358.1.

*THE RECOMMENDED WATER INLET PRESSURE IS 2 BAR WITH A MAXIMUM OF 8 BAR; PLEASE NOTIFY US PRIOR TO ORDERING IF YOUR WATER PRESSURE IS BELOW 1.5 BAR

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	WATER INLET	SHOWER FLOW RATE	SHOWER OPERATION	SHOWER VALVE	EYEWASH FLOW RATE	EYEWASH OPERATION	EYEWASH VALVE	WASTE	TOTAL WEIGHT	DIMENSIONS (LxWxH)	DELIVERED PRICE
CPSE	1 1/4" BSP	Regulated at 110lpm	Pull handle	Full bore 1"	22lpm	Walk-on platform	Automatic drain	1 1/4" BSP	36kg	104 x 87 x 13cm	£1,313.00
FSCS-SD	1 1/4" BSP	Regulated at 110lpm	Push paddle	Automatic drain & full bore 1 1/4"	22lpm	Push paddle & foot treadle	Automatic drain & full bore 1/2"	1 1/4" BSP	21kg	76 x 25 x 20cm	£890.00
FSCS-SSHB	2 bar with a max of 8 bar	Regulated at 110lpm	Pull handle	Full bore 1"	22lpm	Push paddle	Full bore 1/2"	1 1/4" BSP	18kg	76 x 26 x 22cm	£831.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



EMERGENCY SHOWERS

> WALL & CEILING MOUNTED SHOWERS



WMS (WALL MOUNTED) & CMS (CEILING MOUNTED) - ABS PLASTIC SHOWER HEADS

Manufactured using galvanised pipe work which is protected with an anti-corrosive Polyamide 11 high visibility yellow plastic coating to give good resistance to acids, bases, seawater and oils, all fittings and elbow joints are brass and the 250mmØ shower head is manufactured from ABS reinforced plastic.

This wall mounted safety shower has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.



CMS-SS (CEILING MOUNTED) & WMS-SS (WALL MOUNTED) - STAINLESS STEEL SHOWER HEADS

Manufactured using stainless steel pipe work and fittings; including the 250mmØ shower head, this safety shower is ideal for harsh environments and industries such as food and pharmaceutical.

This ceiling mounted safety shower has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.



*THE RECOMMENDED WATER INLET PRESSURE IS 2 BAR WITH A MAXIMUM OF 8 BAR;
PLEASE NOTIFY US PRIOR TO ORDERING IF YOUR WATER PRESSURE IS BELOW 1.5 BAR



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	WATER INLET	WATER INLET PRESSURE	SHOWER FLOW RATE	SHOWER OPERATION	SHOWER VALVE	TOTAL WEIGHT	DIMENSIONS (LxWxH)	DELIVERED PRICE
WMS	1" BSP	2 bar with a max of 8 bar	Regulated at 110lpm	Pull handle	Full bore 1"	4kg	80 x 27 x 13cm	£205.00
WMS-SS	1" BSP	2 bar with a max of 8 bar	Regulated at 110lpm	Pull handle	Full bore 1"	6kg	80 x 27 x 13cm	£439.00
CMS	1" BSP	2 bar with a max of 8 bar	Regulated at 110lpm	Pull handle	Full bore 1"	3kg	80 x 27 x 13cm	£184.00
CMS-SS	1" BSP	2 bar with a max of 8 bar	Regulated at 110lpm	Pull handle	Full bore 1"	4kg	80 x 27 x 13cm	£432.00



EMERGENCY SHOWERS

> HEAT TRACE & DECON SHOWERS



HTS 1 - HEAT TRACE SAFETY SHOWER

The HTS-1 is a traced heat (commercial electrics) decontamination shower that is protected against freezing by means of trace heat cabling and an insulated jacket which gives protection down to -25°C. The water supply is via a bottom feed supply and the shower head is activated by high visibility yellow pull handle which opens the "stay-open" valve, which means that the shower will continue to operate until the valve is closed by pushing the handle back into the "up" position.

Optional extras include:

- Bullhorn eye wash.
- Galvanised or stainless steel waste water collection sumps.
- Galvanised or stainless steel cubicles with collections sumps.
- Commercial electrics PIR lighting.
- Commercial electrics Alarm/sounder with proximity switch.
- ATEX Zone 1 Lighting.
- ATEX Trace heating.
- ATEX Zone 1 Alarm/sounder with proximity switch.

Suitable anchors must be used to ensure that the unit is rigid and properly secured before being used. If desired or required, additional straps or braces can be used to secure any unit. (BE SURE NOT TO DRILL OR SCREW ANYTHING INTO THE OUTER PLASTIC SHELL).

HEAT TRACE: 220 volts @ 20 watts per metre; self regulating.

You will require an appropriate size/capacity fork lift truck to offload this item from the delivery vehicle. Our standard delivery doesn't include any offloading.



EDS - DECONTAMINATION SHOWER 14 NOZZLE SELF-DRAIN

Manufactured using galvanised pipe work which is protected with an anti-corrosive Polyamide 11 high visibility yellow plastic coating to give good resistance to acids, bases, seawater and oils. The decontamination shower is fitted with 14 spray heads to provide full body coverage and activation occurs as soon as the treadle plate is stepped on.

This decontamination shower is fitted with an automatic drain system to remove residual water after use and has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.



*THE RECOMMENDED WATER INLET PRESSURE IS 2 BAR WITH A MAXIMUM OF 8 BAR; PLEASE NOTIFY US PRIOR TO ORDERING IF YOUR WATER PRESSURE IS BELOW 1.5 BAR

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	WATER INLET	SHOWER OPERATION	WATER VALVE	EYEWASH VALVE	WASTE	TOTAL WEIGHT	DIMENSIONS (LxWxH)	DELIVERED PRICE
EDS	1 1/4" BSP	Foot treadle	Automatic drain	Automatic drain	1 1/4" BSP	50kg	104 x 87 x 13cm	£1,284.00
HTS	1" BSP connection Socket	Handle	1" BSP Control Valve	Speakman Bull horns c/w valve	Option of Bull horns or Eyewash basin spill to ground	30kg approx	2150 (H) x 925mm (W)	£2,504.00



EMERGENCY SHOWERS

> PEDESTAL MOUNTED EYEWASH



PEDESTAL MOUNTED EMERGENCY EYEWASH ABS (PLASTIC) - PMEW

The galvanised steel pipe work and brass fittings are protected with an anti corrosive Polyamide 11 high visibility yellow plastic coating which provides good resistance to acids, bases, seawater and oils.

The eyewash assembly and eyewash bowl are manufactured from ABS reinforced plastic and the bowl is fitted with two high flow, aerated low pressure outlets fitted with automatic opening dust covers.

This pedestal mounted eyewash has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.

PEDESTAL MOUNTED EMERGENCY EYEWASH (STAINLESS STEEL) - PMEW-SS

All the pipe work and fittings are manufactured from stainless steel as are the eyewash assembly and eyewash bowl. The bowl is fitted with two high flow aerated low pressure outlets fitted with automatic opening dust covers.

This pedestal mounted eyewash has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.



PEDESTAL MOUNTED EMERGENCY EYEWASH (DUAL CONTROL) - PMEW-DC

The galvanised steel pipe work and brass fittings are protected with an anti-corrosive polyamide 11 high visibility yellow plastic coating which provides good resistance to acids, bases, seawater and oils.

The eyewash assembly and eyewash bowl are manufactured from ABS reinforced plastic and the bowl is fitted with two high flow, aerated low pressure outlets fitted with automatic opening dust covers.

Activation of this eyewash is by means of either pushing the hand paddle or standing on the foot treadle.

This pedestal mounted dual control eyewash has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.

VISIT OUR WEBSITE FOR OUR FULL PRODUCT LISTING

NEW!
FEATURES,
VIDEOS &
PRODUCTS



SHOP ONLINE NOW!

www.empteezy.co.uk

*THE RECOMMENDED WATER INLET PRESSURE IS 2 BAR WITH A MAXIMUM OF 8 BAR; PLEASE NOTIFY US PRIOR TO ORDERING IF YOUR WATER PRESSURE IS BELOW 1.5 BAR

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	WATER INLET	WATER INLET PRESSURE	EYEWASH FLOW RATE	EYEWASH OPERATION	EYEWASH VALVE	WASTE	TOTAL WEIGHT	DIMENSIONS (LxWxH)	DELIVERED PRICE
PMEW	1/2" BSP	2 bar with a max of 8 bar	22lpm	Push paddle	Full bore 1/2"	1 1/4" BSP	6kg	80 x 27 x 13cm	£316.00
PMEW-SS	1/2" BSP	2 bar with a max of 8 bar	22lpm	Push paddle	Full bore 1/2"	1 1/4" BSP	9kg	80 x 27 x 13cm	£865.00
PMEW-DC	1/2" BSP	2 bar with a max of 8 bar	22lpm	Push paddle & foot treadle	Full bore 1/2"	1 1/4" BSP	7.5kg	80 x 27 x 13cm	£437.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



EMERGENCY SHOWERS > WALL MOUNTED EYEWASH



WALL MOUNTED EMERGENCY EYEWASH ABS (PLASTIC) - WMEW

The eyewash assembly and eyewash bowl are manufactured from ABS reinforced plastic and the bowl is fitted with two high flow, aerated low pressure outlets fitted with automatic opening dust covers. All fittings are brass and are protected with an anti-corrosive Polyamide 11 high visibility yellow plastic coating which provides good resistance to acids, bases, seawater and oils.

This wall mounted eyewash has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.



WALL MOUNTED EMERGENCY EYEWASH (STAINLESS STEEL) - WMEW-SS

The eyewash assembly, all fittings and the eyewash bowl are manufactured from stainless steel and the bowl is fitted with two high flow aerated low pressure outlets fitted with automatic opening dust covers.

This wall mounted eyewash has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.



*THE RECOMMENDED WATER INLET PRESSURE IS 2 BAR WITH A MAXIMUM OF 8 BAR; PLEASE NOTIFY US PRIOR TO ORDERING IF YOUR WATER PRESSURE IS BELOW 1.5 BAR

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	WATER INLET	WATER INLET PRESSURE	EYEWASH FLOW RATE	EYEWASH OPERATION	EYEWASH VALVE	WASTE	TOTAL WEIGHT	DIMENSIONS (LxWxH)	DELIVERED PRICE
WMEW	1/2" BSP	2 bar with a max of 8 bar	22lpm	Push paddle	Full bore 1/2"	1 1/4" BSP	3kg	51 x 36 x 13cm	£249.00
WMEW-SS	1/2" BSP	2 bar with a max of 8 bar	22lpm	Push paddle	Full bore 1/2"	1 1/4" BSP	5kg	51 x 36 x 13cm	£735.00

WIPES WITH A DIFFERENCE
SEE THE DIRTEEZE RANGE ON Page 40



EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



EMERGENCY SHOWERS

> WALL & BENCH MOUNTED HOSES



SINGLE OUTLET WALL & BENCH MOUNTED DRENCH HOSES - WMSH & TMSH

The drench hose head is manufactured from galvanised steel with brass fittings and is protected with an anti-corrosive polyamide 11 high visibility yellow plastic coating which provides good resistance to acids, bases, seawater and oils, while the 1.5m flexible hose is stainless steel.

The drench hose outlet provides hi-flow aerated water at low pressure and is fitted with an automatic opening anti-dust cover.

These single outlet wall & bench mounted drench hoses has been designed to meet and exceed the internationally recognised standards: EN15154 parts 1 & 2, DIN12899.3 and ANSI Z358.1.



WMSH



TMSH



*THE RECOMMENDED WATER INLET PRESSURE IS 2 BAR WITH A MAXIMUM OF 8 BAR; PLEASE NOTIFY US PRIOR TO ORDERING IF YOUR WATER PRESSURE IS BELOW 1.5 BAR

ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	WATER INLET	WATER INLET PRESSURE	FLOW RATE	OPERATION	TOTAL WEIGHT	DIMENSIONS (LxWxH)	DELIVERED PRICE
WMSH	1/2" BSP	2 bar with a max of 8 bar	15lpm	Trigger	2kg	36 x 27 x 8cm	£119.00
TMSH	1/2" BSP	2 bar with a max of 8 bar	15lpm	Trigger	2kg	36 x 27 x 8cm	£141.00

FOR MORE INFORMATION ON FULLY COMPLIANT STORAGE OR TO ARRANGE A NO OBLIGATION, FREE OF CHARGE SITE ASSESSMENT PLEASE CONTACT US TODAY! - See Page 19



EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



EMERGENCY SHOWERS

> ACCESSORIES



SCREEN

A simple 3 sided structure designed to help contain the water from the shower and/or afford some modestly to the user. The screen will also provide some protection from the wind and help reduce any thermal shock.

STC

This simple device stops the operator from getting soaked when carrying out weekly test activations of the shower. Manufactured from plasticized PVC the curtain simply "gathers" at the top of the shower and contains the water, directing it to the floor.

We offer commercial and ATEX rated alarm systems (audible & visual), please contact us to discuss your specific requirements.

NOTE:

All three connectors are protected with an anti-corrosive Polyamide 11 high visibility yellow plastic coating which provides good resistance to acids, bases, seawater and oils.



ANSI TIP – ANSI Z358.1 requires that shower valves be of simple operation, turn from "off" to "on" in one second or less, and provide hands- free operation once activated. Self-closing shower valves do not meet the standard and should be replaced.



CONN-1

A "T" connector designed for use with either freeze protection valve FPV or anti scald valve ASV to connect to the 1 1/4" inlet.

CONN-2

A "U" connector designed for use when connecting the freeze protection valve FPV or anti scald valve ASV to an eyewash basin.

CONN-3

A "T" connector designed for use when connecting the freeze protection valve FPV or anti scald valve ASV to an eyewash basin.

ANSI TIP- During the winter months, most facilities will encounter outside temperatures that are below 0°C and therefore emergency showers & eye/face wash stations need to be protected to ensure they will operate. ANSI Z358.1 states that "Where the possibility of freezing temperatures exists, equipment shall be protected from freezing or freeze protected equipment shall be installed" CONN-3.



ORDER ONLINE AT WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS  All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	COLOUR	DELIVERED PRICE
SCREEN	Plastic coated steel frame which bolts to the floor (fixings not provided) - 3 side panels are high-visibility yellow PMMA (Polymethyl Meth- acrylate) which has an extremely long service life, high resistance to UV light and weathering.	-	£1,037.00
STC	Test activation curtain - slips over shower head and funnels water to the ground.	-	£96.00
ESS	Safety Shower pictogram sign.	Green	£22.00
EEWS	Safety Shower pictogram sign.	Green	£22.00
ESEWS	Combined safety shower & safety eyewash pictogram sign.	Green	£22.00
CONN-1	Connection: 1 1/4" x 1/2".	Yellow	£42.00
CONN-2	Connection: 1 x 1/2" female - 2 x 1/2" male.	Yellow	£48.00
CONN-3	Connection: 1 x 1/2" female - 2 x 1/2" male.	Yellow	£24.00



EMERGENCY SHOWERS > ACCESSORIES



SAK - ALARM SYSTEM

This standard alarm system has an ABS plastic enclosure that contains all the controls and protection necessary for the alarm to operate. In addition to a local sounder/strobe there is also a volt free contact for remote monitoring. We offer other remote signalling options such as digital or analogue, wireless or hard wired, please contact us to discuss your specific requirements. When either the main shower valve or the eyebath valve are activated the flow switch detects the water flow and sends a low voltage signal to the control enclosure, this signal switches on a relay and activates the sounder/strobe.

The alarm sounder automatically switches off after 30 minutes but the strobe will continue to flash and the remote signal will remain 'ON' until the alarm condition is removed.

The alarm enclosure will be fitted to an appropriate plate depending on whether it is a shower or eyewash installation.

SPECIFICATION


The alarm system consists of a 20A rotary isolator.

A flow switch fitted to the water supply pipe.

The system operates from a 230 volt single phase 6 amp supply.

A volt free output (n/o n/c c/o) contact is available on terminal 700 & 701 of the terminal bar.

All sensors and external switching is achieved by way of the 24 volt dc PSU fitted to the controls and all electrical equipment is to a minimum IP 54.



The flow switch is a paddle type with a 1" BSP brass fitting suitable for potable water.

DECIBELS AT 1MTR	93dB
LENS COLOUR	RED
BULB TYPE	LED
VOLTAGE	24V dc

MAIN BODY	ABS
SCREW BOSS	BRASS
ROD	BRASS
PADDLES	STAINLESS STEEL
MEDIA TEMP	-20° TO 150°

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS  All our prices include delivery to a mainland UK address

BUNDED STORAGE SOLUTIONS





EMERGENCY SHOWERS

> SPEAKMAN® PORTABLE TANKS



THE HEALTH AND SAFETY (FIRST-AID) REGULATIONS 1981 AND THE CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH (COSHH) REGULATIONS 1996 REQUIRE THAT EMERGENCY SAFETY SHOWERS AND/OR EYE/FACE WASH SYSTEMS ARE PROVIDED WHEREVER EMPLOYEES MAY BE EXPOSED TO CHEMICAL/BURN INJURIES.

PORTABLE EYE/ FACE WASH SYSTEMS

SE-4320 is a 76ltr capacity gravity operated eyewash with side fitted drench hose. Comes complete with a bracket to allow wall mounting. Ideal for areas without plumbed water just fill with tap water and add SE-4210 water preservative to treat for 180 days.

SE-590 is a 38ltr stainless steel vessel complete with pressure gauge, relief valve and an air connector for charging.

Water is delivered from either the twin spray heads for the eyes and face or the drench hose attachment.

Flow rate is nearly constant as the unit empties.

See our EndoSan Water treatment on page 123.

SPEAKMAN®



SE-590



SE-4300

ALL MODELS MEET THE AMERICAN NATIONAL STANDARD ANSI Z 358.1 WHICH IS AN INTERNATIONALLY RECOGNISED STANDARD COVERING THE DESIGN PARAMETERS FOR EMERGENCY SAFETY SHOWERS AND EYE/FACE WASH FOUNTAINS.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	COLOUR	DELIVERED PRICE
SE-4300	Free standing shower or wall mounted gravity eyewash with drench hose.	Blue	£390.00
SE-590	Stainless Steel portable eye wash.	Stainless Steel	£1,850.00

EMPTEEZY®
working for the environment



01506 430309

advice@empteezy.co.uk



EMERGENCY SHOWERS

> SPEAKMAN® WALL MOUNTED SHOWERS



WALL MOUNTED SHOWERS

Both the showers shown on this page are merely examples from a comprehensive range we have available.

SE-227 has a plastic 203mmø shower head.

SE-227-SS has a stainless steel 203mmø shower head.

Both are activated via a 90o stay open valve by pulling on the large triangular handle.

ADDITIONAL INFORMATION

The last thing someone who is already in shock and may be feeling the effect of the liquid spilled on him/her wants are painful jets of water hitting them. The impeller action that these showers have turns the water into a swirling motion which means that the flow of the water is softer when it hits the body, it also provides complete body cover for efficient decontamination.

The full specifications for all models are available upon request.



SPEAKMAN®

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	COLOUR	DELIVERED PRICE
SE-227	Wall deluge shower galvanised steel with plastic shower head.	Stainless Steel	£277.00
SE-227-SS	Wall deluge shower all stainless steel.	Yellow	£932.00

EMPTEEZY®
working for the environment




01506 430309
advice@empteezy.co.uk



EMERGENCY SHOWERS

> SPEAKMAN® EYE & EYE/FACE WASH BASINS



SE-580 EYE WASH BOWL

Activation of the chrome plated, brass "stay-open" ball valve is via a stainless steel push handle, whilst water delivery to the eye wash bowl is from twin aerated outlets with protective caps and balance control. Flow rate is 13.25ltr per minute.

Bowl size: 282mm x 282mm x 76mm
Supply: ½" NPTF
Valve: ½" NPTF chrome-plated brass
Bowl: Wall mounted round yellow plastic 279mmØ.



SE-1000 EYE/FACE WASH BOWL

Independent eye wash and face wash systems integrated into one, multi-functioning safety unit. The yellow ABS plastic bowl is fitted with aerated sprays for eyewash comfort and innovative face pads for full face cleansing.

Water flow is activated by a large stainless steel "push" handle with a stay-open valve for hands free operation and the bowl is designed to allow it to be installed for wheelchair accessibility.

NOTE:

This unit should be connected to an uninterrupted supply of potable water, with a minimum flowing pressure of 30psi and a maximum static pressure of 125psi.

Flow pressure: 30psi (2.07bar)
Flow rate: 18.5lpm



SE-1050 EYE/FACE WASH BOWL

Independent eye wash and face wash systems integrated into one, multi-functioning safety unit. The stainless steel bowl is fitted with aerated sprays for eyewash comfort and innovative face pads for full face cleansing.

Water flow is activated by a large stainless steel "push" handle with a stay-open valve for hands free operation and the bowl is designed to allow it to be installed for wheelchair accessibility.

NOTE:

This unit should be connected to an uninterrupted supply of potable water, with a minimum flowing pressure of 30psi and a maximum static pressure of 125psi.

Flow pressure: 30psi (2.07bar)
Flow rate: 18.5lpm.

SPEAKMAN®

AERATED WATER CLINGS TO EYES AND SKIN, WHILE ORDINARY SPRAYED WATER TENDS TO BOUNCE OFF. AERATION IS ESPECIALLY IMPORTANT AS THE HUMAN FACE IS FULL OF CONTOURS AROUND THE EYES, FACE AND NOSE. AERATED WATER REDUCES THE RISK OF HARMFUL CONTAMINANTS BEING FORCED INTO CUTS OR SOFT MUCOUS MEMBRANES. FULL TECHNICAL SPECIFICATIONS ARE AVAILABLE UPON REQUEST.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	BOWL SIZE	COLOUR	DELIVERED PRICE
SE-580	Plastic wall mounted eye wash bowl.	282 x 282 x 76mm	Yellow	£303.00
SE-1000	Plastic wall mounted eye wash bowl.	510 x 232 x 273mm	Yellow	£355.00
SE-1050	Steel wall mounted eye wash bowl.	510 x 232 x 273mm	Steel	£442.00

EMPTEEZY®
working for the environment



01506 430309



advice@empteezy.co.uk



EMERGENCY SHOWERS

> SPEAKMAN® BENCH & WALL MOUNTED HOSES



LABORATORY HANDHELD EYE WASH & DRENCH HOSES

SE-920 is a simple hand held hose that delivers aerated water from a single outlet which is activated by a simple squeeze handle, it also has an integral hanger for storing it.

SE-921 and SE-927 are designed for mounting onto benches up to 164mm thick. The "pull out" flexible hoses make them practical and easy to use. Both models provide aerated water outlets.



ADDITIONAL INFORMATION

Where the eyes, face and/or body of a person may be exposed to chemicals or fine particles or dust, it is recommended that you should make provision for facilities to aid rapid flushing and/or drenching to minimise the risk of permanent injury.

Before you site any equipment you should consider the following; make sure there is easy unhindered access at all times, consider the environment, ambient temperature and of course water pressure and once you have installed the equipment mark it on your site plan, make all staff aware of where it is and how to use it. Provide highly visible signage and ensure all equipment is regularly operated, checked and maintained.

Quotations containing a full specification are available upon request.

Additional wallmounted bracket WMB available, contact us for more details.

SPEAKMAN®

*THE RECOMMENDED WATER INLET PRESSURE IS 2 BAR WITH A MAXIMUM OF 8 BAR; PLEASE NOTIFY US PRIOR TO ORDERING IF YOUR WATER PRESSURE IS BELOW 1.5 BAR

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



EMERGENCY SHOWERS



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	COLOUR	DELIVERED PRICE
SE-920	Hand held single outlet	White/Yellow	£257.00
SE-921	Bench mounted single outlet	Black/Yellow	£322.00
SE-927	Bench mounted twin outlet	Black/Yellow	£437.00

EMPTEEZY®
working for the environment



01506 430309

advice@empteezy.co.uk

BUNDED PLASTIC TANKS

STORING OIL

Oil is among the most common pollutants in the UK and cleaning up oil spills can be difficult and expensive. Dealing with a spill will cause you a great deal of inconvenience and expense so make sure you have insurance cover, not just to replace the lost oil but to include:

- Environmental clean-up for accidental oil loss.
- A high enough liability limit to cover you if neighbouring land and/or boreholes are affected.
- The costs of cleaning up oil on your own property.

In England and Wales, it is against the law to cause water pollution and there are specific regulations that may apply to your oil storage tank. Non compliance with these regulations is an offence and may result in enforcement action being taken against you.

For detailed information go to www.netregs.gov.uk or www.sepa.org.uk

BEFORE YOU BUY

You should think about environmental and fire protection, access, maintenance and security requirements before deciding where to put a new or replacement oil storage tank.

Avoid high risk areas such as:

- Within 50 metres of a spring, well or borehole.
- Within 10 metres of a watercourse.
- Places where spilt oil could enter open drains, loose fitting manhole covers or soak into the ground where it could pollute groundwater.
- Places where a spill could run over hard ground to enter a watercourse or soak into the ground where it could pollute groundwater.
- Places where tank vent pipe outlets can't be seen from the filling point.
- Above roof level as spilt oil can run down guttering which is connected to surface water systems.

ACCESS

You should consider access for maintenance and deliveries to the tank (filling). Check with your delivery company before making the final decision on where to place a tank. You need to take into account pollution prevention and health and safety aspects of filling the tank, this includes where the tanker can safely park to make the delivery, where the delivery pipes will run and access to the tank.

REMINDERS

Before choosing a new or replacement tank, you should check the following: -

- What if any, legal requirements you must comply with Suitability of the tank to your requirements.
- Do you need to install any secondary containment.
- Do you need to install crash barrier protection.
- The location of the tank.
- If you're replacing a tank, what will you do with the old one.

Choose a tank that:

- Is expected to last at least 20 years, with proper maintenance, before it needs to be replaced.
- Is made of a material that is suitable for the type of oil stored.
- Is of sufficient strength and structural integrity to ensure that it won't burst or leak in ordinary use.



BUNDED PLASTIC TANKS
 > DIESEL DISPENSING TANKS



EMP1300DD



EMP2350DD



EMP5000DD

DIESEL DISPENSING TANKS

This double skinned, bunded diesel tank allows you to safely and easily dispense fuel using the automatic nozzle (complete with flow metre). The inner storage tank is fully contained within an outer tank which holds 110% of the maximum volume stored.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



BUNDED PLASTIC TANKS



All our prices include delivery to a mainland UK address

CODE	SIZE (DxH)	RECOMMENDED BASE SIZE (LxW)	CAPACITY	WEIGHT	DELIVERED PRICE
EMP1300DD	1410 x 1740mm	2010 x 2010mm	1300ltrs	125kg	£1,480.00
EMP2350DD	1700 x 1850mm	2300 x 2300mm	2350ltrs	180kg	£1,849.00
EMP5000DD	2450 x 1950mm	3050 x 3050mm	5000ltrs	250kg	£3,058.00



BUNDED PLASTIC TANKS

> BUNDED STORAGE TANKS



TANK AND BUND

The inner tank provides the required storage area, the outer tank forms the required bund, with capacity for 110% of the total liquid being stored. The tank is suitable for storage of Diesel, Kerosene and certain other oils. Please check before usage.

THIS TANK COMPLIES WITH:

OFTEC requirements and Oil Pollution Prevention Guidelines (England and Wales) 2002 PPG2. CE approved.

SPECIFICATIONS:

- Tough polyethylene plastic.
- 2" inlet, 4" inspection hatch with 18" outer lid.
- 1" easy access outlet.
- Overfill prevention device.
- Lockable outer lid.
- Tank contents gauge (optional extra).
- Outlet filter kit (optional extra).

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



BUNDED PLASTIC TANKS



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	CAPACITY	DELIVERED PRICE
STR1235B	1890 x 640 x 1350mm	1235ltrs	£1,248.00
STR1000B	1890 x 640 x 1350mm	1000ltrs	£980.00
STR2450B	2250 x 1450 x 1635mm	2450ltrs	£1,184.00

WIPES WITH A DIFFERENCE

SEE THE DIRTEEZE RANGE ON Page 40



EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



BUNDED PLASTIC TANKS > BUNDED WASTE OIL TANKS



TANK AND BUND

The inner tank provides the required storage area, the outer tank forms the required bund, with capacity for 110% of the total liquid being stored. The tank is suitable for storage of Diesel, Kerosene and certain other oils. Please check before usage.

THIS TANK COMPLIES WITH:

OFTEC requirements and Oil Pollution Prevention Guidelines (England and Wales) 2002 PPG2. CE approved.

SPECIFICATIONS:

- Tough polyethylene plastic.
- Tank contents gauge.
- Easy-pour removable 18" funnel.
- Lockable outer lid.



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

BUNDED PLASTIC TANKS



All our prices include delivery to a mainland UK address

CODE	SIZE (DxH)	RECOMMENDED BASE SIZE (LxW)	CAPACITY	WEIGHT	DELIVERED PRICE
WO650	1260 x 630 x 1350mm	1860 x 1230mm	650ltrs	85kg	£986.00
WO1340	1410 x 1500mm	2010 x 2010mm	1340ltrs	107kg	£1,187.00
WO2455	1700 x 1810mm	2300 x 2300mm	2455ltrs	162kg	£1,105.00
WO5000	2120 x 2300mm	2720 x 2720mm	5000ltrs	282kg	£2,287.00

FOR MORE INFORMATION ON FULLY COMPLIANT STORAGE OR TO ARRANGE A NO OBLIGATION, FREE OF CHARGE SITE ASSESSMENT PLEASE CONTACT US TODAY! - See Page 19



EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk

WASTE HANDLING

WASTE HANDLING

**NEED ADVICE? OR WANT TO ARRANGE
A SITE ASSESSMENT? CONTACT US ON:**

 01506 430309

 advice@empteezy.co.uk





WASTE HANDLING ATTACHMENTS > RANGE INFORMATION



WASTE HANDLING EQUIPMENT

The original and safest to use waste handling skips available in the market:

- No wires.
- No pulleys.
- No climbing.
- Everything operates from the safety of the Fork Lift Truck's cab.

VISIT OUR WEBSITE
FOR OUR FULL
PRODUCT LISTING

NEW!
FEATURES,
VIDEOS &
PRODUCTS



SHOP ONLINE NOW!

www.empteezy.co.uk

SKIP CANOPIES

Skip Canopies give you control over access to your waste and help stop skips from filling with rainwater. Why pay to dispose of it or have it "wash" oily residues out of the skip and cause pollution.

APPLICATIONS

Typical use would be the collection of waste at "work stations" i.e. metal turnings from a CNC machine or wood off cuts from a saw mill, even general waste created during a working day.

Because of their construction (fully welded "bucket") the ATS range is perfect for "wet" loads such as cutting fluid contaminated swarf from milling/CNC machines.

Because the base of these models "drops away" they are not suitable for wet loads or powders.

They are however ideal for; general waste, paper off cuts from guillotines and metal waste from stamping machines etc.

The "rolling" disposal action of the RFS range makes it highly suitable for heavy duty loads like concrete and brick rubble found on building sites.

CAPACITIES

0.25m3 to 1.6m3
500kg to 1500kg

0.5m3 to 2.0m3
1000kg to 2000kg

0.5m3 to 1.5m3
1250kg to 1750kg

MODEL



APPLICATIONS

Stop waste from being blown around.

Stop rainwater accessing the skip.

Stop acts of vandalism.

Stop unwanted dumping and cross contamination.

CAPACITIES

10m3 to 12m3
Skips, Bespoke Skips
available on request.

MODEL



MOVE WASTE FROM THE PRODUCTION AREA TO THE WASTE SKIP SAFELY EASY TO OPERATE DEMONSTRATIONS AVAILABLE VIA VIDEO ON OUR WEBSITE WWW.EMPTEEZY.CO.UK

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



WASTE HANDLING



All our prices include delivery to a mainland UK address

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



WASTE HANDLING ATTACHMENTS > PLASTIC BUCKET ROLL FORWARD SKIP



RFSP11L - ROLL FORWARD SKIP ON LEGS WITH A PLASTIC BUCKET

Fitted with a rotationally moulded polyethylene bucket, which can be replaced as and when required this roll forward skip is totally automatic; no wires and no climbing, just lower the bucket onto the edge of a skip to release then lower to lock after tipping the load. The bucket is fitted onto a painted mild steel base frame on fixed legs and it is also supplied with safety securing chains as standard.



NEW

SAFETY

Completely automatic operation, no wires, pulleys or handles it's all automatic. No climbing Fork Lift Truck masts to empty.

All operated from the safety of the cab. Retaining chains fitted as standard.

PLEASE NOTE:

Colour: Jaz Green (Shade of green may vary as we use recycled material, standard colours such as blue or yellow are available as special order items).

Tare weight: 210kg

ROBUST CONSTRUCTION MAKES THESE MODELS IDEAL FOR HEAVY LOADS



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

WASTE HANDLING



All our prices include delivery to a mainland UK address

CODE	OVERALL SIZE (LxWxH)	NOMINAL VOLUME	MAX LOAD	ADDITIONAL	BUCKET SIZE	BUCKET WEIGHT	DELIVERED PRICE
RFSP11L	1795 x 1740 x 1192mm	1.1m ³	1000kg	with legs	1740 x 1740 x 1029mm	90kg	£650.00

STEEL Chemstor®
Storage Solutions

PAGE 90





WASTE HANDLING ATTACHMENTS > STEEL ROLL FORWARD SKIPS



ATS

- Fully seam welded bucket.
- 3mm steel plate construction.
- Fitted with a damper to control.
- The tipping action.
- CE marked.
- Unit can be galvanised as an option to reduce corrosion.
- 5 standard versions.
- Available on legs or castors.
- Lids available.


SAFETY

- Completely automatic operation.
- No wires, pulleys or handles, it's all automatic.
- No climbing Fork Lift Truck masts to empty.
- All operated from the safety of the cab.
- Retaining chains fitted as standard.
- Floor tipping handle can be fitted as an option.

OPTIONS

We can supply a durable cover secured by welded hooks to your unit to help stop debris being blown out or reduce rainwater build up if storing the unit outside. Easy to remove and replace, they are a cost effective answer to heavy metal lids.

THE SAFE AND PRACTICAL WAY TO COLLECT AND DISPOSE OF WASTE IN THE WORK PLACE



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



WASTE HANDLING



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH) mm	NOM VOL	MAX LOAD	ADDITIONAL	DELIVERED PRICE
ATS2L	1275 x 818 x 525mm	0.25m ³	500kg	with legs	£766.00
ATS2C	1275 x 818 x 568mm	0.25m ³	500kg	with castors	£906.00
ATS5L	1450 x 820 x 862mm	0.5m ³	1000kg	with legs	£928.00
ATS5C	1450 x 820 x 905mm	0.5m ³	1000kg	with castors	£1,087.00
ATS7L	1530 x 990 x 856mm	0.7m ³	1000kg	with legs	£1,015.00
ATS7C	1530 x 990 x 958mm	0.7m ³	1000kg	with castors	£1,174.00
ATS11L	1760 x 1290 x 856mm	1.1m ³	1250kg	with legs	£1,149.00
ATS11C	1760 x 1580 x 958mm	1.1m ³	1250kg	with castors	£1,310.00
ATS16L	1790 x 1580 x 916mm	1.6m ³	1500kg	with legs	£1,497.00
ATS16C	1790 x 1580 x 1018mm	1.6m ³	1500kg	with castors	£1,588.00



WASTE HANDLING ATTACHMENTS

> ROLL FORWARD SKIPS - FOR USE WITH FORK LIFT TRUCKS



**SAFELY OPERATED
FROM THE CAB OF
THE FORK LIFT TRUCK**

FOLDING LID




RFS OPTIONS

Built to the same standard as the rest of the range but specifically developed for use with guillotines at a major automotive company.

It can of course be used for other applications that the overall size suits.

ONLY AVAILABLE ON CASTORS.



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

WASTE HANDLING



All our prices include delivery to a mainland UK address

DETAILED MEASUREMENT

CODE	A	B	C	D	E	F	G	H	I	J	K	L	M	N
RFS5	1500	1350	1152	1007	1250	377	188	100	145	150	815	165	800	80
RFS7	1500	1350	1152	1007	1250	377	188	100	145	150	1070	165	800	80
RFS11	1500	1350	1152	1007	1250	377	188	100	145	150	1316	165	800	80
RFS15	1660	1350	1242	1182	1500	377	188	100	60	-	1570	165	800	80

CODE	MAX LOAD	TARE WEIGHT	LOAD CENTRE OPEN	LOAD CENTRE CLOSED
RFS5	1250kg	225kg	750mm	900mm
RFS7	1250kg	250kg	750mm	900mm
RFS11	1750kg	300kg	750mm	900mm
RFS15	1750kg	450kg	830mm	1020mm

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



WASTE HANDLING ATTACHMENTS > AUTO TIPPING SKIPS



RFS

- Fully seam welded bucket.
- 4mm steel plate construction.
- Rolling frame provides additional strength.
- CE marked.
- Four standard versions.
- Available on legs or castors.

SAFETY

- Completely automatic operation.
- No wires, pulleys or handles it's all automatic.
- No climbing Fork Lift Truck masts to empty.
- All operated from the safety of the cab.
- Retaining chains fitted as standard.
- Available on legs or castors.

OPTIONS

We can supply a durable cover secured by welded hooks to your unit to help stop debris being blown or reduce rainwater build up if storing the unit outside. Easy to remove and replace, they are a cost effective answer to heavy metal lids.



ROBUST CONSTRUCTION MAKES THESE MODELS IDEAL FOR HEAVY LOADS

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

WASTE HANDLING



All our prices include delivery to a mainland UK address

CODE	SIZE (LxWxH)	NOM VOL	MAX LOAD	ADDITIONAL	DELIVERED PRICE
RFS5L	1500 x 815 x 1050mm	0.5m ³	1250kg	with legs	£936.00
RFS5C	1500 x 815 x 1152mm	0.5m ³	1250kg	with castors	£1,097.00
RFS7L	1500 x 1070 x 1050mm	0.7m ³	1250kg	with legs	£1,028.00
RFS7C	1500 x 1070 x 1152mm	0.7m ³	1250kg	with castors	£1,188.00
RFS11L	1500 x 1316 x 1050mm	1.1m ³	1750kg	with legs	£1,230.00
RFS11C	1500 x 1316 x 1052mm	1.1m ³	1750kg	with castors	£1,389.00
RFS15L	1600 x 1570 x 1140mm	1.5m ³	1750kg	with legs	£1,432.00
RFS15C	1600 x 1570 x 1242mm	1.5m ³	1750kg	with castors	£1,593.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



WASTE HANDLING ATTACHMENTS > AUTO DUMPING SKIPS



ADC

- Greatest volume from the lowest overall size.
- Top mounted fork pockets and guides.
- Drop away floor for quick dumping.
- All steel construction.
- CE Marked.
- 6 standard versions.
- Available on legs or castors.



SAFETY

- Completely automatic operation.
- No wires, pulleys or handles, it's all automatic.
- No climbing Fork Lift Truck masts to empty.
- All operated from the safety of the cab.
- Retaining chains fitted as standard.



The ADC5 is available on Castor or Legs, easy to manoeuvre: with hand pallet truck. Able to fit in small or awkward areas. The ADC10 is great for maximum volume and the ADC20 is ideal for bulky and long length items, fitted with four all swivel, heavy duty castors as standard.

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

WASTE HANDLING



All our prices include delivery to a mainland UK address

The measurement is from ground level to the top of the fork pocket.

CODE	SIZE (LxWxH)	NOM VOL	MAX LOAD	ADDITIONAL	DELIVERED PRICE
ADC5L	1020 x 870 x 880mm	0.5m ³	1000kg	with legs	£859.00
ADC5C	1020 x 870 x 920mm	0.5m ³	1000kg	with castors	£1,030.00
ADC7L	1020 x 970 x 1040mm	0.7m ³	1000kg	with legs	£926.00
ADC7C	1020 x 970 x 1080mm	0.7m ³	1000kg	with castors	£1,097.00
ADC10L	1320 x 1050 x 1040mm	1.0m ³	1250kg	with legs	£996.00
ADC10C	1320 x 1050 x 1080mm	1.0m ³	1250kg	with castors	£1,165.00
ADC15C	1690 x 1050 x 1080mm	1.5m ³	1500kg	with castors	£1,305.00
ADC20C	2000 x 1050 x 1080mm	2.0m ³	1500kg	with castors	£1,459.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk



WASTE HANDLING ATTACHMENTS > AUTO DUMPING SKIPS



THE SAFE AND PRACTICAL WAY TO COLLECT AND DISPOSE OF WASTE IN THE WORK PLACE



OPTIONS AVAILABLE - CRANE LIFT CHUTE MOUTH - FLANKED BASE TO AVOID SPILLS.

ADC25C

Built to the same standard as the rest of the range but specifically developed for use with guillotines at a major automotive company.

It can of course be used for other applications that the overall size suits. Only available on castors.

OPTIONS FOR USE WITH FULL RANGE

- Crane lifting lugs.
- Chute mouth.
- Side guides for base.
- Lockable hinged lids.
- Not available on ADC25C.

We can supply a durable cover secured by welded hooks to your unit to help stop debris being blown or reduce rainwater build up if storing the unit outside.

Easy to remove and replace, they are a cost effective answer to heavy metal lids.



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK



WASTE HANDLING



All our prices include delivery to a mainland UK address

The measurement is from ground level to the top of the fork pocket.

CODE	SIZE (LxWxH)	NOM VOL	MAX LOAD	ADDITIONAL	DELIVERED PRICE
ADC25C	2650 x 870 x 700mm	0.8m ³	2000kg	-	£1461.00

EMPTEEZY[®]
working for the environment



01506 430309

advice@empteezy.co.uk



WASTE HANDLING ATTACHMENTS > SKIP CANOPIES



SKIP CANOPIES

Based on a solid H beam frame construction the canopy is created using Platisol corrugated sheet cladding.

Options include: Fully seam welded sumps to contain any liquid leaking from the skip. Door systems to control access and fully contain loose, fly away waste and configurations to accommodate different numbers and sizes of the skips.

Note: As these units are built to your specific application we have to carry out a site assessment, this service carries no onus on you to purchase and is of course confidential and free of charge.

You will require a firm level concrete base to house the system on.



"DO YOU SUFFER FROM POLLUTION FROM LEAKING SKIPS OR WASTE BLOWING OUT OF THEM? IF SO, WE HAVE THE SOLUTION!"

i PRICES AVAILABLE ON APPLICATION



ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

WASTE HANDLING



All our prices include delivery to a mainland UK address

NEW
FOLDING
DRAIN
COVER



Page
34



ACCESSORIES

> FORK LIFT TRUCK ATTACHMENTS



DCS1

Manufactured from mild steel and secured to the forklift using two screw clamps, this drum clamp is designed to lift 205ltr steel drums with rolling rings.



DCD2

This drum fork allows two 205ltr drums to be lifted using rolling rings. Manufactured from mild steel the fork is secured to the forklift truck using two screw clamps.



HDF1

This hinged drum fork allows 205ltr drums to be switched from a vertical to a horizontal position, and vice versa, without the operator having to leave the cab.



CJF1

FIXED JIB - CJF1

This mild steel crane-jib attachment converts a forklift truck into a crane when attached using the two screw clamps. The unit, tested to 33 per cent overload capacity, comes with a safety swivel hook.

ADJUSTABLE JIB - CJE2

This mild steel crane-jib attachment converts a forklift truck into a crane when attached using the two screw clamps.

The jib has four horizontal positions which extend to a maximum of 3050mm. The unit, tested to 33 per cent overload capacity, comes with a safety swivel hook.

VISIT OUR WEBSITE FOR OUR FULL PRODUCT LISTING

NEW!
FEATURES, VIDEOS & PRODUCTS



SHOP ONLINE NOW!

www.empteezy.co.uk

ORDER ONLINE AT
WWW.EMPTEEZY.CO.UK

ACCESSORIES



All our prices include delivery to a mainland UK address

CODE	DESCRIPTION	MAX LOAD	FORK SPREAD	MAX FORK SIZE	COLOUR	WEIGHT	DELIVERED PRICE
DCS1	Drum clamp - 1x drum	500kg	560mm	140 x 55mm	Yellow	53kg	£501.00
DCD2	Drum clamp - 2x drum	1000ltrs	880mm	140 x 55mm	Yellow	80kg	£972.00
CJF1	Crane jib attachment	3000kg at 610mm	n/a	n/a	Yellow	140kg	£1,219.00
CJE2	Crane jib attachment	3000kg at 610mm	n/a	n/a	Yellow	216kg	£1,470.00
HDF1	Hinged drum forks	400kg	567mm	140 x 50mm	Yellow	105kg	£1,166.00

EMPTEEZY[®]
working for the environment

01506 430309
advice@empteezy.co.uk

THE NEW PORTABLE FACE WASH

The new SE-4320 is a 76ltrs capacity gravity operated eyewash with side fitted drench hose, Ideal for on the go.



*See Page 133 for more details.

EMPTEEZY SPILL CONTROL & SPILL CONTAINMENT

SPAIN

Empteezy Iberica S.L.

Pol. Ind. Can Prunera C/ Solsonés, Nave 18
08759 Vallirana Barcelona
Spain
T: +34936835175
F: +34936835941
E: info@empteezy-iberica.com
W: www.empteezy-iberica.com

FRANCE

DELAHAYE INDUSTRIES

Empteezy France
Zone DIA Nantes Atlantique Avenue Antoine
de Saint Exupéry
44860 Saint Aignan de Grand Lieu, Nantes,
France
T: +330240323400
F: +330240323848
E: mail@delahaye-industries.fr
W: www.delahaye-industries.fr

ITALY

Empteezy Italia S.r.l

Via Podere della Vigna, 9
20019 Settimo Milanese
Milano (MI) Italy
T: +39 02 3288131
F: +39 02 33500271
E: info@empteezy.it
W: www.empteezy.it

BELGIUM & HOLLAND

Empteezy Benelux BVBA

Populierstraat 3 - 8800
Roeselare Belgium
T: +32 51 636854
F: +32 51 611741
E: info@empteezy.be
W: www.empteezy.be

Empteezy Ltd

4 Muir Rd
Houstoun Industrial Estate
Livingston
Scotland, UK
EH54 5DR

T: 01506 430309

W: www.empteezy.co.uk

E: advice@empteezy.co.uk